

NASA
RP
1053
c.1

NASA Reference Publication 1053

LOAN COPY: RETURN
AFWL TECHNICAL LIBR
KIRTLAND AFB, N.M.

0063224
4226900

TECH LIBRARY KAFB, NM

Results of the August 1977 Soviet and American Meteorological Rocketsonde Intercomparison Held at Wallops Island, Virginia

Francis J. Schmidlin, Joseph R. Duke,
Andre I. Ivanovsky, and Y. M. Chernyshenko

FEBRUARY 1980

NASA



0063224

NASA Reference Publication 1053

**Results of the August 1977 Soviet
and American Meteorological
Rocketsonde Intercomparison
Held at Wallops Island, Virginia**

Francis J. Schmidlin and Joseph R. Duke
Wallops Flight Center, Wallops Island, Virginia
Andre I. Ivanovsky and Y. M. Chernyshenko
Hydrometeorological Service, Moscow, USSR



National Aeronautics
and Space Administration

**Scientific and Technical
Information Office**

1980

PREFACE

Meteorological information on the structure and general circulation of the upper stratosphere and mesosphere was developed from data derived through certain indirect measurements and, in more recent years, from direct measurements such as obtained by meteorological rocketsondes. Obviously, atmospheric research requires reliable and sufficient measurements to specify parameter means and their variability, and to achieve an understanding of the various atmospheric phenomena and anomalies that contribute to the variability. Large-scale annual, semi-annual, and longer period (e.g., quasi-biennial) changes in the atmosphere can account for considerable differences between summer and winter seasons, for example, stratospheric pressure changes of over 100% has been observed near the poles. Furthermore, synoptic systems cause large temperature variations throughout the high latitude stratosphere which clearly influence the dynamics and climatology of the winter hemisphere, and aid in producing the observed variability. This variability is a principal characteristic of the upper stratosphere and lower mesosphere which makes acquisition of reliable data critically important. The value of the data lies in the representativeness of the profiles. Sensing systems for the measurement of temperature and wind have been developed by various countries, but to intelligently apply these different data to high altitude atmospheric studies it is extremely important that the measurements be compatible. To achieve compatibility a number of meteorological rocketsonde intercomparisons have been held and have been widely reported on. The most recent intercomparison was between the United States and the Union of Soviet Socialist Republics. This intercomparison was planned as part of the 1971 agreement between the National Aeronautics and Space Administration and the Soviet Academy of Sciences which called for an exchange of meteorological rocketsonde data from western and eastern hemisphere launch sites. This report provides final data and results from that intercomparison.

We are especially indebted to Dr. Morris Tepper of NASA and Dr. L. A. Alexandrov of the Hydrometeorological Service for their continuing interest in making this intercomparison a success. We greatly appreciate the efforts of Dr. Robert Krieger, Director of NASA Wallops Flight Center, Virginia, for hosting the intercomparison at Wallops Flight Center and to the personnel of NASA Wallops Flight Center and the USSR Research Vessel Akademik Korolev whose expertise made the mission such a great success.

Francis J. Schmidlin
NASA Wallops Flight Center

Andre I. Ivanovsky
USSR Hydrometeorological Service

Joseph R. Duke
NASA Wallops Flight Center

Y. M. Chernyshenko
USSR Hydrometeorological Service

CONTENTS

RESULTS OF THE AUGUST 1977 SOVIET AND AMERICAN
METEOROLOGICAL ROCKETSONDE INTERCOMPARISON
HELD AT WALLOPS ISLAND, VA

Francis J. Schmidlin
and
Joseph R. Duke
NASA Wallops Flight Center
Wallops Island, VA 23337

Andre I. Ivanovsky
and
Y. M. Chernyshenko
Hydrometeorological Service
Moscow, USSR

SUMMARY

In 1971, the National Aeronautics and Space Administration in the United States and the Academy of Sciences in the Union of Soviet Socialist Republics, agreed to a coordinated program of rocketsonde investigation. The two agencies agreed to meridional measurements in the stratosphere, theoretically from the North to South Poles, along about 60°E and 70°W Longitudes. The Americans agreed to coordinate launchings along 70°W with the Cooperative Meteorological Rocket Network (CMRN) in the US and the Experimental Inter-American Meteorological Rocketsonde Network (EXAMETNET) in the Southern Hemisphere and the NASA Launch site at Wallops Flight Center, Virginia. The Hydrometeorological Service of the USSR, on behalf of the USSR Academy of Sciences, agreed to provide data from sites along 60°E. It was recognized early in these investigations that the rocketsonde instruments used by the US and USSR needed to be compared if useful results were to be obtained. An intercomparison of rocketsondes sponsored by the Committee on Instrumentation and Methods of Observation (CIMO) of the World Meteorological Organization (WMO) was held in 1972 and 1973 and satisfied this need. France, Great Britain, Japan, the Union of Soviet Socialist Republics, and the United States participated in this rocketsonde comparison. It was learned that large differences existed between the measurements obtained with the US and USSR instruments. After examination of the instruments and adjustments to techniques were

completed, it was agreed that an intercomparison of the US Super Loki Datasonde and the USSR M100B rocketsonde should be conducted. The time was set for August 1977 and the launchings took place at Wallops Flight Center.

It was agreed that 22 pairs of rocket instruments, each pair to be comprised of a US Datasonde and a USSR M100B, would be launched. Half of them were scheduled for daytime launching and half for nighttime. The actual launchings commenced on August 10, 1977, with the Soviets launching from their ship, the Research Vessel Akademik Korolev, and the Americans from the launch complex at NASA's Wallops Flight Center, Virginia. Except for minor variations in the launch schedule, all rocketsondes were launched as planned.

Results obtained indicate US/USSR rocketsonde measurement agreement improved since the 1973 intercomparisons. It was learned that the mean of the differences of the temperatures compare to within 6°C at about 60 km and to within 2°C near 50 km. However, the root-mean-square differences are much larger. Wind measurements were found to agree, in the mean, to within 3 ms^{-1} up to 57 km.

Although this final report of the US/USSR Rocketsonde Intercomparison provides results which satisfy the need to understand how well each instrument agrees with the other, there is still a large number of studies which can be, and should be, carried out with the data sets provided in the Appendixes. Recommendations are given on how the instruments can be better understood.

INTRODUCTION

During recent years the importance of meteorological rocketsondes for observing the stratosphere and mesosphere became evident. The data they produced since the late Fifty's provide valuable statistical information on the behavior of the upper stratosphere and mesosphere leading to a better understanding of: semi-annual and biennial wind variations in the equatorial regions, seasonal reversals, the variation of the stratopause. These data have also made possible the updating of Standard and Reference Atmospheres (ref. 1, 2), and led to the study of many, many more processes. The data have been especially valuable for deriving reliable quantitative estimates of the general circulation and its driving mechanisms. For example, there has been a continuing effort to document the development of stratospheric sudden warmings (ref. 3). These warmings were first reported in 1952 by Scherhag (ref. 4), and, understandably, are the major perturbation affecting the winter circulation. Hence an increasing number of reports using results of rocketsonde data became available in the scientific literature. Generally, these results include synoptic, dynamical, theoretical, climatological, and diagnostic studies (refs. 5, 6, 7, and 8). In order to conduct this viable research it is necessary that the investi-

gator be aware of the methods used to produce rocketsonde data, and that he be assured that all available data are uniform and compatible. It is important, therefore, if compatibility is to be assured, that rocketsonde instruments of various countries be compared with each other from time to time.

In August 1971, the United States and the Union of Soviet Socialist Republics agreed to exchange data from launch sites along two meridional zones, one in the Eastern Hemisphere (near 60°E) and one in the Western Hemisphere (near 70°W). In this connection it was recognized that the measurements from the Eastern and Western Meridional Networks should be compatible if successful global analysis is to be accomplished. Indeed, the necessity for an intercomparison was soon realized when global stratospheric analysis of the temperature data revealed that the measurements made in the Eastern Hemisphere above about 40 km were consistently colder than those of the Western Hemisphere. This problem of data comparability had long been recognized by the Commission for Instrumentation and Methods of Observations (CIMO) of the World Meteorological Organization (WMO) and it recommended that rocketsondes be intercompared. Such an intercomparison test was planned for 1972 (ref. 9). However, because of the difficulty in choosing a site and a time which was mutually agreeable to all the interested participants, the intercomparison was conducted in two parts. The first, at Wallops Flight Center in March 1972, with France, Japan, and the United States participating, and the second in September 1973, at Kourou, French Guiana, with Great Britain, France, the Union of Soviet Socialist Republics, and the United States participating. The intercomparison held at Kourou satisfied the August 1971 requirement for a comparison of US and USSR rocketsonde systems.

The results of the 1973 phase of the CIMO-sponsored intercomparison (ref. 10) showed that at 65-70 km the difference between the US and USSR temperatures was approximately 15°C, after corrections were applied. Similarly, large wind differences were noted above 45 km. Thus, the intercomparison test was extremely valuable in identifying instrumental differences and determining the magnitude of the adjustment values. These adjustments could now be applied to the measurements so that the reported temperatures could be made comparable. After the intercomparison in Kourou, the US and USSR rocketsonde systems were carefully analyzed. It was determined that the shape of the Soviet M100 thermometer supporting arm was creating a shock wave which was influencing the temperature measurement. In addition, the existing parachute design allowed for a high fall velocity and a large oscillating spiral motion which also seriously influenced the temperature and wind measurements (ref. 11). Accordingly, changes were incorporated, such as, a new thermometer sensor mount and parachute design and an improved sample rate of the trajectory and telemetry measurement parameters. During this same period the US investigated its system. The sensors employed were considered satisfactory, and, therefore, no changes to either the thermistor or decelerator were undertaken. Investigation of the thermistor corrections suggested that additional work was needed. Two independent efforts were pursued, one to

determine the appropriateness of the temperature corrections and the second an error analysis of the temperature measurements. Results indicated that the temperature corrections (ref. 12) being applied up to 60 km were satisfactory, and those between 60 and 70 km, while quite large, were nevertheless reasonable. The error analysis study (ref. 13) showed that an uncertainty in the corrected measurement of about 6°C at 60 km existed. This uncertainty was more than two times as large (~15°C) at 70 km.

The various discrepancies described were discussed at the joint US/USSR Working Group meeting on Space Meteorology held at NASA's Goddard Space Flight Center during March 3-7, 1975. In view of the changes and improvements to the rocketsonde systems and reduction techniques that were planned or were being accomplished it was recognized that another intercomparison between the US and USSR rocketsondes was needed. It was agreed that one should be held during the summer of 1977. Wallops Flight Center, Virginia was considered to be the most practical location to hold the intercomparison since precision, "C"-band, tracking radars were available. The coastal location of Wallops made it convenient for a USSR Hydrometeorological Office research ship to anchor near Wallops, thus the intercomparison could be conducted in the same approximate space and time regime. Soviet shipboard equipment is identical to that used at the standard Soviet land-based station. A second meeting of the joint US/USSR Working Group was held in Moscow during November 1976, to discuss and jointly plan the operational aspects of the intercomparison.

INTERCOMPARISON TEST PLAN

Objectives

The primary objective of the intercomparison campaign was to identify measurement differences in the standard rocketsonde systems used by the US and USSR, and to improve the understanding and comparability of the temperature and wind measurements. Better understanding of the instruments' similarities and differences will lead to enhanced utilization of both sets of measurements, especially in the field of synoptic studies. Determination of the magnitude of the temperature difference allows the sides to make meaningful adjustments in order to analyze synoptic upper air charts. Adjustments to wind measurements are considered impracticable, but intercomparison results will indicate the altitude to which wind data can be effectively and jointly utilized.

Scientific Consideration

In order to obtain statistically meaningful results it was necessary that a large data sample be available. The US and USSR each launched 22 operational rocketsonde systems. The systems were launched in pairs, with a US and a USSR system launched close together in time. The launch plan called for the US Super-Loki Datasonde and the USSR M100B observations to be made not more than 30 minutes apart. The objective of such a small time difference was to insure that a comparison of the measured temperatures and winds would be obtained with minimal interference from natural small-scale atmospheric changes. Similarly, the launchings were conducted so as to minimize the spatial separation between systems in order to reduce effects due to atmospheric gradients. This was of some concern since the US launched their systems from Wallops and the USSR launched their rocketsondes from the Research Vessel Akademik Korolev located about 10 km southeast of the Wallops facility. The trajectory of each system is different and ballistic wind effects on the launch vehicle and conditions existing in the launch and impact areas dictated different launch directions. It was agreed, however, that each system at its apogee should be within 50 km of each other. In order to minimize measurement differences due to radiation each pair was launched completely in sunlight, or completely in darkness. This insured similar radiation conditions on both instruments. This is important since temperature sensors are affected by both short- and long-wave radiation, and measurements made under different conditions may introduce differences in the measurements which are difficult to explain. Mission criteria were established that temperature data should be obtained between 30 and 65 km altitude and wind data between 30 and 60 km.

A third measurement system was included to provide an independent source for comparison. Six US Super-Loki Sphere systems were launched with selected pairs of rocketsonde systems. The Super-Loki Sphere is capable of providing density and wind data to about 90 km. Temperatures are then obtained using the perfect gas law. In addition, five sensors originally used on the M100 system were to be launched on the M100B. That is, five M100B systems would provide measurements from both the old USSR temperature sensor and the new temperature sensor. This permitted temperature differences between the old and new sensors to be reconciled since not many comparisons were available after the changes were made to the USSR's rocketsonde.

It was agreed when the intercomparison test plan was designed that the US would attempt to track at least four USSR payloads with one of the Wallops precision "C-band" radars so that a comparison of techniques would be possible. The US reduced its radar track data using the standard Wallops meteorological data reduction program and the USSR reduced their data using their standard program. Raw radar data and reduced wind data were exchanged. The results should reveal whether wind differences are induced by the

different radars, by the data reduction program, or by the decelerator performance.

One final and important aspect of the intercomparisons is to know the measurement precision of each type instrument. This is important in order to separate instrumental effects and atmospheric variability. It was agreed at the November 1976 meeting in Moscow, that repeatability launchings would be made to determine the variance of wind and temperature measurements from the Datasonde and M100B. A minimum of five pairs of instruments were launched with the time difference between each rocketsonde in a pair kept to a minimum. Results of the repeatability tests were exchanged prior to the intercomparison test.

SYSTEMS DESCRIPTION

US Flight Systems

Super-Loki Datasonde - The Super-Loki Datasonde System consists of the Super-Loki rocket motor with a heavy interstage adapter and the nonpropulsive Datasonde dart with a high ballistic coefficient. This system is launched from a 3.66 meter long helical rail launcher which provides support and imparts spin to the system during the launch phase. The rocket motor is a high-thrust, solid propellant unit with a short burning time of approximately 2 seconds. At rocket motor burnout, dart separation occurs. The dart consists of an ogive, body assembly (dart body), and tail assembly. The dart body contains the decelerator and instrument payload. The dart tail contains the delay and ejection system. After separation from the rocket motor the dart coasts to apogee (~30 km) where payload ejection from the dart body occurs at 120 seconds after liftoff. Upon ejection, the ram-air inflated decelerator controls the rate of payload descent. The Datasonde instrument transmits on a carrier frequency of 1680 MHz. Table 1 gives the operating characteristics of the Datasonde. Figure 1 is a drawing of the Super-Loki Datasonde System, and Figure 2 is a drawing of the payload expulsion.

The Datasonde Wind Sensor is a ram-air inflated decelerator called a "Starute." Portions of the "Starute" have been metalized to facilitate radar tracking. Figure 3 is a drawing of the "Starute" and instrument sections in descent mode. Atmospheric wind data are obtained from the positional data taken by the tracking radar.

The temperature sensor is a small, aluminized bead thermistor (about 0.25 mm in diameter) whose electrical resistance varies inversely with its temperature. The thermistor is attached to a mylar loop mount by means of short lead wires. The mylar loop is coated with thin aluminum on the side facing the transmitter and serves to reflect long-wave radiation from the instrument's body. Figure 4 shows the details of the loop amount. As the instrument descends, the thermistor resistance controls the modulation rate of the

<u>Datasonde Dart</u>	<u>Weights</u>
Dart Hardware (kg)	4.04
Parachute (kg)	0.154
Instrument (kg)	0.040
Complete Dart (kg)	4.53
Booster Rocket Motor (kg) (kg)	22.68
Interstage (kg)	3.06

Rocket Motor Without
Interstage Characteristics

Length (cm)	200.33
Diameter (cm)	10.16
Inert Weight (kg)	5.90
Propellant Weight (kg)	17.01




Figure 1. Schematic of the US Super-Loki Datasonde system showing dimensions and weights of the various components.




Figure 2. Sketch of Datasonde payload expulsion.

Descent System Characteristics

Parachute Type	Ram-air inflated
Canopy Material	1/4 mil mylar
Flying Width (m)	1.3
Flying Area (m^2)	4.55
Parachute Weight (grams)	155
Parachute-Sonde Ballistic Coefficient (kg/m^2)	.146




Figure 3. Super-Loki Datasonde Starute configuration.




Figure 4. Details of thermistor loop mount.

TABLE 1. DATASONDE INSTRUMENT INFORMATION

Power Output (mw)	400
Modulation	PFM
Pulse Width (μ s)	65-115
Pulse Repetition Rate (PPS)	10-200
Polarity of Modulation	Negative
Time Reference is Transmitted (sec)	6-10
Time Temperature is Transmitted (sec)	30-60
Frequency (MHz)	1660-1700
Reference Switching	Relay
Batteries	Nickel Cadmium
Operating Time (minutes)	40-50
Battery Voltage	6.25
Length (cm)	28.2
Diameter (cm)	2.8
Thermistor	0.25 mm (10-mil) Aluminum coated bead

data circuit. The temperature data received at the ground are interrupted periodically through electronic switching to permit the transmission of a reference resistance.

Super-Loki Sphere System Description - The Super-Loki Sphere vehicle, as shown in Figure 5, consists of a 4.128 cm diameter dart second-stage and the Super-Loki rocket motor. The dart body is coated with an ablative material to reduce the effect of rather severe aerodynamic heating upon the sphere payload. The sphere inflator contains a percussion initiated time delay charge to initiate sphere inflation after deployment from the dart body at an altitude of 115 km. Table 2 contains sphere characteristics.

TABLE 2. SUPER-LOKI SPHERE CHARACTERISTICS

Diameter	1 meter
Balloon Material	Aluminized 1/2-mil mylar
Construction	20 gores
Sealing	1.27 cm heat pressure sensitive Mylar type
Inflation Gas	Cis-2-Butene
Inflation Gas Weight	19.16 gm
Balloon Weight	66.50 gm
Inflator Weight	82.50 gm
Total Sphere System Weight	167.73 gm
Radar Cross-Section ("C"-Band)	0.785 m ²
Design Deflation Altitude	32 km

The falling sphere payload is a 1-meter diameter inflatable spherical balloon. The balloon is made from 1/2-mil mylar which is aluminized for radar tracking. After ejection from the dart at apogee, a capsule of cis-2-Butene is used to inflate the sphere to a

Super-Loki Sphere

Dart Hardware
Sphere System
Complete Dart

Weights

5.954 kg
.168 kg
6.122 kg




Figure 5. Schematic of the US Super-Loki Sphere system showing dimensions and weights of various components.

superpressure equivalent to 32 km altitude. The inflator has been designed to delay the initiation of inflation until six seconds after payload ejection. This has been done to protect the thin balloon skin from damage during the ejection process. The inflator also has a two-stage inflation feature to achieve a relatively slow and controlled inflation rate.

Atmospheric density and wind data are derived from a precise radar track of the descending inflated sphere. Temperature data are then obtained through the application of the perfect gas law.

US Ground Systems

FPS-16 and FPQ-6 Radars - The FPS-16 and FPQ-6 radars are high precision, "C-band" radars operating at a frequency of 5400-5900 MHz. The range precision of the FPQ-6 radar is \pm 3 meters and angular precision is 0.05 mil or approximately 0.0028 degree. The range precision of the FPS-16 is also \pm 3 meters with an angular precision of 0.1 mil or 0.0056 degree. Normal track data recording rates are at 10 per second. Data are recorded on magnetic tape in digital form for computer reduction.

Ground Meteorological Device - GMD - The GMD is a ground meteorological receptor which has been in use in the United States for approximately 40 years. Although old, the equipment has proven to be reliable, functional, and quite serviceable. The receiving system operates at 1680 MHz and is compatible with the flight system's frequency. The antenna tracking system operates automatically using error voltages developed by a scanner located on the antenna. Angular data from the antenna system are not used for rocketsonde tracking. The telemetry data are recorded continuously over a range of 0-200 Hz on a strip chart which moves at approximately 5 cm per minute. Telemetry data are also recorded on magnetic tape in digital form for computer reduction.

USSR Flight System

The M100B is a two-stage, solid propellant, fin stabilized rocket. The first stage rocket is 250 mm in diameter, 4100 mm long, and burns for approximately 5 seconds; the second stage, of the same diameter is 1600 mm long and burns for approximately 4.5 seconds. First-stage separation is achieved by mechanically cutting a special pin using second-stage exhaust gases at second-stage ignition.

The rocket is launched from a spiral rail launcher which imparts 3.5 rps initial spin. Protective coverings of the temperature and pressure sensors in the nose cone are released 60 seconds after launch through a pyrotechnical device activated by a mechanical

timer initiated at liftoff. The nose cone is separated from the second stage 76 seconds after launch by means of a small separation motor, activated by another mechanical timer also initiated at liftoff. The rocket and its basic characteristics are shown in Figure 6.

Nose Cone With Payload Description - A spire at the head of the payload contains the measurement sensors. Four resistance thermometers of 40 micron-diameter tungsten-rhenium wires of the type shown in Figure 7 are located on two folded posts which are brought into measurement position 60 seconds after liftoff. The resistance of each thermometer under room temperature conditions is approximately 200 ohms. Two Pirani heat manometers for measuring static pressure are located in the head of the spire. The entrance ports of the manometers are located at a distance of six diameters from the tip of the spire. All sensors are connected to an imbalanced Wheatstone Bridge circuit, using a voltage of 3.11 volts. The telemetric frequency is $22.1 \text{ MHz} \pm 50 \text{ KHz}$. The on-board telemetry system operates on a principle of change in generator frequency in proportion to a change in the output voltage of the measurement Wheatstone Bridges. Sensors are then scanned through a 60-channel commutator. All 60 channels are sampled in five seconds. Telemetry transmitters operate at a power of 1.8 watts. A super regenerative radar transponder located in the nose cone with a frequency of 1780 MHz and an output power of 0.4 watts is used for receiving trajectory data. Angular tracking is accomplished through a continuous transponder signal. Short pauses in the transponder response to radar signals give range measurements.

During the intercomparison five rockets were launched using a new system of transponder telemetry. In this case, the instrument bridge voltage output controls the width of the pulse.

The M100B payload descends on a parachute which is shown in Figure 8. Winds are determined on the basis of the radar track data. The parachute is deployed after nose cone separation 76 seconds after liftoff and contains a system of forced inflation of the "circumference tubing" with freon-22. The parachute cross-section area is 50 m^2 , with a total area of 120 m^2 .




Figure 6. Schematic of the USSR M-100B rocketsonde system with dimensions and weights of various components indicated.




Figure 7. Sketch of USSR M-100B resistance temperature wire sensor.




Figure 8. Sketch of USSR M-100B parachute system.

USSR Shipboard Instrumentation

Radar - The radar used for rocket soundings is a most important element of the measurements. The USSR radar "Meteorit-R" operates at a wavelength of 17 cm (1780 MHz) with a pulse energy of 0.25 megawatts, a halfwidth angle of 6°, and a 1.8 meter antenna diameter. Angles and slant range data are either film recorded at a one per second frequency or put directly into an electronic computer with parallel tape recording at a frequency of four times per second.

Angle error dispersion for the radar is 7.2 seconds and the mean square range measurement error is 40 meters. On ships the "Meteorit-R" radar antenna is mounted on a stabilized post, the position of the post is gyro stabilized to maintain a vertical position. Mean square error of maintaining horizontal position is from 5 to 7.2 seconds.

These radar characteristics are mainly responsible for the temperature and wind measurement errors. Taking into consideration the presence of time error correlation in the radar channels with correlation radius up to 1.5-2.0 seconds, for secondary data processing a two second time step is used.

Telemetry Station - For increased reliability, two telemetry stations are utilized. Each station includes an ordinary superheterodyne receiver and panoramic monitor with transmission frequency changes shown on the screen as horizontally displaced light dots. The screen is photographed on moving film. Telemetry data deciphering is done by hand.

General Remarks on Instrumentation - Instrumentation on the Research Vessel Akademik Korolev is standard for all rocket stations of the USSR.

OPERATIONS DESCRIPTION

The operations schedule for the intercomparison was determined by an exchange of correspondence many months prior to the dates of actual launchings. Many preliminary steps had to be arranged far in advance of the actual intercomparison and then finalized upon the arrival of the Soviet Research Vessel Akademik Korolev at Wallops Flight Center. For example, communications between the ship and the Wallops Flight Center control center were necessary in order to carry on a successful operation. Although communication frequencies were arranged, it was only learned after the arrival of the Akademik Korolev that problems in the communications equipment prevented use of this mode of contact. Consequently, a different method of communication was utilized. Similarly, air- and sea-lane clearances had to be worked out with the proper organizations as well as arrangements completed for customs and immigration clearances. Transportation of personnel between Wallops Flight Center and the Akademik Korolev was provided by the U.S. Coast Guard.

The Akademik Korolev anchored off Wallops Island, Virginia, at approximately 1300 GMT on August 5, 1977. Final details of the intercomparison plan and schedule were discussed on August 8 and 9, 1977 by the intercomparison managers and scientists. It was agreed that the launch schedule would commence on August 10th. These first launchings were to be used to insure satisfactory performance of the equipment, provide familiarity with each other's operations, and, in general, identify potential problems which could delay the successful completion of the operation.

In practice, the jointly agreed rocketsonde launch schedule was followed quite closely. However, weather events during the evening of August 17 prevented launchings. Severe thunder and lightning in the Wallops area caused two of the three scheduled pairs to be postponed. In order that the established number of desired night launchings would not be compromised these two pairs were rescheduled during the early morning of August 19th at about 0100 local time and the night of August 19th at 2100 local time.

Each side conducted its countdown independently. The liaison officers (the Soviet at Wallops Flight Center and American on board the Research Vessel Akademik Korolev) informed the launch supervisors of running countdowns and delay developments. The American liaison officer relayed messages from shore on the location of ships. Since the USSR personnel had responsibility for safety in the impact zone, and in fact, had sole cognizance of the Soviet launch operation and safety, they made all decisions whether to delay the launch, or change the launch azimuth. These mutual activities were conducted quickly and efficiently.

In accordance with a preliminary agreement five old-type Soviet thermometers were to be launched with new thermometers. The number of Soviet rocket launchings using both old and new thermometer structures was reduced from five to three. All three launchings were successful. Launchings of these Soviet rockets were accompanied by launchings of American Super-Loki Spheres. The American SPANDAR radar tracked all of the Soviet M100B rocket launchings while the precision FPQ-6 "C-band" radar tracked the previously agreed four rocket launches. Dates, times and other statistics of the successful launch pairs of the Super-Loki Datasondes, Super-Loki Spheres, and M100B are given in Table 3. Although failures of some systems occurred they are not included in Table 3. The reason for the failures is one of system reliability and, therefore, not directly related to the data comparison. Nevertheless, an engineering investigation was made to determine the cause of the failures and corrective action taken.

TABLE 3. INTERCOMPARISON LAUNCH DATES, TIMES, AND LAUNCH RESULTS OF THE VARIOUS US AND USSR ROCKETSONDE PAIRS.

Pair No.	Date	Time GMT	System	Apogee KM	Altitude Top Temp. KM	Altitude Bottom Temp. KM	Altitude Top Wind KM	Altitude Bottom Wind KM	Remarks
1	August 10, 1977	1400 1405	B A	72.0 81.8	63 74	24 15	63 65	24 15	Day
2*	August 12, 1977	0405 0419	A B	81.7 72.6	50 67	15 25	50 67	15 25	Night
3*	August 12, 1977	0606 0659	A B	82.3 74.6	76 70	15 24	60 70	14 24	Night
4	August 12, 1977	1100 1105 1111	B A C	71.9 81.0 111.5	67 74 93	24 15 39	67 62 93	24 15 39	Day
5	August 15, 1977	1735 1744	A B	84.0 72.1	72 68	15 24	60 68	15 24	Day
6	August 15, 1977	1930 1935 1942	B A C	78.9 80.5 112.7	70 74 94	25 15 30	73 64 94	25 15 30	Day
7	August 16, 1977	0105 0113 0123	A B C	79.8 77.0 111.3	65 70 93	15 25 44	66 72 93	15 25 44	Night
8	August 16, 1977	1835 1840	B A	76.1 85.3	70 77	24 15	70 70	24 15	Day**
9	August 16, 1977	2000 2029 2032	B A C	78.3 84.0 115.4	70 54 94	24 25 30	75 64 94	24 25 30	Day
10	August 17, 1977	2015 2025	A B	85.8 77.7	80 70	15 31	65 71	15 31	Day
11	August 19, 1977	0116 0120 0125	B A C	79.2 84.3 112.7	70 78 93	25 15 35	72 70 93	25 15 35	Night
12*	August 19, 1977	0300 0308	B A	77.0 84.4	- -	- -	70 70	51 12	Night
13	August 19, 1977	0507 0524 0537	A C B	83.1 113.8 76.0	76 94 69	16 34 25	65 94 69	16 34 25	Night
14	August 19, 1977	2000 2005	B A	76.8 83.0	70 78	25 15	71 60	25 15	Day
15	August 19, 1977	2205 2210	A B	82.3 80.0	76 70	15 26	70 74	15 26	Day
16	August 20, 1977	0100 0105	B A	76.0 83.1	69 77	23 15	69 68	23 15	Night
17	August 22, 1977	2308 2312	B A	74.0 83.4	69 76	24 15	69 70	24 15	Day
18	August 23, 1977	0100 0106	B A	74.3 83.9	68 77	24 15	68 70	24 15	Night
19	August 23, 1977	0339 0342	B A	76.0 83.7	70 78	25 15	71 70	25 15	Night
20	August 24, 1977	0107 0128	A B	83.8 72.7	78 67	15 24	70 67	15 24	Night
21	August 24, 1977	0300 0305	B A	75.3 84.0	70 78	29 15	71 70	29 15	Night

A. USSR M100B

B. USA Super Loki Datasonde

C. US Super Loki Sphere

* Did not meet objectives of time difference or altitude range. Results were used for evaluation of measurement compatibility.
** Soviet radar lost track - USA Spandar provided position data.

RESULTS OF REPEATABILITY INVESTIGATIONS

The repeatability investigations of the temperature and wind data which were agreed to be part of the intercomparison were carried out by the US and USSR. The tests included paired launchings with the most minimal time separation possible between launchings within a pair. Each side agreed to collect data on at least five pairs of launchings. Calculation of the root-mean-square differences provided an estimate of each instrument's precision. Six Super-Loki Datasonde pairs were obtained at Wallops Island during late May 1977; however, only three pairs successfully reached 70 km and four pairs reached 60 km, in all five pairs reached 54 km. Table 4 provides launch results. The USSR launched their repeatability test systems while enroute to Wallops Flight Center. Six pairs were obtained during July while the Research Vessel Akademik Korolev was in Pacific equatorial waters.

The US actually scheduled six pairs of Datasonde launchings within 24 hours. Since one pair was launched every four hours, an independent diurnal tidal analysis was possible but is not reported here since it was not part of the intercomparison plan. The USSR launched ten successful M100B systems which provided six pairs for analysis. Launch results are given in Table 5. Three launchings on July 25 were conducted during the day; the remainder were launched in darkness. Because of the long receipt time of the telemetry from the M100B payload the minimal interval between launchings was much longer than the interval possible for the US Datasondes. For instance, the shortest interval between systems within each pair was 80 minutes (on July 18). Generally, the majority of the time intervals between launchings was of the order of 90 minutes. The time interval between Datasondes launched within pairs averaged about eight minutes, with the longest separation being 17 minutes. This significant difference in the time intervals is basically due to only one Soviet launch rail being available on the mobile platform, while the US, launching from a fixed location, had multiple launchers and radars available. In general, the Soviet repeatability results indicate a greater variance than found with the American system; however, the launch separation of about one and one-half hours was relatively large and the results are expected to contain a contribution from natural atmospheric variability (ref. 14).

The computational methods used by the Americans and Soviets were different; however, examination of both data sets using both techniques revealed that for the most part approximately the same order of magnitude is obtained regardless of the computational procedure. The US originally calculated the root-mean-square difference at each altitude given by

$$\text{RMS}_{\text{diff}} = \left[\frac{\sum (T_1 - T_2)^2}{n} \right]^{1/2}$$

TABLE 4. DATES AND TIMES OF US REPEATABILITY LAUNCHINGS FROM
WALLOPS FLIGHT CENTER.

Pair	Date	Time (GMT)	Temperature Top (KM)	Wind Top (KM)
1	May 27, 1977	1434	70	70
		1440	70	70
2	May 27, 1977	1839	70	70
		1845	70	70
3	May 27, 1977	2257	69	68
		2303	60	60
4	May 28, 1977	0230	53	53
		0240	70	70
5	May 28, 1977	0630	70	70
		0647	45	45
6	May 28, 1977	1042	70	70
		1047	70	70

TABLE 5. DATES, TIMES, AND GEOGRAPHIC POSITIONS OF USSR RESEARCH
VESSEL AKADEMİK KOROLEV DURING LAUNCHINGS FOR REPEATABILITY
CHECK.

No.	Date	Time (GMT)	Latitude Degrees	Longitude Degrees	Temperature Top (KM)	Wind Top (KM)
1	July 18, 1977	0631	18°25'N	149°12'W	70	65
2		0751	18°25'N	148°51'W	70	65
3	July 21, 1977	2030	14°17'N	126°15'W	70	65
		2200	14°17'N	126°07'W	70	65
5		2330	14°15'N	125°54'W	70	65
6	July 25, 1977	0509	10°21'N	104°38'W	70	65
		0640	10°17'N	104°12'W	70	65
8		0810	10°13'N	103°48'W	70	65
9	July 27, 1977	0304	07°53'N	93°03'W	70	60
		0435	07°46'N	92°45'W	70	60

where T_1 and T_2 represent the first and second measurements of each pair and the sample size n is the total number of pairs at each altitude. The USSR on the other hand used the relationship

$$\delta^2 = \frac{\sum (T_1 - T_2)^2}{n-1}$$

where δ represents the dispersion or standard deviation. The value δ was next averaged in the vertical for 5 km by

$$\bar{\delta} = \frac{1}{5} \sum_{j=1}^5 \delta_j$$

and the mean value assigned to the mid-point of the 5 km layer. Finally, this mean value was used to determine

$$\sigma = \frac{\bar{\delta}}{\sqrt{2}}$$

where σ represents the repeatability value.

A comparison of the two techniques, e.g., submitting US data to the USSR technique and the USSR data to the US technique, revealed no significant differences. Therefore, in order to maintain consistency throughout the repeatability analysis, all data were calculated using the Soviet technique. The results are plotted on the graphs shown in Figures 9 and 10. It should be noted that computations from only five pair of USSR data were available, since radar tracking of the July 21, 1977, 2330 GMT launch was considered inconclusive.

EVALUATION OF INTERCOMPARISON DATA

The observations, obtained in pairs, as shown in Table 3, were evaluated in a relatively simple manner. Means, standard deviations, and root-mean-square differences of corresponding US and USSR data were calculated at each kilometer altitude. Table 6 lists the sample size, mean of the differences, $\Delta(\)^*$, and root-mean-square differences, $r_{\text{rms}}^{\text{diff}}$, of the temperature and wind data. The same approach to the data analysis was used for both

* It should be noted that throughout this report the observation sample size is the same for the US and USSR in which case the mathematical result obtained from using mean of the differences or difference of the means is identical.




Figure 9. Profiles showing the temperature repeatability obtained from measurements with the US and USSR rocketsonde systems.




Figure 10. Profiles showing component wind repeatability obtained from measurements with the US and USSR rocketsonde systems.

TABLE 6. MEAN OF THE DIFFERENCES $\Delta(\)$, AND ROOT-MEAN-SQUARE DIFFERENCES ($r_{\text{rms}}_{\text{diff}}$)
FOR THE USSR(STANDARD) METHOD MINUS THE US(STANDARD) METHOD.

Altitude km	Temperature ($^{\circ}\text{C}$)						Wind				
	day			night			Meridional (mps)		Zonal (mps)		
	n	$\overline{\Delta T}_d$	RMSD	n	$\overline{\Delta T}_n$	RMSD	n	$\overline{\Delta(N-S)}$	RMSD	$\overline{\Delta(E-W)}$	
70	5	-7.8	10.8	4	-14.3	14.3	6	-3.8	26.3	7.3	25.0
69	6	-11.8	15.2	6	-14.3	14.8	7	-1.0	18.5	1.1	22.5
68	7	-12.0	16.4	6	-16.2	17.1	8	2.4	13.0	-5.6	22.0
67	8	-14.6	18.3	8	-17.4	18.6	10	1.3	11.9	-8.7	19.0
66	8	-15.8	18.9	8	-18.4	20.5	11	-1.3	12.5	-1.7	21.9
65	8	-14.3	16.7	9	-14.6	15.8	13	-2.2	11.4	3.2	17.2
64	8	-12.0	14.8	9	-10.8	12.7	15	0.8	13.6	6.1	13.7
63	9	-10.7	13.3	9	-9.1	10.9	16	0.5	12.3	8.2	14.4
62	9	-8.9	11.7	9	-7.8	9.4	17	-0.5	9.5	8.4	12.7
61	9	-7.3	10.3	9	-6.4	8.3	17	-2.1	8.8	8.2	11.6
60	9	-6.0	8.4	9	-6.1	8.6	20	-2.7	10.0	9.7	14.2
59	9	-5.4	7.7	9	-4.9	7.8	20	-1.5	10.1	8.0	14.9
58	9	-4.3	6.3	9	-3.8	6.9	20	-1.2	9.6	5.1	14.5
57	9	-4.9	6.5	9	-3.6	6.0	20	-2.2	10.3	2.5	12.4
56	9	-5.9	5.9	9	-3.8	5.2	20	-4.4	12.1	1.7	10.2
55	9	-4.7	5.7	9	-5.1	5.8	20	-3.4	8.7	1.9	8.7
54	10	-3.6	4.7	9	-4.9	5.5	20	-1.8	7.3	2.0	8.3
53	10	-4.7	6.0	9	-3.4	4.1	20	0.7	7.5	1.3	7.8
52	10	-3.8	5.2	9	-2.2	3.1	20	2.0	8.6	-0.3	7.6
51	10	-4.1	5.3	9	-0.9	2.9	20	1.7	8.2	-1.1	7.6
50	10	-3.6	5.3	10	-0.7	3.0	20	0.6	8.0	-1.9	6.7
49	10	-3.2	4.7	10	-0.7	2.8	20	0.1	6.2	-1.9	5.8
48	10	-3.0	4.3	10	-1.1	2.5	20	1.1	4.0	-2.5	7.0
47	10	-3.8	5.4	10	-1.3	3.1	20	1.1	3.6	-2.6	6.5
46	10	-3.2	4.9	10	-1.8	2.7	20	-2.0	6.3	-0.9	5.3
45	10	-2.2	3.9	10	-2.4	3.1	20	-4.3	8.9	0.8	6.2
44	10	-1.7	3.8	10	-2.9	4.0	20	-1.9	6.6	-0.3	6.7
43	10	-0.9	2.8	10	-1.5	4.7	20	1.2	4.8	-1.8	4.4
42	10	-0.1	3.2	10	-1.0	3.9	20	-0.3	4.7	-1.2	3.9
41	10	0.4	2.2	10	-1.3	3.0	20	0.2	3.6	-0.3	4.0
40	10	-0.3	2.0	10	-0.6	2.8	20	0.3	4.6	0.6	4.1
39	10	-1.1	3.4	10	0.1	2.2	20	-1.6	4.3	-1.3	5.4
38	10	-0.9	3.1	10	1.4	2.1	20	-0.6	5.7	-1.3	4.5
37	10	-0.4	2.8	10	2.0	2.5	20	-0.3	2.7	-1.5	4.3
36	10	0.4	2.8	10	1.7	1.9	20	-0.4	3.9	-1.5	3.3
35	10	0.3	2.5	10	1.3	1.8	20	0.2	3.2	-2.1	3.0
34	10	1.3	3.3	10	1.3	1.9	20	-0.4	3.2	-0.5	1.7
33	10	1.7	3.0	10	1.6	2.4	20	-1.6	3.3	0.5	3.6
32	10	1.6	3.0	10	1.1	2.7	20	-0.7	3.2	-0.1	2.6
31	10	2.1	2.7	10	1.9	2.7	20	-0.3	2.5	-0.1	2.4
30	9	2.3	3.0	10	2.5	3.3	19	-0.3	2.5	-0.2	2.2
29	8	2.3	3.3	9	2.0	2.8	17	-0.9	1.6	-1.6	4.6

the temperature and component wind measurements. Because of new techniques being developed for the M100B instrument, two sets of data are made available for evaluation. These data sets, for purposes of identification in this report, are referred to as the USSR(standard) and USSR(prospective). This different treatment of the same data required that two comparisons be made with the USSR data set. Therefore, evaluations are provided for the US(standard)/USSR(standard) and the US(standard)/USSR(prospective) technique. Additionally, the data obtained with the US sphere system are compared with the US(standard) and both of the USSR techniques. Because of the length of the report required by so many individual data treatments only the US(standard) and USSR(standard) are resolved with any detail.

The USSR(standard) technique is defined (ref. 11) as the method of data processing according to the standard techniques used in the USSR during previous years. The USSR (prospective) technique is defined as having better characteristics of high-altitude resolution of temperature data which is planned for the future processing of rocketsonde data in the USSR. This change of the data processing technique is connected with the improvement of the thermometer design, aimed at eliminating systematic measurement errors caused by aerodynamic disturbances found with the previous design, and a new parachute which stabilizes the descent.

US(Standard) Technique vs USSR(Standard) Technique

The comparison between the US(standard) and USSR(standard) techniques is interesting. A considerable improvement in agreement between the US and USSR rocketsonde temperature measurements over that obtained during the 1973 Intercomparison held in Kourou, Fr. Guiana is immediately apparent. Results of that study (ref. 10) revealed differences between the US and USSR systems which reached a magnitude of about 15°C at 60 km. These values are indicated by the crosses on Figure 11. Above 50 km the results of the 1977 Intercomparison are in much better agreement than was found in the 1973 intercomparison. It is important to note that the relative similarity of the differences during day and night suggests that the corrections being applied for radiation are consistent in both US and USSR techniques. Obviously, the day and night radiation characteristic is the only element of the correction technique (refs. 15 and 16) which changes, i.e., the aerodynamic heating, lag, emissivity, and self heating terms are the same regardless of whether the observations are obtained during day or night. Nonetheless, the scatter in the measurement differences as shown by the root-mean-square difference curves in Figure 12, begins to grow above, about 55-56 km, indicating that unexplained instrumental effects may be contaminating the measurements, or, more likely, noise in the measurements are being introduced by natural atmospheric variability. Corresponding studies of the instruments' repeatability conducted as part of the intercomparison test, has determined that the




Figure 11. Profiles showing the mean of the differences of the measured temperature (ΔT) obtained from the US(standard) and USSR(standard) techniques for daytime and nighttime and a comparison of the results obtained from the 1973 CIMO-sponsored intercomparison with the present data.




Figure 12. Root-Mean-Square differences (rms(_{diff})) of the temperatures obtained from the US(standard) and USSR(standard) techniques during day and night.

instruments cannot be expected to obtain measurements with a precision better than 2-3°C between 60-70 km.

A comparison of the temperature measurements would not be complete without examining the actual profiles. These can be found in the Appendices. It is apparent that each instrument responds quite well to changes of the lapse rate of the actual atmospheric temperature as shown by the level of detail present. Many temperature features were seen in both the Datasonde and M100B profiles. This suggests that both instruments can provide a valuable contribution to atmospheric research in spite of the bias which has been found to exist. Thus, synoptic use of the temperature data requires that this bias be taken into account. Since the bias is very similar for day and night measurements the value obtained from the total number of temperature measurements are listed in Table 7. These values, listed by altitude, are the adjustments which need to be applied to the reported measurements (assuming individual instrument corrections are made) which will bring the US and USSR temperatures into general agreement. The approach used in determining these values was to subtract the US measurements from the USSR measurements, thus, all adjustments are toward the US values. However, it cannot be assumed that the US measurements are absolutely correct. There is no way of determining which measurement is providing truth. The approach used here only provides a relative, but consistent way of determining what differences may exist.

TABLE 7

Adjustments to USSR reported temperatures considered necessary to achieve compatibility to US values. The USSR(standard) and USSR(perspective) techniques are listed. Use of these adjustments assumes that the measurement data corrections have been applied.

Alt.	USSR(STANDARD)	USSR(PROSPECTIVE)
70	+ 11	+ 9
65	+ 14	+ 12
60	+ 6	+ 10
55	+ 5	+ 6
50	+ 2	+ 2
45	+ 2	+ 3
40	0	+ 1
35	- 1	- 1
30	- 2	- 2

Comparison of the wind differences is simply accomplished. Means of the differences and the root-mean-square differences of the meridional and zonal components are listed in Table 6. The comparison of the measured mean wind components, Figure 13, indicates that except for minor exceptions, differences of about 3 ms^{-1} exist below 57 km. Above this altitude, differences in the zonal component grow rapidly. Nevertheless, the root-mean-square differences, Figure 14, although not small, are still smaller than what would be expected from instrument repeatability alone. It must be concluded that agreement of the wind measurements is good to about 57 km, and, since phase differences with altitude were not found, are probably usable, in the mean, to higher altitudes.

US(Standard) Technique vs USSR(Prospective) Technique

Following the intercomparison data exchange, new data reduction techniques were investigated in the USSR. As a result of the new data this produced an additional evaluation with the standard US data was conducted. One aspect of such an outlook is that future data obtained from the M100B system can be brought into agreement with the US system's data, and indeed, with data from rocketsonde systems launched by countries participating in previous intercomparisons, such as the one held in Kourou. Table 8 provides a listing of the mean of the differences of the temperature and wind data for each kilometer between 24 and 70, and of the root-mean-square differences (rms_{diff}) of the same data. It can be seen in Figure 15 that for altitudes above 60 kilometers both the daytime and nighttime temperatures show differences larger than 10 degrees, while the rms_{diff} , Figure 16, suggest that the variation is relatively large. The mean temperature differences finally become less than about 5°C only below 54 kilometers. Comparison of the results obtained during the CIMO-sponsored Intercomparison in 1973 are plotted as crosses on Figure 15. It is obvious that some improvement has been made, but not as great an improvement as shown by the comparison of the standard methods shown in Figure 11. Table 7 lists the amount of adjustment to be applied to the measurements to achieve compatibility. By comparing Figures 11 and 15 it is easily seen that the prospective technique shows improvement in the temperature agreement only above 64 km.

The direct comparison of the US and USSR standard techniques conducted here is very important since these techniques are currently used to provide data for international exchange. However, such a simple comparison can lead to a misinterpretation of the mean differences because the degree of smoothing used with the USSR(standard) technique is much different than that used with the US(standard) technique. If it is assumed that the temperature profile will remain largely unchanged during the period of the comparison, a bias may arise which is caused by the different height resolutions of the techniques applied. This will obviously give rise to somewhat different values of the adjustments




Figure 13. Mean of the differences component winds obtained from the US(standard) and USSR(standard) techniques.




Figure 14. Root-Mean-Square differences (rms_{diff}) of the component winds obtained from the US(standard) and USSR(standard) techniques.

TABLE 8. MEAN OF THE DIFFERENCES $\Delta(\)$, AND ROOT-MEAN-SQUARE DIFFERENCES ($r_{\text{rms}}^{\text{diff}}$)
FOR THE USSR(PROSPECTIVE) METHOD MINUS THE US(STANDARD) METHOD.

Altitude km	Temperature (°C)						Wind			
	day			night			Meridional (mps)		Zonal (mps)	
	n	ΔT_d	RMSD	n	ΔT_n	RMSD	n	$\Delta(N-S)$	RMSD	$\Delta(E-W)$
70	5	-7.8	12.5	4	-10.5	11.4	6	-8.7	29.3	10.3
69	6	-8.8	14.3	6	-11.2	12.7	7	-5.0	21.0	6.0
68	7	-6.9	14.9	7	-14.4	15.8	9	-4.0	15.9	0.4
67	8	-9.0	16.2	8	-15.0	16.4	10	-2.3	13.3	-1.5
66	8	-10.6	17.4	8	-16.8	19.2	11	-3.3*	11.7	2.7
65	8	-10.4	16.2	9	-13.4	14.6	13	-4.2	10.0	7.2
64	8	-10.1	15.2	9	-10.8	13.0	15	-1.1	12.2	9.1
63	9	-10.3	13.9	9	-10.2	12.1	16	-0.9	11.4	9.9
62	9	-10.4	12.7	9	-10.2	11.7	16	-2.1	9.8	8.1
61	9	-10.6	12.0	9	-9.8	11.1	16	-3.9	8.8	7.3
60	9	-10.1	11.0	9	-10.2	11.2	19	-4.7	10.9	9.7
59	9	-10.1	11.1	9	-9.1	10.1	19	-2.6	9.9	7.8
58	9	-8.8	9.9	9	-7.2	9.1	19	-0.8	8.3	4.7
57	9	-8.3	10.3	9	-5.9	8.7	19	-1.7	7.0	1.7
56	9	-7.2	9.1	9	-5.1	7.9	19	-3.6	8.4	1.1
55	9	-6.1	7.4	9	-5.8	7.5	19	-3.8	9.7	1.6
54	10	-4.5	5.2	9	-5.1	6.2	20	-2.0	7.1	2.3
53	10	-5.7	7.1	9	-3.8	5.4	20	0.7	7.2	1.8
52	10	-5.1	6.7	9	-3.6	5.3	20	1.7	7.0	0.2
51	10	-5.1	5.9	10	-1.8	5.4	20	1.6	7.3	-1.6
50	10	-4.1	5.9	10	-0.7	4.4	20	-0.1	7.6	-2.9
49	10	-3.9	5.5	10	-0.6	2.6	20	-0.5	6.8	-3.0
48	10	-3.2	4.6	10	-1.8	3.0	20	-0.1	4.6	-2.3
47	10	-4.0	5.9	10	-1.9	3.3	20	0.1	3.2	-2.0
46	10	-3.8	5.3	10	-2.1	2.9	20	-1.5	5.1	-1.5
45	10	-2.8	4.5	10	-3.1	3.9	20	-3.3	6.7	-0.6
44	10	-2.1	4.1	10	-3.1	4.5	20	-2.9	6.4	-0.3
43	10	-1.1	3.6	10	-1.6	5.5	20	-0.6	4.3	-1.3
42	10	-0.7	3.4	10	-1.6	4.2	20	-0.1	2.9	-1.2
41	10	-0.5	2.6	10	-2.3	3.8	20	0.5	3.2	-0.7
40	10	-0.6	2.2	10	-1.2	3.5	20	-0.3	3.4	-0.5
39	10	-1.7	3.5	10	-0.8	2.7	20	-1.0	3.2	-1.2
38	10	-1.2	3.0	10	0.9	1.9	20	-1.2	3.8	-1.9
37	10	-0.5	2.5	10	1.6	2.2	20	-0.9	2.2	-1.9
36	10	0.3	2.5	10	1.6	1.8	20	-0.9	3.2	-1.8
35	10	0.3	3.2	10	1.2	1.8	20	-0.5	3.1	-1.9
34	10	1.1	3.2	10	1.2	1.8	20	-0.7	2.8	-1.0
33	10	1.4	2.8	10	1.6	2.4	20	-1.9	3.3	-0.2
32	10	1.3	2.7	10	1.1	2.8	20	-1.2	2.9	-0.6
31	10	1.9	2.8	10	1.4	2.6	20	-0.8	2.1	-0.8
30	9	1.3	2.7	10	2.1	3.2	19	-0.7	2.7	-0.6
29	9	0.1	3.1	10	1.7	3.0	19	-0.3	6.5	-0.2
28	9	2.2	3.3	9	2.9	3.4	18	-0.9	2.9	-0.7
27	9	2.7	3.4	9	2.4	3.1	18	-1.1	2.2	-0.8
26	9	2.6	3.1	9	1.7	2.5	18	-0.9	2.8	-0.6
25	9	2.6	3.9	8	1.3	2.4	16	-0.6	2.7	-0.2
24	5	2.0	3.6	4	1.5	2.1	9	-1.4	2.4	-0.4




Figure 15. Profiles showing the mean of the differences of the measured temperature (ΔT) obtained from the US(standard) and USSR(prospective) techniques for daytime and nighttime and a comparison of the results obtained from the 1973 CIMO-sponsored intercomparison with the present data.




Figure 16. Root-Mean-Square differences (rms(diff)) of the temperatures obtained from the US(standard) and USSR(prospective) techniques during day and night.

for the USSR(prospective) technique as well, since a higher sample rate and greater smoothing is used. It is possible also that discrepancies found for the US(standard) technique vs the USSR(prospective) technique are of some importance as well for the adjustment of data obtained in the past using the standard techniques. Since the smoothing applied to either system should fit the vertical response capability of the measurement this possibility for achieving compatible results should be examined further. For example, it is possible to smooth Datasonde data to the M100B standard data level and then to compare the profiles.

The mean difference of the component winds is relatively small below about 58 kilometers. Analysis of the measurement differences in the wind components, Figure 17, indicate that differences, in the mean, exist above the 58 km layer. Again the r_{ms}^{diff} for both components, Figure 18, indicate rapidly increasing variability in the measurements above about 56 km. It appears that the wind differences between the US(standard) and USSR (prospective) are less than those obtained when comparing the US(standard) and USSR(standard) techniques.

The complete data set is available in Appendix B, additional computations and analyses of these data may be of interest. This may be especially true, when the prospective method is finally used at all USSR rocketsonde sites.

Intercomparison with Spheres

Part of the intercomparison plan included six US Super-Loki Spheres to be launched in conjunction with the Datasondes and M100B. The dates and times of the launchings are given in Table 3. It should be noted that three spheres were launched during daytime and three during night. However, the comparison uses the data from the six spheres in order to provide a larger sample. Data listings, differences, and plots are given in Appendixes C, D, and E, for the US(Sphere) vs US(standard), US(Sphere) vs USSR(standard), and US(Sphere) vs USSR(prospective) techniques, respectively. The figures which follow present plots of the mean of the differences in the temperature and wind data and the root-mean-square differences.

Figure 19, the mean difference of the temperatures, represents the three techniques: USSR(standard) minus US(Sphere), USSR(prospective) minus US(Sphere), and US(standard) minus US(Sphere). It is obvious that the comparison of both USSR techniques with the US(sphere) technique reveals differences which are quite similar. Large differences between the sphere and M100B occur above 60 km but cannot be explained at this time. Below 60 km the sphere derived temperatures and the USSR temperatures agree to within 8°C . Generally agreement of the US(Sphere) and US(standard) techniques are less than 6°C below 66 km. This figure tends to point out that above about 65 km a large discrepancy in the




Figure 17. Mean of the differences component winds obtained from the US(standard) and USSR(prospective) techniques.




Figure 18. Root-Mean-Square differences (rms_{diff}) of the component winds obtained from the US(standard) and USSR(prospective) techniques.




Figure 19. Profiles showing the mean of the differences of the measured temperatures (ΔT) obtained from the US(sphere technique and the US(standard), USSR(standard), and USSR(prospective) techniques.

measurements exists. Since the completion of the intercomparison, additional work has been done on the falling sphere technique, and the bias found in the area of the strato-pause, has been reduced considerably, but additional sphere and Datasonde comparisons are now necessary. Figure 20 suggests that the variability encountered may be coming from the sphere measurements; however, the small sample size can not be overlooked as a possible cause for the large variability.

Comparison of the wind components indicates that large differences in the mean meridional wind exist above 64 km, Figure 21, but below this altitude winds derived from both USSR techniques and the US technique agree quite well with winds derived from the spheres. The root-mean-square differences, Figure 22, in the meridional wind between the sphere and USSR techniques are quite similar, however smaller root-mean-square differences were noted to exist between the sphere and US(standard) technique. This is consistent with the results for the zonal component root-mean-square differences shown in Figure 24. Differences in the mean zonal wind, Figure 23, are less than 6 ms^{-1} below 61 km for both the USSR techniques vs the US(Sphere) and are less than 6 ms^{-1} below 66 km for the US(Sphere) vs US(standard) techniques.

CONCLUSIONS AND RECOMMENDATIONS

The intercomparison test conducted in 1977, offshore Wallops Flight Center, between the US and USSR, was successfully concluded. The launch sequence, except for minor schedule changes, followed the experimental design quite well. It was planned to launch 22 pairs of rocketsonde instruments, each pair to consist of a US Datasonde and a USSR M100B rocketsonde instrument. These 22 pair were split with half being launched during day and half during night. The results obtained were extraordinarily good. Twenty pairs of temperature data and 21 pairs of wind data were obtained, however, 22 pairs were successfully launched. The difference between those data pairs evaluated and the actual number launched is primarily due to altitudes that do not overlap in each case.

The results of the temperature comparison are very encouraging. American and Soviet temperature data, obtained using the standard techniques, agree in the mean to within 6°C to about 60 km altitude. However, the rms_{diff} is larger, being about $\pm 8^\circ\text{C}$ at 60 km. The agreement in temperature measurement when using the USSR(prospective) technique is slightly worse. Wind data comparisons obtained using the US(standard) and USSR(prospective) technique is better than that obtained when using the USSR(standard) technique. Nevertheless, agreement within 3 ms^{-1} is possible to 57 km, but wind data agreement to higher altitudes could be considered acceptable. Overall, the results of the 1977 comparison provides considerably more confidence in the joint use of the two data sets than




Figure 20. Root-Mean-Square differences (rms_{diff}) of the temperatures obtained from the US(sphere) technique and the US(standard), USSR(standard), and the USSR(prospective) techniques.




Figure 21. Mean of the differences of the meridional wind components obtained from the US(sphere) technique and the US(standard), USSR(standard), and USSR(prospective) techniques.




Figure 22. Root-Mean-Square differences (rms_{diff}) of the meridional wind component obtained from the US(sphere) technique and the US(standard), USSR(standard), and USSR(prospective) techniques.




Figure 23. Mean of the differences of the zonal wind components obtained from the US(sphere) technique and the US(standard), USSR(standard), and USSR(prospective) techniques.




Figure 24. Root-Mean-Square differences (rms_{diff}) of the zonal wind component obtained from the US(sphere) technique and the US(standard), USSR(standard), and USSR(prospective) techniques.

was possible after the 1973 intercomparison.

Comparison of the standard techniques with the falling sphere technique creates questions which will not be answered in this report. We find that the sphere derived temperature and, especially the winds, are in reasonable agreement below 66 km with the US(standard) technique. But this is to be expected since development of the sphere and Datasonde reduction results must be consistent with each other if either or both of these techniques are used jointly as is often the case in the United States. Nevertheless, the intercomparison results do suggest that additional investigation of the sphere compared to the standard technique is highly desirable.

Based on the results obtained from this intercomparison it is concluded that temperatures obtained with the USSR(standard) technique are in reasonable agreement (less than 4°C) up to 58 km, while temperatures obtained with the USSR(prospective) technique are only reasonable to 52 km. It is recommended that additional effort be undertaken to identify why the new technique does not provide as good agreement as the standard technique. It is clear that even the root-mean-square differences obtained between the US (standard) and USSR(prospective) begin to grow large at a much lower altitude than those obtained using standard techniques.

REFERENCES

1. NOAA, NASA, USAF: US Standard Atmosphere, 1976. US Government Printing Office, Washington, DC, 1976.
2. COSPAR: COSPAR International Reference Atmosphere 1972, CIRA 1972. Dr. A. C. Strickland, Exec. Editor, Akademie-Verlog, Berlin, 1972.
3. McInturff, R. M., Editor: Stratospheric Warmings: Synoptic, Dynamic and General-Circulation Aspects. NASA RP 1017, 1978.
4. Scherhag, R.: Die Explosionsartigen Stratospharenerwärmungen des Spätwinters 1951-52 (The Explosive-type Stratospheric Warming of Late Winter, 1951-52). Ber. Dent. Wetterd., Vol. 6, pp. 51-63.
5. Koshelkov, Yu. P.: Synoptic Processes and Structure of the Upper Atmosphere in the Southern Hemisphere. Space Research XI, Akademie-Verlag. Berlin 1971, pp. 793-798.
6. Gaigerov, S. S., M. Ya. Kalekhman, V. E. Sedov, E. G. Shvidkovsky, D. A. Tarasanco, and B. P. Zaichakov: Vertical Distribution of the Main Meteorological Parameters and Large-Scale Processes in the Stratosphere and Mesosphere. Space Research XI, Akademie-Verlag Berlin 1971, pp. 799-805.
7. Koshelkov, Yu. P.: Differences in Circulation of the Upper Atmosphere in Lower Latitudes of the Northern and Southern Hemispheres. Meteorologiya I Gidrologiya, No. 7, 1974, pp 23-27.
8. Narayanan, V.: Structure of the Atmosphere over Thumba Station (India). Meteorologiya I Gidrologiya, No. 3, 1976, pp 31-37.
9. Leviton, R.: International Meteorological Rocket Comparison Programme, WMO Bulletin Jan. 1973, pp. 13-15.
10. Finger, F. G., M. E. Gelman, F. J. Schmidlin, R. Leviton, B. W. Kennedy: Comparability of Meteorological Rocketsonde Data as Indicated by International Comparison Tests. J. Atmos. Sci., Vol. 32, No. 9, 1975, pp. 1705-1714.
11. Grintchenko, V. D., V. N. Glaskov, A. I. Ivanovsky, E. V. Lysenko, Yu N. Rybin, V. I. Tatarenko, and Yu. M. Tshernyshenko: Soviet M100B Meteorological System Submitted to US/USSR Intercomparison Test in Wallops Island in August 1977. Presentation to COSPAR XXI Meeting, Innsbruck, Austria, 1978.
12. Krumins, K. M.: A Study of Corrections for the Loop Mounted Sensor. PhD Thesis, Univ. of Maryland, 1977.
13. Naylor, J. A.: Error Evaluation of a Rocket Meteorological Temperature Sounding System. Progress Report Contract NAS6-2627. University of Utah, 1976, NASA CR-141415.
14. Miller, A. J. and F. J. Schmidlin: Rocketsonde Repeatability and Stratospheric Variability. J. App. Meteor., Vol. 10, No. 2, 1971, pp 320-327.

15. Federal Meteorological Handbook No. 3: Meteorological Rocketsonde Observations. US Government Printing Office, 1975.
16. Central Aerological Observatory: Instructions for Servicing and Operation of the VODRZ Program. Part I. Algorithmic Description of the VODRZ Program. Part II Technical Description 1., Technical Description 2, 1976, 104 pp.

APPENDIX A

LISTINGS AND PLOTS OF US(STANDARD) AND USSR(STANDARD) DATA

This appendix contains listings of the rocketsonde data obtained using the US(standard) and the USSR(standard) data reduction techniques. The differences (USSR-US) in the temperature and wind data are listed in their corresponding places. At altitudes where data are not available a group of nines (999) are entered. The plots, shown on the pages facing the tabulated data, are for convenience, and enhances individual pair comparison.

US - STANDARD AUG 10 1977 1400 GMT					USSR - STANDARD AUG 10 1977 1405 GMT					DIFFERENCES USSR-US						
ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS		
		DEG	C	M S		DEG	C	M S		DEG	C	M S		NS	EW	-1
74	999	999	999		-93	999	999									
73	999	999	999		-90	999	999									
72	999	999	999		-88	999	999									
71	999	999	999		-84	999	999									
70	999	999	999		-81	999	999									
69	999	999	999		-78	999	999									
68	999	999	999		-74	999	999									
67	999	999	999		-70	999	999									
66	999	999	999		-66	999	999									
65	999	999	999		-62	-8	-46									
64	999	999	999		-58	-7	-47									
63	-35	2	-70		-52	-6	-49							-17	-8	21
62	-34	-8	-59		-48	-4	-50							-14	4	9
61	-34	-13	-50		-43	-3	-52							-9	10	-2
60	-28	-12	-44		-38	0	-54							-10	12	-10
59	-25	-7	-39		-33	2	-56							-8	9	-17
58	-21	0	-34		-28	5	-57							-7	5	-23
57	-18	5	-34		-24	8	-55							-6	3	-21
56	-15	8	-38		-21	9	-50							-6	1	-12
55	-12	8	-43		-18	6	-41							-6	-2	2
54	-12	8	-43		-17	0	-30							-5	-8	13
53	-10	8	-40		-17	-7	-24							-7	-15	16
52	-9	8	-38		-16	-7	-29							-7	-15	9
51	-8	8	-37		-15	1	-39							-7	-7	-2
50	-6	8	-37		-13	11	-45							-7	3	-8
49	-5	8	-37		-11	15	-43							-6	7	-6
48	-7	5	-38		-9	10	-39							-39	-2	5
47	-6	3	-39		-8	4	-40							-2	1	-1
46	-8	4	-41		-7	3	-42							1	-1	-1
45	-11	7	-42		-9	-2	-38							2	-9	4
44	-13	6	-44		-13	-7	-41							0	-13	3
43	-16	0	-44		-16	-9	-48							0	-9	-4
42	-15	-5	-42		-19	-11	-45							-4	-6	-3
41	-22	-6	-38		-21	2	-39							1	8	-1


ALT KM	COMPONENT WINDS				COMPONENT WINDS				COMPONENT WINDS			
	TEMP DEG C	M S	-1 NS	EW	TEMP DEG C	M S	-1 NS	EW	TEMP DEG C	M S	-1 NS	EW
40	-24	-4	-35		-23	0	-32		1	4	3	
39	-29	-3	-32		-26	4	-41		3	7	-9	
38	-31	-3	-29		-29	6	-30		2	9	-1	
37	-31	-2	-24		-29	-4	-19		2	-2	5	
36	-33	-1	-21		-29	-6	-14		4	-5	7	
35	-33	-1	-18		-29	-3	-19		4	-2	-1	
34	-35	0	-17		-29	1	-17		6	1	0	
33	-34	1	-16		-31	1	-21		3	0	-5	
32	-35	2	-16		-31	4	-14		4	2	2	
31	-36	3	-16		-33	-1	-9		3	-4	7	
30	-42	4	-16		-38	-1	-19		4	-5	-3	
29	-43	3	-16		-41	3	-15		2	0	1	
28	-46	2	-15		999	999	999					
27	-47	2	-15		999	999	999					
26	-50	1	-14		999	999	999					
25	-50	0	-13		999	999	999					
24	-50	-1	-12		999	999	999					

15

TEMPERATURE

MERIDIONAL


ZONAL



US - STANDARD						USSR - STANDARD						DIFFERENCES					
AUG 12 1977						AUG 12 1977						USSR-US					
ALT	COMPONENT			COMPONENT			COMPONENT			TEMP	COMPONENT			COMPONENT			
	TEMP	WINDS		TEMP	WINDS		TEMP	WINDS			M	S	-1	DEG	C	NS	EW
KM	DEG	M	S	DEG	M	S	DEG	M	S	NS	EW	NS	EW	DEG	C	NS	EW
67	-54	-19	-67	999	999	999	999	999	999								
66	-52	-25	-56	999	999	999	999	999	999								
65	-52	-24	-45	999	999	999	999	999	999								
64	-52	-17	-36	999	999	999	999	999	999								
63	-44	-13	-34	999	999	999	999	999	999								
62	-37	-12	-35	999	999	999	999	999	999								
61	-30	-13	-36	999	999	999	999	999	999								
60	-26	-16	-34	999	999	999	999	999	999								
59	-28	-21	-33	999	999	999	999	999	999								
58	-24	-24	-32	999	999	999	999	999	999								
57	-18	-21	-34	999	999	999	999	999	999								
56	-16	-14	-37	999	999	999	999	999	999								
55	-12	-10	-40	999	999	999	999	999	999								
54	-6	-9	-44	999	999	999	999	999	999								
53	-6	-7	-46	999	999	999	999	999	999								
52	-8	-4	-47	999	999	999	999	999	999								
51	-8	-2	-48	999	999	999	999	999	999								
50	-7	-5	-46	-11	0	-52	-4	5	-6								
49	-12	-9	-43	-14	-2	-50	-2	7	-7								
48	-12	-11	-40	-14	-5	-45	-2	6	-5								
47	-11	-10	-38	-15	-8	-39	-4	2	-1								
46	-13	-5	-35	-17	-7	-30	-4	-2	5								
45	-16	-1	-29	-16	-1	-22	0	0	7								
44	-15	2	-23	-12	4	-19	3	2	4								
43	-14	1	-22	-9	3	-18	5	2	4								
42	-14	-2	-25	-9	-1	-21	5	1	4								
41	-17	-4	-29	-12	-3	-26	5	1	3								
40	-20	-5	-30	-14	-3	-28	6	2	2								
39	-22	-2	-30	-20	-2	-30	2	0	0								
38	-25	0	-30	-25	-2	-37	0	-2	-7								
37	-27	0	-30	-26	-1	-37	1	-1	-7								
36	-28	-1	-29	-27	-3	-33	1	-2	-4								
35	-32	-2	-28	-30	-4	-30	2	-2	-2								
34	-37	-2	-26	-33	3	-26	4	5	0								

ALT	TEMP	COMPONENT			TEMP	COMPONENT			TEMP	COMPONENT		
		WINDS	-1	DEG		COMPONENT	WINDS	-1		COMPONENT	WINDS	-1
KM	DEG	C	M	S	NS	EW	DEG	C	M	S	NS	EW
33	-38	-1	-24	-35	-2	-26	3	-1	-2			
32	-38	1	-23	-37	-2	-23	1	-3	0			
31	-41	1	-22	-39	1	-22	2	0	0			
30	-42	1	-20	-35	-4	-17	7	-5	3			
29	-43	0	-18	-37	-2	-14	6	-2	4			
28	-47	1	-16	-40	-5	-18	7	-6	-2			
27	-49	1	-14	-42	3	-17	7	2	-3			
26	-48	1	-13	-44	2	-15	4	1	-2			
25	-51	-1	-11	-46	0	-14	5	1	-3			
24	999	999	999	-48	2	-12						
23	999	999	999	-50	-2	-12						
22	999	999	999	-54	-5	-8						
21	999	999	999	-56	5	-8						
20	999	999	999	-58	-2	-5						


53



US - STANDARD AUG 12 1977 0659 GMT						USSR - STANDARD AUG 12 1977 0605 GMT						DIFFERENCES USSR-US				
ALT	TEMP	COMPONENT WINDS			-1	TEMP	COMPONENT WINDS			-1	COMPONENT					
		DEG	C	M			DEG	C	M		NS	EW	DEG	C	M	S
76	999	999	999	999	-78	999	999	999	999	-78	999	999				
75	999	999	999	999	-75	999	999	999	999	-75	999	999				
74	999	999	999	999	-71	999	999	999	999	-71	999	999				
73	999	999	999	999	-68	999	999	999	999	-68	999	999				
72	999	999	999	999	-65	999	999	999	999	-65	999	999				
71	999	999	999	999	-62	999	999	999	999	-62	999	999				
70	-48	-1	-29	-60	-60	999	999	999	999	-60	999	999	-12			
69	-50	1	-39	-58	-58	999	999	999	999	-58	999	999	-8			
68	-49	-3	-50	-56	-56	999	999	999	999	-56	999	999	-7			
67	-51	-14	-58	-55	-55	999	999	999	999	-55	999	999	-4			
66	-54	-24	-61	-54	-54	999	999	999	999	-54	999	999	0			
65	-50	-29	-61	-53	-53	999	999	999	999	-53	999	999	-3			
64	-45	-28	-60	-52	-52	999	999	999	999	-52	999	999	-7			
63	-42	-26	-59	-50	-50	999	999	999	999	-50	999	999	-8			
62	-42	-26	-56	-48	-48	999	999	999	999	-48	999	999	-6			
61	-40	-27	-51	-45	-45	999	999	999	999	-45	999	999	-5			
60	-34	-26	-46	-42	-42	-10	-22	-22	-22	-42	-10	-22	-8	16	24	
59	-32	-20	-42	-38	-38	-8	-24	-24	-24	-38	-8	-24	-6	12	18	
58	-31	-13	-40	-34	-34	-7	-27	-27	-27	-34	-7	-27	-3	6	13	
57	-26	-6	-39	-29	-29	-6	-30	-30	-30	-39	-6	-30	-3	0	9	
56	-22	-4	-41	-24	-24	-6	-32	-32	-32	-41	-6	-32	-2	-2	9	
55	-17	-4	-42	-19	-19	-7	-34	-34	-34	-42	-7	-34	-2	-3	8	
54	-13	-7	-42	-15	-15	-8	-34	-34	-34	-42	-8	-34	-2	-1	8	
53	-11	-9	-40	-11	-11	-10	-33	-33	-33	-40	-10	-33	0	-1	7	
52	-10	-7	-39	-8	-8	-10	-32	-32	-32	-39	-10	-32	2	-3	7	
51	-9	-4	-39	-6	-6	-10	-35	-35	-35	-39	-6	-35	3	-6	4	
50	-7	-3	-40	-5	-5	-10	-39	-39	-39	-40	-5	-39	2	-7	1	
49	-5	-5	-41	-5	-5	-10	-43	-43	-43	-41	-5	-43	0	-5	-2	
48	-5	-9	-40	-7	-7	-11	-44	-44	-44	-40	-9	-44	-2	-2	-4	
47	-3	-9	-39	-9	-9	-13	-46	-46	-46	-39	-9	-46	-6	-4	-7	
46	-10	-4	-38	-11	-11	-14	-49	-49	-49	-38	-4	-49	-1	-10	-11	
45	-11	-1	-36	-13	-13	-11	-48	-48	-48	-36	-1	-48	-2	-10	-12	
44	-10	0	-33	-14	-14	-4	-39	-39	-39	-33	0	-39	-4	-4	-6	
43	-10	0	-30	-14	-14	4	-33	-33	-33	-30	0	-33	-4	-4	-3	

ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1
KM	DEG C	M S	EW	DEG C	M S	EW	DEG C	M S	EW
42	-12	1	-29	-14	3	-31	-2	2	-2
41	-15	2	-31	-18	1	-29	-3	-1	2
40	-20	2	-32	-23	-1	-29	-3	-3	3
39	-25	1	-30	-26	-2	-24	-1	-3	6
38	-29	1	-29	-27	7	-22	2	6	7
37	-31	0	-29	-27	-1	-29	4	-1	0
36	-33	-1	-29	-30	-11	-28	3	-10	1
35	-33	-2	-27	-32	-4	-33	1	-2	-6
34	-35	-1	-24	-34	-3	-23	1	-2	1
33	-39	-2	-21	-37	-7	-26	2	-5	-5
32	-39	-2	-19	-38	-6	-20	1	-4	-1
31	-41	-1	-18	-41	-1	-18	0	0	0
30	-41	0	-17	-40	1	-16	1	1	1
29	-41	1	-16	-40	-1	-19	1	-2	-3
28	-44	2	-15	999	999	999			
27	-47	2	-14	999	999	999			
26	-47	2	-14	999	999	999			
25	-49	0	-14	999	999	999			
24	-50	0	-13	999	999	999			


55



US - STANDARD AUG 12 1977 1100 GMT				USSR - STANDARD AUG 12 1977 1105 GMT				DIFFERENCES USSR-US				
ALT KM	TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1	
		M	S		NS	EW		M	S		NS	EW
74	999	999	999	-92	999	999						
73	999	999	999	-88	999	999						
72	999	999	999	-84	999	999						
71	999	999	999	-80	999	999						
70	999	999	999	-77	999	999						
69	999	999	999	-74	999	999						
68	999	999	999	-72	999	999						
67	-45	-1	-17	-69	999	999	-24					
66	-39	4	-24	-66	999	999	-27					
65	-39	8	-31	-62	999	999	-23					
64	-40	8	-39	-58	999	999	-18					
63	-37	6	-44	-54	999	999	-17					
62	-33	5	-47	-49	-4	-38	-16	-9	9			
61	-29	6	-48	-43	-1	-42	-14	-7	6			
60	-29	8	-47	-38	1	-44	-9	-7	3			
59	-24	8	-44	-33	2	-44	-9	-6	0			
58	-21	7	-40	-28	2	-43	-7	-5	-3			
57	-18	9	-36	-24	0	-41	-6	-9	-5			
56	-14	11	-36	-20	-2	-39	-6	-13	-3			
55	-10	11	-39	-17	-3	-38	-7	-14	1			
54	-9	6	-45	-15	-4	-39	-6	-10	6			
53	-7	-2	-50	-13	-5	-41	-6	-3	9			
52	-8	-9	-51	-12	-8	-45	-4	1	6			
51	-7	-12	-50	-12	-12	-48	-5	0	2			
50	-6	-9	-47	-14	-14	-48	-8	-5	-1			
49	-12	-3	-46	-15	-8	-44	-3	-5	2			
48	-11	2	-47	-16	2	-38	-5	0	9			
47	-10	4	-46	-16	9	-35	-6	5	11			
46	-12	4	-42	-16	9	-36	-4	5	6			
45	-15	2	-35	-17	4	-39	-2	2	-4			
44	-16	-3	-31	-16	-3	-37	0	0	-6			
43	-15	-6	-30	-16	-10	-33	-1	-4	-3			
42	-16	-6	-31	-17	-8	-33	-1	-2	-2			
41	-19	-4	-30	-20	-2	-27	-1	2	3			

ALT KM	TEMP DEG C	COMPONENT WINDS -1										
		M	S		NS	EW		M	S		NS	EW
40	-23	-2	-27	-23	0	-23		0	2	4		
39	-25	-1	-23	-24	-7	-35		1	-6	-12		
38	-27	1	-21	-26	-17	-23		1	-18	-2		
37	-30	3	-19	-29	4	-12		1	1	7		
36	-30	4	-19	-30	11	-20		0	7	-1		
35	-31	3	-20	-30	3	-24		1	0	-4		
34	-34	0	-21	-32	-1	-23		2	-1	-2		
33	-34	-1	-23	-32	-2	-24		2	-1	-1		
32	-36	-2	-23	-34	2	-27		2	4	-4		
31	-39	-1	-22	-36	-1	-27		3	0	-5		
30	-45	-1	-20	-42	-2	-17		3	-1	3		
29	-45	-1	-17	-44	-1	-19		1	0	-2		
28	-44	-1	-15	999	999	999						
27	-45	-1	-12	999	999	999						
26	-45	0	-11	999	999	999						
25	-48	2	-12	999	999	999						
24	-51	1	-11	999	999	999						


57



US - STANDARD AUG 15 1977 1744 GMT				USSR - STANDARD AUG 15 1977 1735 GMT				DIFFERENCES USSR-US				
ALT KM	TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1	
		M	S		NS	EW		M	S		NS	EW
72	999	999	999	-47	999	999						
71	999	999	999	-46	999	999						
70	999	999	999	-45	999	999						
69	999	999	999	-44	999	999						
68	-48	-16	-61	-43	999	999	5					
67	-47	-12	-58	-42	999	999	5					
66	-45	-10	-53	-41	999	999	4					
65	-42	-6	-49	-39	999	999	3					
64	-39	3	-47	-36	999	999	3					
63	-36	13	-50	-34	999	999	2					
62	-34	19	-52	-30	999	999	4					
61	-31	16	-50	-27	999	999	4					
60	-28	8	-42	-23	1	-25	5	-7	17			
59	-24	1	-33	-20	2	-25	4	1	8			
58	-19	1	-27	-18	3	-26	1	2	1			
57	-14	7	-28	-15	3	-26	-1	-4	2			
56	-10	14	-33	-14	3	-28	-4	-11	5			
55	-9	17	-38	-12	4	-30	-3	-13	8			
54	-8	14	-42	-11	5	-34	-3	-9	8			
53	-5	9	-42	-11	8	-38	-6	-1	4			
52	-3	8	-39	-9	13	-45	-6	5	-6			
51	-4	10	-36	-7	20	-45	-3	10	-9			
50	-4	12	-34	-4	23	-41	0	11	-7			
49	-2	12	-35	-4	16	-33	-2	4	2			
48	-1	9	-36	-4	9	-30	-3	0	6			
47	0	6	-35	-4	6	-31	-4	0	4			
46	1	3	-33	-5	3	-31	-6	0	2			
45	1	1	-31	-5	1	-31	-6	0	0			
44	0	0	-30	-5	5	-34	-5	5	-4			
43	-6	2	-28	-8	8	-38	-2	6	-10			
42	-15	4	-25	-14	0	-29	1	-4	-4			
41	-16	7	-22	-18	3	-15	-2	-4	7			
40	-17	8	-21	-19	11	-17	-2	3	4			
39	-19	7	-21	-20	0	-32	-1	-7	-11			

ALT KM	TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1	
		M	S		NS	EW		M	S		NS	EW
38	-21	5	-21	-25	0	-25	-4	-5	-4			
37	-23	2	-20	-25	0	-22	-2	-2	-2			
36	-24	1	-17	-24	2	-19	0	1	-2			
35	-24	0	-16	-27	0	-17	-3	0	-1			
34	-27	2	-15	-30	1	-17	-3	-1	-2			
33	-30	4	-16	-32	8	-17	-2	4	-1			
32	-31	4	-17	-35	3	-19	-4	-1	-2			
31	-35	3	-17	-36	1	-15	-1	-2	2			
30	-38	1	-16	-38	1	-18	0	0	-2			
29	-38	1	-16	-40	-1	-16	-2	-2	0			
28	-40	0	-15	999	999	999						
27	-41	0	-14	999	999	999						
26	-44	0	-13	999	999	999						
25	-45	0	-11	999	999	999						
24	-45	0	-7	999	999	999						


69



US - STANDARD				USSR - STANDARD				DIFFERENCES			
ALT	TEMP	COMPONENT WINDS		ALT	TEMP	COMPONENT WINDS		ALT	TEMP	COMPONENT WINDS	
		DEG C	-1 M S NS EW			DEG C	-1 M S NS EW			DEG C	-1 M S NS EW
74	999	999	999	74	-82	999	999	40	-22	9	-17
73	999	28	-13	73	-78	999	999	39	-23	7	-18
72	999	28	-27	72	-75	999	999	38	-25	5	-19
71	999	20	-40	71	-72	999	999	37	-26	3	-19
70	-61	7	-49	70	-69	999	999	36	-28	0	-18
69	-58	-2	-50	69	-66	999	999	35	-31	-1	-16
68	-51	-1	-47	68	-64	999	999	34	-35	1	-14
67	-45	3	-44	67	-61	999	999	33	-36	4	-13
66	-39	4	-43	66	-58	999	999	32	-38	5	-14
65	-39	0	-40	65	-55	999	999	31	-39	4	-15
64	-39	0	-36	64	-51	11	-34	30	-42	2	-16
63	-34	5	-35	63	-47	10	-34	29	-44	1	-17
62	-31	11	-38	62	-43	8	-34	28	-44	1	-16
61	-31	12	-42	61	-38	5	-34	27	-48	1	-14
60	-26	5	-43	60	-34	1	-34	26	-50	1	-12
59	-23	-4	-40	59	-30	-3	-33	25	-51	1	-10
58	-21	-9	-36	58	-26	-6	-33				
57	-17	-5	-32	57	-23	-6	-34				
56	-14	5	-33	56	-19	-4	-37				
55	-13	12	-34	55	-16	2	-42				
54	-11	15	-37	54	-13	7	-48				
53	-8	14	-38	53	-11	11	-50				
52	-5	13	-38	52	-9	10	-43				
51	-3	13	-37	51	-9	8	-30				
50	-4	13	-35	50	-8	8	-25				
49	-2	13	-36	49	-7	11	-36				
48	-5	13	-38	48	-6	12	-51				
47	-4	10	-39	47	-5	10	-51				
46	-4	5	-38	46	-5	8	-37				
45	-4	0	-36	45	-5	4	-30				
44	-5	-3	-32	44	-8	-1	-30				
43	-12	-1	-26	43	-15	2	-25				
42	-21	3	-22	42	-23	12	-22				
41	-22	7	-18	41	-24	12	-19				
					-2	5	-1				


ALT	TEMP	COMPONENT WINDS		ALT	TEMP	COMPONENT WINDS		ALT	TEMP	COMPONENT WINDS	
KM	DEG C	M	S	KM	DEG C	M	S	KM	DEG C	M	S
40	-22	9	-17	40	-24	11	-16	40	-2	2	1
39	-23	7	-18	39	-25	13	-17	39	-2	6	1
38	-25	5	-19	38	-26	6	-24	38	-1	1	-5
37	-26	3	-19	37	-28	5	-25	37	-2	2	-6
36	-28	0	-18	36	-29	3	-18	36	-1	3	0
35	-31	-1	-16	35	-33	-5	-20	35	-2	-4	-4
34	-35	1	-14	34	-35	1	-14	34	0	0	0
33	-36	4	-13	33	-36	2	-4	33	-2	9	
32	-38	5	-14	32	-37	5	-15	32	1	0	-1
31	-39	4	-15	31	-39	-1	-15	31	0	-5	0
30	-42	2	-16	30	-42	-1	-15	30	0	-3	1
29	-44	1	-17	29	-43	-5	-21	29	1	-6	-4
28	-44	1	-16	28	999	999	999	28			
27	-48	1	-14	27	999	999	999	27			
26	-50	1	-12	26	999	999	999	26			
25	-51	1	-10	25	999	999	999	25			

19




US - STANDARD				USSR - STANDARD				DIFFERENCES			
ALT	COMPONENT			COMPONENT			COMPONENT			DIFFERENCES	
	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1	USSR-US	
km	deg c	m s		deg c	m s		deg c	m s		ns	ew
		ns	ew		ns	ew		ns	ew		
72	999	-18	9	999	999	999					
71	999	-1	-2	999	999	999					
70	-47	11	-13	999	999	999					
69	-41	12	-25	999	999	999					
68	-39	3	-35	999	999	999					
67	-48	-7	-41	999	999	999					
66	-52	-11	-41	999	-37	11					
65	-52	-10	-33	-62	-36	10	-10	-26	43		
64	-48	-8	-24	-53	-34	6	-5	-26	30		
63	-44	-7	-18	-44	-29	1	0	-22	19		
62	-38	-5	-18	-35	-23	-6	3	-18	12		
61	-34	-2	-24	-27	-15	-15	7	-13	9		
60	-30	-1	-33	-20	-6	-25	10	-5	8		
59	-25	-2	-39	-14	3	-36	11	5	3		
58	-22	-2	-40	-11	12	-46	11	14	-6		
57	-18	1	-38	-9	18	-53	9	17	-15		
56	-14	5	-36	-9	21	-55	5	16	-19		
55	-9	9	-36	-10	18	-53	-1	9	-17		
54	-6	9	-36	-9	12	-48	-3	3	-12		
53	-3	4	-36	-8	6	-44	-5	2	-8		
52	-1	-5	-36	-5	1	-42	-4	6	-6		
51	-3	-10	-34	-1	-1	-41	2	9	-7		
50	-4	-12	-33	1	-2	-40	5	10	-7		
49	-5	-10	-31	0	1	-37	5	11	-6		
48	-7	-7	-29	-2	-1	-33	5	6	-4		
47	-9	-4	-26	-4	-7	-29	5	-3	-3		
46	-9	0	-21	-6	-13	-24	3	-13	-3		
45	-9	2	-20	-8	-8	-21	1	-10	-1		
44	-6	2	-24	-8	4	-24	-2	2	0		
43	-12	0	-29	-10	4	-31	2	4	-2		
42	-17	-2	-31	-15	-4	-31	2	-2	0		
41	-18	-4	-28	-17	-4	-27	1	0	1		
40	-20	-3	-23	-18	-8	-26	2	-5	-3		
39	-23	-2	-19	-19	-5	-20	4	-3	-1		

ALT	COMPONENT			COMPONENT			COMPONENT			COMPONENT		
	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1
KM	DEG C	M S		DEG C	M S		DEG C	M S		DEG C	M S	
		NS	EW		NS	EW		NS	EW		NS	EW
38	-24	0	-17	-20	-2	-21	4	-2	-4			
37	-25	1	-18	-23	-4	-18	2	-5	0			
36	-29	1	-22	-28	4	-25	1	3	-3			
35	-32	-1	-24	-31	2	-27	1	3	-3			
34	-36	-4	-23	-34	-1	-25	2	3	-2			
33	-40	-4	-19	-36	-12	-15	4	-8	4			
32	-41	-3	-16	-36	-4	-10	5	-1	6			
31	-40	-1	-16	-36	2	-18	4	3	-2			
30	-41	-1	-15	-37	-3	-17	4	-2	-2			
29	-45	-1	-14	-40	-2	-12	5	-1	2			
28	-45	0	-13	999	999	999						
27	-47	1	-13	999	999	999						
26	-49	0	-12	999	999	999						




US - STANDARD AUG 16 1977 1835 GMT					USSR - STANDARD AUG 16 1977 1840 GMT					DIFFERENCES USSR-US				
ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
		DEG	C	M S		-1	DEG	C	M S	-1	DEG	C	M S	-1
KM		NS		EW			NS		EW		NS		EW	
77	999	999	999		-76	999	999				-7	-9	38	
76	999	999	999		-74	999	999				-4	9	34	
75	999	999	999		-72	999	999							
74	999	999	999		-70	999	999							
73	999	999	999		-69	999	999							
72	999	999	999		-68	999	999							
71	999	999	999		-67	999	999							
70	-58	-16	-47		-65	-25	-9							
69	-58	-28	-47		-62	-19	-13							
68	-52	-35	-44		-60	-14	-16							
67	-45	-35	-38		-57	-11	-18							
66	-43	-26	-30		-53	-8	-20							
65	-40	-18	-23		-50	-5	-22							
64	-40	-13	-18		-45	-3	-24							
63	-42	-9	-16		-41	-1	-27							
62	-37	-2	-18		-36	0	-29							
61	-33	5	-24		-32	2	-32							
60	-30	10	-34		-29	3	-35							
59	-26	11	-45		-25	3	-38							
58	-22	9	-53		-21	4	-41							
57	-20	7	-55		-18	4	-45							
56	-17	4	-53		-16	4	-47							
55	-16	2	-49		-13	3	-48							
54	-14	-1	-45		-12	2	-47							
53	-11	-3	-42		-10	2	-44							
52	-12	-2	-41		-8	2	-40							
51	-10	1	-39		-6	3	-36							
50	-9	5	-35		-5	5	-32							
49	-7	9	-31		-2	6	-29							
48	-4	10	-28		0	8	-27							
47	-3	9	-28		1	8	-28							
46	-4	8	-30		0	8	-31							
45	-8	5	-33		-4	5	-34							
44	-10	1	-33		-7	1	-33							

ALT	COMPONENT WINDS				COMPONENT WINDS				COMPONENT WINDS			
	TEMP	DEG	C	M S	TEMP	DEG	C	M S	TEMP	DEG	C	M S
			-1					-1				-1
KM	NS		EW		NS		EW		NS		EW	
43	-13	-1	-30		-9	-2	-30		4	-1	0	
42	-18	0	-26		-11	0	-26		7	0	0	
41	-18	3	-23		-14	7	-21		4	4	2	
40	-19	5	-20		-17	10	-19		2	5	1	
39	-21	6	-19		-20	8	-20		.1	2	-1	
38	-22	4	-20		-21	5	-22		1	1	-2	
37	-26	1	-20		-24	-2	-23		2	-3	-3	
36	-31	-1	-17		-27	-3	-17		4	-2	0	
35	-32	0	-14		-28	3	-13		4	3	1	
34	-34	2	-13		-32	4	-16		2	2	-3	
33	-36	4	-14		-34	5	-19		2	1	-5	
32	-35	5	-16		-35	3	-18		0	-2	2	
31	-39	3	-17		-37	4	-19		2	1	-2	
30	-42	1	-19		-37	-1	-19		5	-2	0	
29	-43	0	-18		-40	-2	-16		3	-2	2	
28	-45	-1	-17		999	999	999					
27	-47	-1	-14		999	999	999					
26	-49	-2	-11		999	999	999					
25	-52	-2	-7		999	999	999					
24	-54	-2	-5		999	999	999					




US - STANDARD AUG 16 1977 2000 GMT					USSR - STANDARD AUG 16 1977 2029 GMT					DIFFERENCES USSR-US							
ALT	TEMP	COMPONENT WINDS -1			TEMP	COMPONENT WINDS -1			TEMP	COMPONENT WINDS -1			TEMP	COMPONENT WINDS -1			
		DEG	C	M		DEG	C	M		DEG	C	M		NS	EW	NS	EW
72	999	-17	-15		999	999	999										
71	999	-8	-27		999	999	999										
70	-58	-2	-39		999	999	999										
69	-55	-2	-47		999	999	999										
68	-49	-7	-47		999	999	999										
67	-45	-11	-42		999	999	999										
66	-42	-13	-36		999	999	999										
65	-37	-17	-31		999	999	999										
64	-36	-23	-26		999	6	-16								29	10	
63	-33	-24	-22		999	6	-19								30	3	
62	-32	-14	-20		999	6	-20								20	0	
61	-31	1	-21		999	5	-22								4	-1	
60	-28	15	-26		999	4	-24								-11	2	
59	-23	20	-33		999	2	-26								-18	7	
58	-21	18	-41		999	1	-28								-17	13	
57	-16	13	-44		999	0	-30								-13	14	
56	-14	9	-45		999	-1	-33								-10	12	
55	-11	6	-43		999	-2	-36								-8	7	
54	-9	4	-42		-9	-3	-37								0	-7	5
53	-6	1	-40		-4	-4	-35								2	-5	5
52	-5	-3	-38		-5	-4	-34								0	-1	4
51	-3	-5	-35		-9	-3	-34								-6	2	1
50	-5	-4	-32		-10	-2	-35								-5	2	-3
49	-4	-1	-30		-8	1	-38								-4	2	-8
48	-3	1	-28		-9	3	-39								-6	2	-11
47	-2	4	-28		-13	5	-37								-11	1	-9
46	-4	6	-29		-14	7	-33								-10	1	-4
45	-7	6	-32		-10	7	-32								-3	1	0
44	-8	5	-34		-9	6	-33								-1	1	1
43	-9	3	-33		-10	4	-32								-1	1	1
42	-14	3	-28		-12	2	-28								2	-1	0
41	-17	4	-22		-13	2	-22								4	-2	0
40	-17	5	-18		-16	4	-20								1	-1	-1
39	-18	6	-17		-28	3	-21								-10	-3	-4

ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	TEMP	WINDS -1	TEMP	WINDS -1	TEMP	WINDS -1	TEMP	WINDS -1	
KM	DEG C	M S	DEG C	M S	DEG C	M S	NS	EW	
38	-21	5	-20	-28	4	-22	-7	-1	-2
37	-24	2	-21	-28	3	-25	-4	1	-4
36	-27	-1	-20	-28	-5	-23	-1	-4	-3
35	-30	-3	-16	-31	-10	-17	-1	-7	-1
34	-32	-2	-14	-32	-7	-13	0	-5	1
33	-34	1	-14	-33	-2	-12	1	-3	2
32	-36	3	-16	-34	2	-15	2	-1	1
31	-38	4	-17	-33	6	-18	5	2	-1
30	-40	3	-17	-37	5	-22	3	2	-5
29	-42	2	-16	-40	-7	-14	2	-9	2
28	-44	1	-16	-40	0	-16	4	-1	0
27	-45	1	-15	-41	0	-15	4	-1	0
26	-47	0	-13	-43	0	-14	4	0	-1
25	-51	-2	-11	-44	0	-10	7	2	1
24	-52	-3	-9	999	999	999			




US - STANDARD AUG 17 1977 2025 GMT				USSR - STANDARD AUG 17 1977 2015 GMT				DIFFERENCES USSR-US				
ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS	
		DEG C	M S		DEG C	M S		DEG C	M S		DEG C	M S
		NS	EW		NS	EW		NS	EW		NS	EW
80	999	999	999	-108	999	999						
79	999	999	999	-102	999	999						
78	999	999	999	-97	999	999						
77	999	999	999	-91	999	999						
76	999	999	999	-86	999	999						
75	999	999	999	-82	999	999						
74	999	999	999	-78	999	999						
73	999	999	999	-75	999	999						
72	999	999	999	-71	999	999						
71	999	12	-8	-67	999	999						
70	-53	21	-5	-64	999	999	-11					
69	-43	27	-10	-61	999	999	-18					
68	-39	26	-24	-57	999	999	-18					
67	-43	21	-39	-54	999	999	-11					
66	-40	15	-46	-51	999	999	-11					
65	-36	12	-44	-48	8	-21	-12	-4	23			
64	-30	11	-41	-44	8	-21	-14	-3	20			
63	-27	8	-40	-41	9	-20	-14	1	20			
62	-25	2	-40	-37	11	-21	-12	9	19			
61	-24	-1	-36	-34	14	-22	-10	15	14			
60	-21	6	-28	-30	17	-24	-9	11	4			
59	-18	15	-21	-27	20	-26	-9	5	-5			
58	-18	20	-19	-23	23	-29	-5	3	-10			
57	-10	22	-22	-20	26	-32	-10	4	-10			
56	-8	27	-28	-16	28	-36	-8	1	-8			
55	-6	30	-34	-13	30	-39	-7	0	-5			
54	-1	25	-39	-10	30	-43	-9	5	-4			
53	3	17	-42	-8	27	-44	-11	10	-2			
52	2	9	-45	-7	21	-43	-9	12	2			
51	-1	5	-46	-8	13	-38	-7	8	8			
50	-1	1	-45	-9	4	-35	-8	3	10			
49	-1	-3	-43	-9	-4	-38	-8	-1	5			
48	-2	-7	-40	-10	-9	-45	-8	-2	-5			
47	-5	-6	-35	-12	-6	-46	-7	0	-11			

ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS	
		DEG C	M S		-1	DEG C	M S	NS	EW
46	-6	1	-27	-12	4	-35	-6	3	-8
45	-6	8	-22	-11	11	-21	-5	3	1
44	-5	10	-21	-10	11	-18	-5	1	3
43	-7	6	-23	-11	12	-19	-4	6	4
42	-10	3	-24	-12	4	-20	-2	1	4
41	-13	1	-23	-13	-1	-22	0	-2	1
40	-18	0	-20	-17	-1	-23	1	-1	-3
39	-23	0	-17	-24	-3	-21	-1	-3	-4
38	-24	-2	-17	-28	-1	-23	-4	1	-6
37	-24	-3	-17	-28	-3	-22	-4	0	-5
36	-23	-3	-16	-29	-4	-19	-6	-1	-3
35	-28	-2	-15	-31	3	-16	-3	5	-1
34	-29	0	-14	-32	4	-13	-3	4	1
33	-32	1	-13	-33	2	-11	-1	1	2
32	-33	0	-15	-34	3	-18	-1	3	-3
31	-35	-2	-15	-35	-2	-19	0	0	-4
30	999	999	999	-38	-4	-13			
29	999	999	999	-41	0	-10			



US - STANDARD AUG 19 1977 0116 GMT				USSR - STANDARD AUG 19 1977 0120 GMT				DIFFERNCES USSR-US				
ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS		
		DEG C	M S	-1		DEG C	M S	-1		DEG C	M S	-1
		NS	S	EW		NS	S	EW		NS	S	EW
78	999	999	999		-82	999	999		-8	999	999	
77	999	999	999		-81	999	999		-9	999	999	
76	999	999	999		-80	999	999		-10	999	999	
75	999	999	999		-80	999	999		-11	999	999	
74	999	999	999		-80	999	999		-12	999	999	
73	999	999	999		-81	999	999		-13	999	999	
72	999	-9	-20		-81	999	999		-14	999	999	
71	999	-8	-21		-80	999	999		-15	999	999	
70	-64	-7	-21		-78	-20	-1		-16	-13	20	
69	-61	-6	-22		-76	-16	-6		-15	-10	16	
68	-57	-5	-24		-73	-14	-11		-16	-9	13	
67	-53	-3	-29		-70	-12	-15		-17	-9	14	
66	-49	-1	-34		-65	-11	-18		-16	-10	16	
65	-45	-1	-39		-61	-11	-20		-16	-10	19	
64	-41	-4	-42		-56	-11	-22		-15	-7	20	
63	-37	-9	-41		-51	-12	-23		-14	-3	18	
62	-34	-14	-38		-46	-13	-24		-12	1	14	
61	-30	-17	-33		-42	-14	-25		-12	3	8	
60	-25	-17	-29		-38	-14	-26		-13	3	3	
59	-22	-16	-26		-35	-13	-28		-13	3	-2	
58	-19	-13	-25		-31	-11	-30		-12	2	-5	
57	-20	-8	-25		-28	-8	-34		-8	0	-9	
56	-21	-5	-27		-24	-4	-38		-3	1	-11	
55	-18	-4	-28		-21	-1	-40		-3	3	-12	
54	-15	-4	-28		-18	-1	-37		-3	3	-9	
53	-13	-2	-27		-16	-6	-27		-3	-4	0	
52	-10	1	-26		-14	-12	-14		-4	-13	12	
51	-7	3	-25		-13	-12	-9		-6	-15	16	
50	-4	3	-23		-10	-4	-16		-6	-7	7	
49	-2	2	-21		-8	6	-25		-6	4	-4	
48	-4	2	-21		-7	13	-27		-3	11	-6	
47	-7	1	-24		-7	12	-21		0	11	3	
46	-5	-1	-28		-7	2	-23		-2	3	5	
45	-6	-5	-30		-7	-10	-33		-1	-5	-3	


ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS		
		DEG C	M S	-1		DEG C	M S	-1		DEG C	M S	-1
		NS	S	EW		NS	S	EW		NS	S	EW
44	-6	-9	-31		-8	-9	-40		-2	0	-9	
43	-17	-10	-28		-13	-3	-36		4	7	-8	
42	-19	-7	-24		-19	-13	-21		0	-6	3	
41	-20	-3	-20		-21	0	-22		-1	3	-2	
40	-22	1	-16		-22	11	-19		0	10	-3	
39	-22	3	-13		-23	-6	-4		-1	-9	9	
38	-25	3	-13		-23	7	-16		2	4	-3	
37	-29	1	-16		-28	-5	-16		1	-6	0	
36	-32	0	-19		-31	-3	-21		1	-3	-2	
35	-32	-1	-19		-33	-1	-25		-1	0	-6	
34	-34	-2	-17		-33	-3	-18		1	-1	-1	
33	-39	-2	-14		-37	-7	-10		2	-5	4	
32	-42	-2	-12		-39	1	-13		3	3	-1	
31	-42	0	-13		-40	-2	-10		2	-2	3	
30	-43	0	-13		-42	3	-15		1	3	-2	
29	-44	1	-13		-42	3	-26		2	2	-13	
28	-45	0	-13		999	999	999					
27	-48	1	-12		999	999	999					
26	-49	2	-12		999	999	999					
25	-50	1	-12		999	999	999					



US - STANDARD AUG 19 1977 0300 GMT				USSR - STANDARD AUG 19 1977 0308 GMT				DIFFERENCES USSR-US				
ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS	
		DEG C	M S		DEG C	M S		DEG C	M S		DEG C	M S
		NS	EW		NS	EW		NS	EW		NS	EW
70	999	-38	-47	999	8	-32		46	15			
69	999	-31	-38	999	5	-29		36	9			
68	999	-23	-24	999	1	-26		24	-2			
67	999	-16	-12	999	-4	-24		12	-12			
66	999	-7	-13	999	-11	-23		-4	-10			
65	999	-5	-27	999	-16	-23		-11	4			
64	999	-9	-44	999	-21	-24		-12	20			
63	999	-17	-52	999	-25	-27		-8	25			
62	999	-24	-49	999	-27	-29		-3	20			
61	999	-25	-41	999	-28	-33		-3	8			
60	999	-25	-34	999	-26	-37		-1	-3			
59	999	-24	-30	999	-22	-40		2	-10			
58	999	-22	-27	999	-16	-42		6	-15			
57	999	-17	-26	999	-11	-40		6	-14			
56	999	-10	-26	999	-10	-33		0	-7			
55	999	-6	-27	999	-8	-30		-2	-3			
54	999	-3	-27	999	-7	-26		-4	1			
53	999	-1	-26	999	-6	-25		-5	1			
52	999	0	-24	999	-6	-26		-6	-2			
51	999	-4	-27	999	-5	-29		-1	-2			
50	999	999	999	999	-5	-31						
49	999	999	999	999	-5	-32						
48	999	999	999	999	-5	-30						
47	999	999	999	999	-5	-27						
46	999	999	999	999	-7	-23						
45	999	999	999	999	-10	-24						
44	999	999	999	999	-11	-28						
43	999	999	999	999	-10	-29						
42	999	999	999	999	-8	-28						
41	999	999	999	999	-5	-23						
40	999	999	999	999	-3	-19						
39	999	999	999	999	-1	-17						
38	999	999	999	999	0	-15						
37	999	999	999	999	0	-15						


ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		
		DEG C	M S		DEG C	M S		DEG C	M S	
		NS	EW		NS	EW		NS	EW	
36	999	999	999	999	999	-1	-17			
35	999	999	999	999	999	-1	-19			
34	999	999	999	999	999	1	-18			
33	999	999	999	999	999	0	-16			
32	999	999	999	999	999	0	-14			
31	999	999	999	999	999	-2	-14			
30	999	999	999	999	999	0	-11			
29	999	999	999	999	999	-2	-13			
28	999	999	999	999	999	4	-9			
27	999	999	999	999	999	-4	-13			
26	999	999	999	999	999	-1	-10			
25	999	999	999	999	999	1	-13			
24	999	999	999	999	999	-2	-10			
23	999	999	999	999	999	2	-6			
22	999	999	999	999	999	4	-3			
21	999	999	999	999	999	3	-3			
20	999	999	999	999	999	1	-1			

73




US - STANDARD					USSR - STANDARD					DIFFERENCES					
AUG 19 1977					AUG 19 1977					USSR-US					
ALT	COMPONENT			-1	COMPONENT			-1	COMPONENT			-1			
	TEMP	WINDS			TEMP	WINDS			TEMP	WINDS			DEG C	M S	
KM	DEG	C	M S	NS	EW	DEG	C	NS	EW	DEG	C	NS	EW		
76	999	999	999	-83	999	999									
75	999	999	999	-81	999	999									
74	999	999	999	-78	999	999									
73	999	999	999	-77	999	999									
72	999	999	999	-75	999	999									
71	999	999	999	-74	999	999									
70	999	999	999	-73	999	999									
69	-61	-34	-56	-72	999	999									
68	-59	-39	-47	-70	999	999									
67	-53	-38	-36	-68	999	999									
66	-49	-28	-29	-65	999	999									
65	-48	-14	-33	-62	-23	-31		-14	-9	2					
64	-46	-6	-47	-58	-24	-38		-12	-18	9					
63	-43	-7	-61	-54	-26	-44		-11	-19	17					
62	-40	-11	-67	-49	-28	-48		-9	-17	19					
61	-36	-13	-64	-44	-30	-51		-8	-17	13					
60	-30	-13	-55	-39	-31	-51		-9	-18	4					
59	-27	-14	-46	-35	-31	-50		-8	-17	-4					
58	-25	-19	-40	-31	-30	-48		-6	-11	-8					
57	-22	-23	-36	-28	-27	-43		-6	-4	-7					
56	-21	-23	-33	-25	-22	-37		-4	1	-4					
55	-19	-19	-32	-24	-16	-31		-5	3	1					
54	-18	-13	-32	-22	-9	-29		-4	4	3					
53	-18	-8	-33	-20	-2	-31		-2	6	2					
52	-15	-3	-34	-18	4	-36		-3	7	-2					
51	-11	-1	-35	-15	6	-39		-4	7	-4					
50	-10	-1	-35	-12	4	-38		-2	5	-3					
49	-7	-3	-34	-9	-3	-35		-2	0	-1					
48	-6	-6	-32	-8	-8	-33		-2	-2	-1					
47	-8	-7	-30	-8	-12	-27		0	-5	3					
46	-9	-5	-29	-10	-24	-18		-1	-19	11					
45	-10	-4	-30	-13	-30	-20		-3	-26	10					
44	-10	-5	-30	-15	-15	-31		-5	-10	-1					
43	-14	-4	-29	-16	3	-36		-2	7	-7					

ALT	COMPONENT			-1	COMPONENT			-1	COMPONENT			-1	
	TEMP	WINDS			TEMP	WINDS			TEMP	WINDS			
KM	DEG	C	M S	NS	EW	DEG	C	NS	EW	DEG	C	NS	EW
42	-18	-2	-25	-18	0	-30		0	2	-5			
41	-19	0	-22	-21	-3	-26		-2	-3	-4			
40	-21	-1	-20	-25	-4	-17		-4	-3	3			
39	-25	-3	-19	-27	-5	-22		-2	-2	-3			
38	-26	-3	-17	-27	-8	-15		-1	-5	2			
37	-28	1	-17	-28	1	-15		0	0	2			
36	-31	5	-18	-29	11	-17		2	6	1			
35	-33	5	-20	-30	12	-23		3	7	-3			
34	-35	2	-19	-33	-4	-20		2	-6	-1			
33	-34	-1	-17	-36	-5	-15		-2	-4	2			
32	-36	-2	-14	-41	-8	-12		-5	-6	2			
31	-39	-2	-13	-42	-7	-13		-3	-5	0			
30	-42	-2	-14	-43	2	-13		-1	4	1			
29	-46	0	-14	-45	1	-19		1	1	-5			
28	-47	2	-14	999	999	999							
27	-46	2	-13	999	999	999							
26	-47	2	-11	999	999	999							
25	-49	3	-9	999	999	999							



US - STANDARD AUG 19 1977 2000 GMT				USSR - STANDARD AUG 19 1977 2005 GMT				DIFFERENCES USSR-US				
ALT	TEMP KM	COMPONENT WINDS -1			COMPONENT WINDS -1			COMPONENT WINDS -1				
		DEG	C	M S	DEG	C	M S	DEG	C	M S	NS	EW
78	999	999	999		-71	999	999					
77	999	999	999		-67	999	999					
76	999	999	999		-64	999	999					
75	999	999	999		-61	999	999					
74	999	999	999		-58	999	999					
73	999	999	999		-55	999	999					
72	999	999	999		-53	999	999					
71	999	28	-13		-51	999	999					
70	-54	29	-14		-49	999	999					5
69	-50	28	-14		-47	999	999					3
68	-46	26	-16		-45	999	999					1
67	-40	24	-17		-44	999	999					-4
66	-33	22	-19		-43	999	999					-10
65	-32	19	-21		-41	999	999					-9
64	-35	16	-23		-40	999	999					-5
63	-36	13	-27		-38	999	999					-2
62	-35	11	-30		-35	999	999					0
61	-34	8	-34		-33	999	999					1
60	-30	6	-37		-30	1	-30		0			7
59	-29	6	-39		-28	5	-31		1			8
58	-29	9	-41		-26	9	-30		3			11
57	-25	15	-43		-24	13	-28		1			15
56	-20	18	-45		-22	17	-26		-2			19
55	-16	17	-45		-21	20	-23		-5			22
54	-16	11	-42		-19	23	-21		-3			21
53	-11	4	-35		-18	21	-23		-7			12
52	-12	2	-30		-15	15	-31		-3			-1
51	-12	2	-29		-12	4	-42		0			-13
50	-11	4	-32		-10	-4	-50		1			-18
49	-8	6	-36		-8	0	-43		0			-7
48	-4	7	-38		-7	10	-34		-3			4
47	0	6	-35		-6	11	-35		-6			0
46	-2	3	-31		-5	5	-34		-3			-3
45	-4	0	-28		-4	1	-22		0			1

ALT KM	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	TEMP DEG C	M S	NS EW	TEMP DEG C	M S	NS EW	TEMP DEG C	M S	NS EW
44	-10	-1	-25	-6	-1	-15	4	0	10
43	-14	0	-24	-10	-2	-21	4	-2	3
42	-18	3	-22	-15	-6	-25	3	-9	-3
41	-20	7	-21	-19	0	-21	1	-7	0
40	-22	9	-22	-20	16	-21	2	7	1
39	-23	6	-22	-23	8	-24	0	2	-2
38	-25	4	-20	-25	-3	-22	0	-7	-2
37	-32	2	-17	-27	5	-20	5	3	-3
36	-31	2	-15	-29	1	-15	2	-1	0
35	-31	1	-14	-28	5	-14	3	4	0
34	-35	0	-13	-29	-5	-14	6	-5	-1
33	-38	0	-11	-31	-2	-12	7	-2	-1
32	-39	0	-10	-35	5	-9	4	5	1
31	-39	2	-11	-36	0	-11	3	-2	0
30	-42	1	-12	-38	3	-13	4	2	-1
29	-46	1	-13	-39	-1	-16	7	-2	-3
28	-44	1	-13	999	999	999			
27	-47	1	-12	999	999	999			
26	-49	1	-10	999	999	999			
25	-52	2	-8	999	999	999			




US - STANDARD AUG 19 1977 2210 GMT					USSR - STANDARD AUG 19 1977 2205 GMT					DIFFERENCES USSR-US				
ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
		DEG	C	M S		DEG	C	M S	NS	EW	-1	DLG	C	M S
KM		NS		EW		NS		EW	NS	EW		NS		EW
76	999	999	999		-80	999	999	999				-18	7	-10
75	999	999	999		-80	999	999	999				-21	4	-15
74	999	30	-28		-79	999	999	999				-24	6	-15
73	999	19	-22		-78	999	999	999				-22	0	-18
72	999	12	-15		-76	999	999	999				-20	-4	-20
71	999	12	-8		-74	999	999	999				-18	-7	-20
70	-53	17	-4		-71	24	-14					-17	-8	-11
69	-48	20	-4		-69	24	-19					-12	5	14
68	-42	17	-7		-66	23	-22					-10	10	18
67	-39	12	-9		-63	19	-24					-15	1	6
66	-37	10	-9		-60	16	-24					-27	17	1
65	-34	12	-6		-56	12	-24					-21	1	5
64	-33	13	-2		-53	9	-22					-15	6	-15
63	-32	14	-1		-50	7	-21					-20	-4	-20
62	-29	14	-9		-46	6	-20					-18	-3	2
61	-25	9	-21		-43	6	-19					-12	5	14
60	-27	2	-32		-39	7	-18					-10	10	18
59	-24	-1	-36		-36	9	-18					-15	1	6
58	-22	3	-37		-32	-12	-19					-27	17	1
57	-20	13	-38		-29	-14	-21					-21	1	5
56	-17	20	-40		-26	-16	-24					-36	16	16
55	-14	21	-41		-23	17	-28					-9	-4	13
54	-15	15	-39		-20	16	-33					-5	1	6
53	-10	7	-35		-17	12	-38					-7	5	-3
52	-8	0	-32		-14	6	-41					-6	6	-9
51	-5	-2	-32		-11	-1	-41					-6	1	-9
50	-6	-1	-33		-10	-3	-38					-4	-2	-5
49	-6	1	-35		-10	0	-34					-4	-1	1
48	-6	2	-35		-9	4	-35					-3	2	0
47	-8	2	-31		-9	3	-36					-1	1	-5
46	-6	3	-27		-8	-7	-31					-2	-10	-4
45	-5	3	-25		-10	-17	-21					-5	-20	4
44	-6	2	-25		-13	-11	-20					-7	-13	5
43	-11	-1	-25		-14	4	-27					-3	5	-2

69

TEMPERATURE


MERIDIONAL

ZONAL



ALT KM	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	TEMP DEG C	M S	-1 NS EW	TEMP DEG C	M S	-1 NS EW	TLMP DEG C	M S	-1 NS EW
43	-11	-4	-24	-13	-12	-21	-2	-8	3
42	-17	-4	-25	-16	-5	-27	1	-1	-2
41	-17	-3	-23	-20	0	-29	-3	3	-6
40	-19	-2	-20	-20	0	-19	-1	2	1
39	-19	-1	-19	-20	-3	-18	-1	-2	1
38	-27	0	-19	-24	-4	-21	3	-4	-2
37	-29	-1	-19	-28	0	-26	1	1	-1
36	-33	-1	-18	-31	0	-18	2	1	0
35	-36	0	-17	-33	1	-16	3	1	1
34	-37	1	-16	-37	2	-19	0	1	-3
33	-37	-1	-15	-38	-1	-18	-1	0	-3
32	-40	-2	-14	-40	-7	-15	0	-5	-1
31	-42	-3	-14	-40	-2	-12	2	1	2
30	-44	-2	-13	-41	-4	-13	3	-2	0
29	-43	-1	-12	-43	-1	-17	0	0	-1
28	-47	0	-11	999	999	999			
27	-46	0	-10	999	999	999			
26	-48	1	-10	999	999	999			
25	-50	1	-9	999	999	999			
24	-51	1	-7	999	999	999			
23	-53	1	-5	999	999	999			

[8]



US - STANDARD AUG 22 1977 2308 GMT					USSR - STANDARD AUG 22 1977 2312 GMT					DIFFERENCES USSR-US.				
ALT	COMPONENT				COMPONENT				COMPONENT					
	TEMP	WINDS	-1		TEMP	WINDS	-1		TEMP	WINDS	-1		DEG	C
KM	DEG	C	M	S	NS	EW	NS	EW	NS	EW	NS	EW	NS	EW
76	999	999	999		-105	999	999							
75	999	999	999		-100	999	999							
74	999	999	999		-95	999	999							
73	999	999	999		-91	999	999							
72	999	999	999		-87	999	999							
71	999	999	999		-84	999	999							
70	999	999	999		-81	0	0							
69	-54	12	4		-77	-1	-7		-23	-13	-11			
68	-47	5	-1		-74	-3	-13		-27	-8	-12			
67	-40	-1	-5		-71	-6	-18		-31	-5	-13			
66	-37	-5	-9		-67	-8	-22		-30	-3	-13			
65	-38	-6	-15		-63	-10	-24		-25	-4	-9			
64	-34	-6	-22		-59	-11	-25		-25	-5	-3			
63	-36	-5	-28		-54	-11	-24		-18	-6	4			
62	-35	-2	-29		-49	-10	-22		-14	-8	7			
61	-30	3	-31		-44	-9	-18		-14	-12	13			
60	-27	7	-35		-39	-8	-14		-12	-15	21			
59	-24	6	-37		-34	-6	-9		-10	-12	28			
58	-18	0	-33		-28	-5	-5		-10	-5	28			
57	-15	-7	-24		-24	-4	-3		-9	3	21			
56	-13	-11	-18		-20	-3	-3		-7	8	15			
55	-11	-12	-15		-16	-2	-5		-5	10	10			
54	-8	-12	-15		-13	-1	-9		-5	11	6			
53	-8	-12	-15		-11	-1	-12		-3	11	3			
52	-6	-11	-15		-9	-5	-12		-3	6	3			
51	-4	-6	-15		-9	-12	-11		-5	-6	4			
50	-5	0	-16		-10	-16	-14		-5	-16	2			
49	-5	5	-18		-10	-9	-25		-5	-14	-7			
48	-6	7	-21		-9	4	-36		-3	-3	-15			
47	-3	5	-24		-7	9	-36		-4	4	-12			
46	-2	3	-28		-7	3	-30		-5	0	-2			
45	-2	1	-29		-8	6	-35		-6	5	-6			
44	-8	1	-29		-11	12	-38		-3	11	-9			
43	-11	0	-28		-14	1	-31		-3	1	-3			


ALT KM	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	TEMP DEG C	M S	EW	TEMP DEG C	M S	EW	TEMP DEG C	M S	EW
42	-13	-1	-27	-17	-4	-33	-4	-3	-
41	-20	-3	-24	-19	2	-28	1	5	-
40	-21	-4	-20	-23	-8	-14	-2	-4	-
39	-24	-5	-18	-25	-7	-21	-1	-2	-
38	-25	-4	-17	-25	-2	-14	0	2	-
37	-25	-4	-18	-25	-5	-18	0	-1	-
36	-27	-3	-20	-27	-5	-23	0	-2	-
35	-29	-3	-20	-29	-5	-20	0	-2	-
34	-35	-3	-18	-32	-5	-17	3	-2	-
33	-39	-1	-17	-35	-2	-14	4	-1	-
32	-41	0	-16	-36	4	-20	5	4	-
31	-39	1	-15	-36	-1	-15	3	-2	-
30	-40	1	-13	-40	2	-13	0	1	-
29	-43	1	-11	999	999	999			
28	-45	1	-10	999	999	999			
27	-45	0	-10	999	999	999			
26	-47	-1	-9	999	999	999			
25	-51	-1	-9	999	999	999			
24	-52	-1	-7	999	999	999			

83

TEMPERATURE

MERIDIONAL

ZONAL



US - STANDARD				USSR - STANDARD				DIFFERENCES				
AUG 23 1977 0100 GMT				AUG 23 1977 0108 GMT				USSR-US				
ALT	COMPONENT			COMPONENT			COMPONENT			DEG C	M S	NS EW
	TEMP	WINDS	-1	TEMP	WINDS	-1	TLMPS	WINDS	-1			
KM	DEG C	M S		DEG C	M S		DEG C	M S		NS	EW	
77	999	999	999	-81	999	999						
76	999	999	999	-81	999	999						
75	999	999	999	-82	999	999						
74	999	999	999	-84	999	999						
73	999	999	999	-85	999	999						
72	999	999	999	-85	999	999						
71	999	999	999	-84	999	999						
70	999	999	999	-83	-19	29						
69	999	999	999	-81	-19	17						
68	-53	-1	17	999	999	999						
67	-46	2	17	-75	-19	-1	-29	-21	-18			
66	-41	-1	12	-71	-18	-8	-30	-17	-20			
65	-41	-6	0	-67	-18	-14	-26	-10	-14			
64	-40	-15	-16	-62	-17	-18	-22	-2	-2			
63	-38	-18	-27	-56	-17	-21	-18	1	6			
62	-36	-15	-29	-51	-17	-23	-15	-2	6			
61	-36	-7	-29	-46	-18	-24	-10	-11	5			
60	-34	1	-32	-42	-18	-23	-8	-19	9			
59	-34	3	-34	-38	-19	-23	-4	-22	11			
58	-29	1	-29	-34	-21	-21	-5	-22	8			
57	-24	0	-23	-31	-22	-20	-7	-22	3			
56	-21	-1	-18	-27	-23	-19	-6	-22	-1			
55	-16	-3	-16	-23	-22	-18	-7	-19	-2			
54	-12	-6	-15	-19	-18	-19	-7	-12	-4			
53	-8	-9	-17	-14	-10	-20	-6	-1	-3			
52	-7	-12	-20	-10	-1	-22	-3	11	-2			
51	-8	-12	-20	-8	7	-24	0	19	-4			
50	-8	-12	-20	-8	9	-25	0	21	-5			
49	-10	-10	-21	-9	3	-25	1	13	-4			
48	-10	-8	-21	-10	-3	-26	0	5	-5			
47	-8	-6	-22	-11	-4	-28	-3	2	-6			
46	-8	-4	-22	-12	-3	-23	-4	1	-1			
45	-9	-1	-21	-14	-7	-7	-5	-6	14			
44	-12	1	-21	-16	-7	-3	-4	-8	18			


ALT	TEMP	COMPONENT			DEG C	COMPONENT			DEG C	COMPONENT		
		WINDS	-1	DEG C	M S	NS EW	WINDS	-1		DEG C	M S	NS EW
43	-11	2	-23	-16	3	-20	-5	1	3			
42	-12	1	-26	-16	9	-34	-4	8	-8			
41	-17	-3	-27	-20	-4	-31	-3	-1	-4			
40	-21	-7	-25	-24	-14	-31	-3	-7	-6			
39	-25	-8	-22	-27	-14	-22	-2	-6	0			
38	-28	-6	-20	-29	-3	-23	-1	3	-3			
37	-32	-2	-19	-30	3	-28	2	5	-9			
36	-32	0	-20	-31	4	-26	1	4	-6			
35	-32	0	-21	-32	-3	-22	0	-3	-1			
34	-33	-1	-20	-34	-4	-21	-1	-3	-1			
33	-36	-1	-17	-35	0	-11	1	1	6			
32	-38	0	-15	-38	-1	-13	0	-1	2			
31	-42	0	-14	-39	0	-15	3	0	-1			
30	-42	-1	-13	-39	-4	-12	3	-3	1			
29	-43	-2	-12	-41	-11	-6	2	-4	6			
28	-46	-1	-11	999	999	999						
27	-46	-1	-11	999	999	999						
26	-47	0	-10	999	999	999						
25	-51	0	-10	999	999	999						
24	-52	-1	-9	999	999	999						

58

TEMPERATURE

MERIDIONAL


ZONAL




US - STANDARD				USSR - STANDARD				DIFFERLNCLS			
AUG 23 1977				AUG 23 1977				USSR-US			
0339 GMT				0340 GMT							
ALT				COMPONENT				COMPONENT			
TEMP				WINDS				TEMP			
KM				-1				TEMP			
DEG C				NS M S				DEG C			
NS				EW				NS M S			
								NS			
								EW			
78	999	999	999	-89	999	999		-12	-11	-27	0
77	999	999	999	-86	999	999		-14	-5	-25	-1
76	999	999	999	-84	999	999		-16	-8	-19	0
75	999	999	999	-82	999	999		-19	-8	-30	-3
74	999	999	999	-81	999	999		-22	-5	-31	-1
73	999	999	999	-80	999	999		-26	-8	-19	0
72	999	999	999	-79	999	999		-27	-1	-29	5
71	999	13	15	-77	999	999		-29	2	-16	1
70	-59	11	19	-75	-28	-17	-16	-39	-36	-2	1
69	-54	2	18	-72	-24	-21	-18	-26	-39	-3	3
68	-50	-9	14	-70	-20	-24	-20	-11	-38	-4	4
67	-49	-18	8	-66	-17	-26	-17	1	-34	-3	0
66	-47	-24	-2	-63	-14	-28	-16	10	-26	-2	-3
65	-45	-26	-17	-59	-12	-28	-14	14	-11	-1	3
64	-43	-25	-31	-55	-11	-26	-12	14	3	-2	1
63	-41	-24	-39	-52	-11	-27	-11	13	12	-3	0
62	-39	-22	-39	-48	-12	-25	-9	10	14	-3	-1
61	-38	-16	-36	-45	-13	-23	-7	3	13	-4	-4
60	-34	-8	-36	-42	-15	-20	-8	-7	16	-3	-3
59	-32	-8	-38	-39	-17	-17	-7	-9	21	-2	-2
58	-31	-14	-37	-36	-18	-14	-5	-4	23	-1	1
57	-27	-18	-31	-32	-19	-13	-5	-1	18	-2	2
56	-21	-20	-24	-27	-16	-14	-6	2	10	-3	3
55	-19	-19	-20	-22	-16	-16	-3	3	4	-3	0
54	-15	-18	-20	-17	-13	-21	-2	5	-1	-3	-3
53	-12	-17	-23	-12	-10	-26	0	7	-3	-4	-4
52	-10	-16	-26	-9	-10	-30	1	6	-4	-5	-5
51	-9	-15	-25	-8	-12	-29	1	3	-4	-6	-6
50	-9	-13	-23	-8	-16	-23	1	-3	0	-7	-7
49	-8	-8	-23	-9	-14	-18	-1	-6	5	-8	-8
48	-8	-4	-24	-9	-7	-20	-1	-3	4	-9	-9
47	-8	-2	-25	-9	-1	-24	-1	1	1	-10	-10
46	-8	-3	-24	-9	-5	-22	-1	-2	2	-11	-11
45	-9	-6	-23	-10	-14	-22	-1	-8	1	-12	-12

ALT				COMPONENT				COMPONENT			
TEMP				WINDS				TEMP			
-1				-1				-1			
KM				DEG C				DEG C			
NS				M S				NS			
EW											
44	-12	-7	-22	-12	-11	-27	0	-4	-5		
43	-13	-6	-21	-14	-5	-25	-1	1	-4		
42	-16	-5	-22	-16	-8	-19	0	-3	3		
41	-20	-6	-24	-19	-8	-30	1	-2	-6		
40	-21	-8	-25	-22	-5	-31	-1	3	-6		
39	-25	-8	-24	-26	-8	-19	-1	0	5		
38	-28	-4	-21	-27	-1	-29	1	3	-8		
37	-30	1	-19	-29	2	-16	1	1	3		
36	-31	5	-18	-30	3	-17	1	-2	1		
35	-31	5	-20	-31	8	-25	0	3	-5		
34	-33	2	-20	-33	-2	-16	0	-4	4		
33	-36	0	-19	-33	-3	-19	3	-3	0		
32	-38	0	-16	-35	-2	-19	3	-2	-3		
31	-41	1	-14	-38	4	-15	3	3	-1		
30	-40	1	-14	-39	1	-18	1	0	-4		
29	-40	0	-14	-40	8	-15	0	8	-1		
28	-44	0	-13	999	999	999					
27	-46	0	-12	999	999	999					
26	-46	0	-12	999	999	999					
25	-50	0	-10	999	999	999					

48




US - STANDARD AUG 24 1977 0128 GMT					USSR - STANDARD AUG 24 1977 0107 GMT					DIFFERENCES USSR-US						
ALT	TEMP KM	COMPONENT WINDS -1			TEMP DEG C	COMPONENT WINDS -1			TEMP DEG C	COMPONENT WINDS -1			TEMP DEG C	COMPONENT WINDS -1		
		NS	M	S		NS	M	S		NS	M	S		NS	M	S
78	999	999	999	999	-82	999	999	999								
77	999	999	999	999	-79	999	999	999								
76	999	999	999	999	-77	999	999	999								
75	999	999	999	999	-75	999	999	999								
74	999	999	999	999	-74	999	999	999								
73	999	999	999	999	-73	999	999	999								
72	999	999	999	999	-72	999	999	999								
71	999	999	999	999	-70	999	999	999								
70	999	999	999	999	-68	-5	-5	-30								
69	999	999	999	999	-65	-5	-31									
68	999	999	999	999	-62	-6	-30									
67	999	-9	-21		-59	-6	-28							3	-7	
66	999	-15	-30		-55	-6	-26							9	4	
65	999	-19	-32		-52	-6	-22							13	10	
64	-50	-21	-25		-48	-7	-19							2	14	6
63	-45	-17	-16		-44	-7	-15							1	10	1
62	-40	-10	-15		-41	-7	-11							-1	3	4
61	-33	-7	-22		-38	-6	-7							-5	1	15
60	-27	-6	-29		-34	-5	-5							-7	1	24
59	-25	-10	-27		-31	-4	-3							-6	6	24
58	-25	-14	-19		-28	-3	-4							-3	11	15
57	-22	-15	-11		-24	-3	-6							-2	12	5
56	-16	-12	-10		-20	-4	-9							-4	8	1
55	-10	-8	-15		-17	-8	-11							-7	0	4
54	-7	-8	-21		-15	-14	-11							-8	-6	10
53	-9	-9	-24		-14	-21	-9							-5	-12	15
52	-9	-8	-23		-13	-22	-9							-4	-14	14
51	-9	-5	-23		-12	-15	-15							-3	-10	8
50	-8	0	-21		-10	-4	-25							-2	-4	-4
49	-6	2	-19		-8	4	-31							-2	2	-12
48	-6	1	-16		-7	3	-27							-1	2	-11
47	-7	-2	-15		-7	-1	-21							0	1	-6
46	-7	-2	-15		-8	-3	-21							-1	-1	-6
45	-6	0	-17		-11	-1	-27							-5	-1	-10



US - STANDARD				USSR - STANDARD				DIFFERENCES				
ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		DEG C	M S	-1
KM	DEG C	NS	EW	DEG C	NS	EW	DEG C	NS	EW	NS	EW	-1
78	999	999	999	-74	999	999						
77	999	999	999	-72	999	999						
76	999	999	999	-72	999	999						
75	999	999	999	-72	999	999						
74	999	999	999	-72	999	999						
73	999	999	999	-73	999	999						
72	999	999	999	-73	999	999						
71	999	8	1	-73	999	999						
70	-58	-1	-3	-73	-16	14	-15	-15	17			
69	-54	-10	-9	-71	-17	5	-17	-7	14			
68	-47	-19	-15	-70	-17	-3	-23	2	12			
67	-46	-24	-19	-68	-17	-11	-22	7	8			
66	-44	-25	-24	-65	-17	-17	-21	8	7			
65	-42	-24	-28	-62	-17	-22	-20	7	6			
64	-41	-24	-31	-58	-16	-26	-17	8	5			
63	-41	-22	-32	-54	-16	-28	-13	6	4			
62	-38	-16	-34	-49	-15	-30	-11	1	4			
61	-34	-10	-37	-45	-15	-30	-11	-5	7			
60	-33	-9	-37	-40	-16	-28	-7	-7	9			
59	-30	-14	-32	-36	-16	-26	-6	-4	6			
58	-28	-17	-25	-32	-21	-23	-4	-4	2			
57	-24	-17	-21	-28	-25	-19	-4	-8	2			
56	-18	-14	-21	-25	-29	-17	-7	-15	4			
55	-13	-14	-22	-22	-30	-19	-9	-16	3			
54	-11	-16	-24	-19	-27	-26	-8	-11	-2			
53	-10	-17	-24	-16	-19	-36	-6	-2	-12			
52	-10	-15	-24	-13	-8	-43	-3	7	-19			
51	-10	-12	-24	-10	-2	-38	0	10	-14			
50	-9	-8	-21	-9	-5	-20	0	3	1			
49	-9	-5	-17	-10	-8	-5	-1	-3	12			
48	-7	-4	-15	-11	-5	-9	-4	-1	6			
47	-7	-4	-14	-10	-2	-19	-3	2	-5			
46	-6	-3	-13	-10	-3	-21	-4	0	-8			
45	-5	0	-15	-9	0	-18	-4	0	-3			

ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		DEG C	M S	-1
KM	DEG C	NS	EW	DEG C	NS	EW	DEG C	NS	EW	NS	EW	-1
44	-5	2	-19	-9	7	-22	-4	5	-3			
43	-10	2	-24	-11	7	-30	-1	5	-6			
42	-14	-1	-29	-16	-1	-28	-2	0	1			
41	-18	-6	-29	-21	-9	-24	-3	-3	5			
40	-25	-9	-26	-27	-18	-27	-2	-9	-1			
39	-29	-6	-21	-30	-11	-17	-1	-5	4			
38	-29	-2	-18	-28	-3	-18	1	-1	0			
37	-30	1	-18	-27	4	-20	3	3	-2			
36	-32	3	-19	-29	2	-21	3	-1	-2			
35	-34	2	-20	-32	2	-22	2	0	-2			
34	-36	0	-20	-34	5	-21	2	5	-1			
33	-36	-2	-20	-34	0	-20	2	2	0			
32	-37	-4	-19	-36	-8	-15	1	-4	4			
31	-41	-4	-17	-38	-1	-18	3	3	-1			
30	-42	-2	-15	-38	-1	-14	4	1	1			
29	-43	-1	-13	999	999	999						

L6




APPENDIX B

LISTINGS AND PLOTS OF US(STANDARD) AND USSR(PROSPECTIVE) DATA

The information presented in Appendix B is similar to that presented in Appendix A with the exception that the USSR data were reduced using a proposed data reduction technique. This technique is labeled USSR(prospective) for identification.

US - STANDARD				USSR - PROSPECTIVE				DIFFERENCES			
AUG 10 1977 1400 GMT				AUG 10 1977 1405 GMT				USSR-US			
ALT	COMPONENT			COMPONENT			COMPONENT			TEMP	COMPONENT
	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1		
KM	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	NS EW
74	999	999	999	-108	999	999					
73	999	999	999	-102	999	999					
72	999	999	999	-96	999	999					
71	999	999	999	-90	999	999					
70	999	999	999	-84	999	999					
69	999	999	999	-80	999	999					
68	999	999	999	-75	999	999					
67	999	999	999	-70	999	999					
66	999	999	999	-66	999	999					
65	999	999	999	-61	-14	-44					
64	999	999	999	-56	-11	-47					
63	-35	2	-70	-51	-8	-49	-16	-10	21		
62	-34	-8	-59	-47	-5	-51	-13	3	8		
61	-34	-13	-50	-44	-3	-52	-10	10	-2		
60	-28	-12	-44	-41	-2	-52	-13	10	-8		
59	-25	-7	-39	-38	-1	-54	-13	6	-15		
58	-21	0	-34	-33	3	-56	-12	3	-22		
57	-18	5	-34	-26	8	-59	-8	3	-25		
56	-15	8	-38	-19	16	-61	-4	8	-23		
55	-12	8	-43	-15	21	-55	-3	13	-12		
54	-12	8	-43	-17	9	-41	-5	1	2		
53	-10	8	-40	-19	0	-34	-9	-8	6		
52	-9	8	-38	-18	-5	-30	-9	-13	8		
51	-8	8	-37	-15	-4	-32	-7	-12	5		
50	-6	8	-37	-13	3	-38	-7	-5	-1		
49	-5	8	-37	-12	11	-42	-7	3	-5		
48	-7	5	-38	-9	12	-41	-2	7	-3		
47	-6	3	-39	-8	7	-39	-2	4	0		
46	-8	4	-41	-7	5	-42	1	1	-1		
45	-11	7	-42	-10	1	-42	1	-6	0		
44	-13	6	-44	-15	-10	-39	-2	-16	5		
43	-16	0	-44	-16	-13	-42	0	-13	2		
42	-15	-5	-42	-20	-7	-44	-5	-2	-2		
41	-22	-6	-38	-24	2	-42	-2	8	-4		

ALT	COMPONENT			COMPONENT			COMPONENT			TEMP	COMPONENT
	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1		
KM	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	NS EW
40	-24	-4	-35	-27	4	-37	-3	8	-2		
39	-29	-3	-32	-28	0	-36	1	3	-4		
38	-31	-3	-29	-30	3	-32	1	6	-3		
37	-31	-2	-24	-30	-1	-21	1	1	3		
36	-33	-1	-21	-29	-6	-15	4	-5	6		
35	-33	-1	-18	-29	-3	-17	4	-2	1		
34	-35	0	-17	-29	1	-19	6	1	-2		
33	-34	1	-16	-31	5	-22	3	4	-6		
32	-35	2	-16	-31	1	-16	4	-1	0		
31	-36	3	-16	-33	1	-8	3	-2	8		
30	-42	4	-16	-39	-1	-20	3	-5	-4		
29	-43	3	-16	-44	0	-12	-1	-3	4		
28	-46	2	-15	-42	-3	-16	4	-5	-1		
27	-47	2	-15	-42	5	-19	5	3	-4		
26	-50	1	-14	-46	2	-13	4	1	1		
25	-50	0	-13	-46	-1	-15	4	-1	-2		
24	-50	-1	-12	-48	1	-17	2	2	-5		
23	999	999	999	-51	-2	-12					
22	999	999	999	-52	-3	-2					
21	999	999	999	-54	3	-7					
20	999	999	999	-56	0	-7					



US - STANDARD AUG 12 1977 0419 GMT				USSR - PROSPECTIVE AUG 12 1977 0405 GMT				DIFFERENCES USSR-US			
ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			DEG C	M S
	DEG	C	M S	DEG	C	M S	DLG	C	M S	NS	EW
67	-54	-19	-67	999	999	999					
66	-52	-25	-56	999	999	999					
65	-52	-24	-45	999	999	999					
64	-52	-17	-36	999	999	999					
63	-44	-13	-34	999	999	999					
62	-37	-12	-35	999	999	999					
61	-30	-13	-36	999	999	999					
60	-26	-16	-34	999	999	999					
59	-28	-21	-33	999	999	999					
58	-24	-24	-32	999	999	999					
57	-18	-21	-34	999	999	999					
56	-16	-14	-37	999	999	999					
55	-12	-10	-40	999	999	999					
54	-6	-9	-44	999	999	999					
53	-6	-7	-46	999	999	999					
52	-8	-4	-47	999	999	999					
51	-8	-2	-48	999	999	999					
50	-7	-5	-46	-11	0	-52	-4	5	5	-6	
49	-12	-9	-43	-14	-2	-50	-2	7	7	-7	
48	-12	-11	-40	-14	-5	-45	-2	6	6	-5	
47	-11	-10	-38	-15	-8	-39	-4	2	2	-1	
46	-13	-5	-35	-17	-7	-30	-4	-2	5	5	
45	-16	-1	-29	-16	-1	-22	0	0	0	7	
44	-15	2	-23	-12	4	-19	3	2	2	4	
43	-14	1	-22	-9	3	-18	5	2	2	4	
42	-14	-2	-25	-9	-1	-21	5	1	4		
41	-17	-4	-29	-12	-3	-26	5	1	3		
40	-20	-5	-30	-14	-3	-28	6	2	2	2	
39	-22	-2	-30	-20	-2	-30	2	0	0	0	
38	-25	0	-30	-25	-2	-37	0	-2	-2	-7	
37	-27	0	-30	-26	-1	-37	1	-1	-1	-7	
36	-28	-1	-29	-27	-3	-33	1	-2	-2	-4	
35	-32	-2	-28	-30	-4	-30	2	-2	-2	-2	
34	-37	-2	-26	-33	3	-26	4	5	0		


ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			DEG C	M S
	DEG	C	M S	DEG	C	M S	DLG	C	M S	NS	EW
33	-38	-1	-24	-35	-2	-26	3	-1	-2		
32	-38	1	-23	-37	-2	-23	1	-3	0		
31	-41	1	-22	-39	1	-22	2	0	0		
30	-42	1	-20	-35	-4	-17	7	-5	3		
29	-43	0	-18	-37	-2	-14	6	-2	4		
28	-47	1	-16	-40	-5	-18	7	-6	-2		
27	-49	1	-14	-42	3	-17	7	2	-3		
26	-48	1	-13	-44	2	-15	4	1	-2		
25	-51	-1	-11	-46	0	-14	5	1	-3		
24	999	999	999	-48	2	-12					
23	999	999	999	-50	-2	-12					
22	999	999	999	-54	-5	-8					
21	999	999	999	-56	5	-8					
20	999	999	999	-58	-2	-5					

L6

TEMPERATURE

MERIDIONAL


ZONAL



US - STANDARD				USSR - PROSPECTIVE				DIFFERENCES				
AUG 12 1977 0659 GMT				AUG 12 1977 0605 GMT				USSR-US				
ALT	TEMP	COMPONENT		TEMP	COMPONENT		TEMP	COMPONENT		TEMP	COMPONENT	
		-1	-1		-1	-1		-1	-1		-1	-1
KM	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW
76	999	999	999	-92	999	999						
75	999	999	999	-84	999	999						
74	999	999	999	-74	999	999						
73	999	999	999	-65	999	999						
72	999	999	999	-58	999	999						
71	999	999	999	-53	999	999						
70	-48	-1	-29	-51	999	999	-3					
69	-50	1	-39	-51	999	999	-1					
68	-49	-3	-50	-52	999	999	-3					
67	-51	-14	-58	-53	999	999	-2					
66	-54	-24	-61	-54	999	999	0					
65	-50	-29	-61	-54	999	999	-4					
64	-45	-28	-60	-54	999	999	-9					
63	-42	-26	-59	-53	999	999	-11					
62	-42	-26	-56	-52	999	999	-10					
61	-40	-27	-51	-50	999	999	-10					
60	-34	-26	-46	-47	-11	-21	-13	15	25			
59	-32	-20	-42	-43	-8	-23	-11	12	19			
58	-31	-13	-40	-38	-6	-26	-7	7	14			
57	-26	-6	-39	-32	-5	-29	-6	1	10			
56	-22	-4	-41	-25	-5	-33	-3	-1	8			
55	-17	-4	-42	-19	-6	-36	-2	-2	6			
54	-13	-7	-42	-15	-7	-35	-2	0	7			
53	-11	-9	-40	-11	-8	-35	0	1	5			
52	-10	-7	-39	-7	-9	-35	3	-2	4			
51	-9	-4	-39	-4	-10	-36	5	-6	3			
50	-7	-3	-40	-4	-10	-38	3	-7	2			
49	-5	-5	-41	-5	-10	-42	0	-5	-1			
48	-5	-9	-40	-6	-11	-44	-1	-2	-4			
47	-3	-9	-39	-8	-12	-46	-5	-3	-7			
46	-10	-4	-38	-12	-12	-48	-2	-8	-10			
45	-11	-1	-36	-15	-11	-47	-4	-10	-11			
44	-10	0	-33	-14	-5	-41	-4	-5	-8			
43	-10	0	-30	-15	2	-34	-5	2	-4			


ALT	TEMP	COMPONENT		TEMP	COMPONENT		TEMP	COMPONENT	
		-1	-1		-1	-1		-1	-1
KM	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW
42	-12	1	-29	-13	3	-31	-1	2	-2
41	-15	2	-31	-18	2	-29	-3	0	2
40	-20	2	-32	-24	0	-28	-4	-2	4
39	-25	1	-30	-26	0	-25	-1	-1	5
38	-29	1	-29	-28	4	-24	1	3	5
37	-31	0	-29	-27	0	-27	4	0	2
36	-33	-1	-29	-30	-8	-30	3	-7	-1
35	-33	-2	-27	-32	-5	-31	1	-3	-4
34	-35	-1	-24	-34	-4	-25	1	-3	-1
33	-39	-2	-21	-37	-7	-24	2	-5	-3
32	-39	-2	-19	-38	-7	-21	1	-5	-2
31	-41	-1	-18	-42	-1	-18	-1	0	0
30	-41	0	-17	-40	1	-17	1	1	0
29	-41	1	-16	-40	-2	-20	1	-3	-4
28	-44	2	-15	-42	1	-17	2	-1	-2
27	-47	2	-14	-47	4	-14	0	2	0
26	-47	2	-14	-49	3	-16	-2	1	-2
25	-49	0	-14	-50	1	-14	-1	1	0
24	-50	0	-13	-51	-3	-10	-1	-3	3
23	999	999	999	-53	2	-11			
22	999	999	999	-54	-7	-10			
21	999	999	999	-56	3	-2			
20	999	999	999	-59	2	-6			

66



US - STANDARD AUG 12 1977 1100 GMT				USSR - PROSPECTIVE AUG 12 1977 1105 GMT				DIFFERENCES USSR-US								
ALT	COMPONENT WINDS -1			COMPONENT WINDS -1			COMPONENT WINDS -1			ALT	COMPONENT WINDS -1			COMPONENT WINDS -1		
	TEMP	DEG C	M S NS EW	TEMP	DEG C	M S NS EW	TEMP	DEG C	M S NS EW		TEMP	DEG C	M S NS EW	TEMP	DEG C	M S NS EW
74	999	999	999	-101	999	999				40	-23	-2	-27	-23	-2	-27
73	999	999	999	-93	999	999				39	-25	-1	-23	-24	-6	-30
72	999	999	999	-84	999	999				38	-27	1	-21	-26	-11	-25
71	999	999	999	-76	999	999				37	-30	3	-19	-29	-1	-16
70	999	999	999	-70	999	999				36	-30	4	-19	-31	9	-17
69	999	999	999	-66	999	999				35	-31	3	-20	-30	5	-23
68	999	999	999	-65	999	999				34	-34	0	-21	-32	-1	-23
67	-45	-1	-17	-66	999	999	-21			33	-34	-1	-23	-32	-1	-24
66	-39	4	-24	-66	999	999	-27			32	-36	-2	-23	-35	2	-26
65	-39	8	-31	-66	999	999	-27			31	-39	-1	-22	-36	-2	-27
64	-40	8	-39	-63	999	999	-23			30	-45	-1	-20	-45	-1	-18
63	-37	6	-44	-59	999	999	-22			29	-45	-1	-17	-49	-3	-19
62	-33	5	-47	-53	-11	-37	-20	-16	10	28	-44	-1	-15	-45	-4	-15
61	-29	6	-48	-46	-6	-46	-17	-12	2	27	-45	-1	-12	-43	-2	-11
60	-29	8	-47	-38	0	-52	-9	-8	-5	26	-45	0	-11	-43	-2	-11
59	-24	8	-44	-31	6	-56	-7	-2	-12	25	-48	2	-12	-47	2	-14
58	-21	7	-40	-25	9	-54	-4	2	-14	24	-51	1	-11	-50	1	-11
57	-18	9	-36	-21	7	-49	-3	-2	-13	23	999	999	999	-51	-4	-10
56	-14	11	-36	-18	0	-42	-4	-11	-6	22	999	999	999	-55	2	-9
55	-10	11	-39	-16	-6	-37	-6	-17	2	21	999	999	999	-57	-6	-8
54	-9	6	-45	-14	-8	-37	-5	-14	8	20	999	999	999	-57	-2	-7
53	-7	-2	-50	-13	-6	-40	-6	-4	10							
52	-8	-9	-51	-12	-7	-43	-4	2	8							
51	-7	-12	-50	-12	-9	-45	-5	3	5							
50	-6	-9	-47	-13	-9	-46	-7	0	1							
49	-12	-3	-46	-15	-7	-44	-3	-4	2							
48	-11	2	-47	-15	-1	-40	-4	-3	7							
47	-10	4	-46	-15	5	-36	-5	1	10							
46	-12	4	-42	-16	7	-34	-4	3	8							
45	-15	2	-35	-17	4	-35	-2	2	0							
44	-16	-3	-31	-17	-3	-35	-1	0	-4							
43	-15	-6	-30	-15	-8	-34	0	-2	-4							
42	-16	-6	-31	-17	-8	-32	-1	-2	-1							
41	-19	-4	-30	-20	-4	-29	-1	0	1							

ALT	COMPONENT WINDS -1			COMPONENT WINDS -1			COMPONENT WINDS -1			ALT	COMPONENT WINDS -1			COMPONENT WINDS -1		
	TEMP	DEG C	M S NS EW	TEMP	DEG C	M S NS EW	TEMP	DEG C	M S NS EW		TEMP	DEG C	M S NS EW	TEMP	DEG C	M S NS EW
40	-23	-2	-27	-23	-2	-27	0	0	0	39	-25	-1	-23	1	-5	-7
39	-25	-1	-23	-24	-6	-30	1	-12	-4	38	-27	1	-21	1	-12	-4
38	-27	1	-21	-26	-11	-25	1	-11	-4	37	-30	3	-19	1	-4	3
37	-30	3	-19	-29	-1	-16	1	-16	-5	36	-30	4	-19	-1	5	2
36	-30	4	-19	-31	9	-17	-1	-17	-3	35	-31	5	-23	1	2	-3
35	-31	3	-20	-30	5	-23	-1	-23	-2	34	-34	0	-21	2	-1	-2
34	-34	0	-21	-32	-1	-23	2	-23	-1	33	-34	-1	-23	2	0	-1
33	-34	-1	-23	-32	-1	-24	2	-24	-1	32	-36	2	-23	1	4	-3
32	-36	-2	-23	-35	2	-26	3	-27	-1	31	-39	-1	-22	3	-1	-5
31	-39	-1	-22	-36	-2	-27	0	-18	0	30	-45	-1	-20	0	0	2
30	-45	-1	-20	-45	-1	-18	0	-19	-4	29	-45	-1	-17	-4	-2	-2
29	-45	-1	-17	-49	-3	-19	-4	-15	-1	28	-44	-1	-15	-1	-3	0
28	-44	-1	-15	-45	-4	-15	-4	-15	-1	27	-45	-1	-12	-2	-1	1
27	-45	-1	-12	-43	-2	-11	-43	-2	-11	26	-45	0	-11	-2	-2	0
26	-45	0	-11	-43	-2	-11	-43	-2	-11	25	-48	2	-12	-47	2	-14
25	-48	2	-12	-47	2	-14	-47	2	-14	24	-51	1	-11	-50	1	0
24	-51	1	-11	-50	1	-11	-50	1	-11	23	999	999	999	-51	-4	-10
23	999	999	999	-51	-4	-10				22	999	999	999	-55	2	-9
22	999	999	999	-55	2	-9				21	999	999	999	-57	-6	-8
21	999	999	999	-57	-6	-8				20	999	999	999	-57	-2	-7



US - STANDARD AUG 15 1977 1744 GMT				USSR - PROSPECTIVE AUG 12 1977 1735 GMT				DIFFERENCES USSR-US				
ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS	
		DEG	NS		DEG	NS		DEG	NS		DEG	NS
KM		M	S		M	S		M	S		M	S
72	999	999	999	-48	999	999						
71	999	999	999	-44	999	999						
70	999	999	999	-41	999	999						
69	999	999	999	-38	999	999						
68	-48	-16	-61	-36	999	999						12
67	-47	-12	-58	-35	999	999						12
66	-45	-10	-53	-34	999	999						11
65	-42	-6	-49	-34	999	999						8
64	-39	3	-47	-34	999	999						5
63	-36	13	-50	-34	999	999						2
62	-34	19	-52	-33	999	999						1
61	-31	16	-50	-32	999	999						-1
60	-28	8	-42	-30	-7	-19		-2	-15			23
59	-24	1	-33	-28	-2	-21		-4	-3			12
58	-19	1	-27	-24	2	-23		-5	1			4
57	-14	7	-28	-21	5	-25		-7	-2			3
56	-10	14	-33	-17	7	-27		-7	-7			6
55	-9	17	-38	-15	8	-30		-6	-9			8
54	-8	14	-42	-15	8	-34		-7	-6			8
53	-5	9	-42	-17	9	-36		-12	0			6
52	-3	8	-39	-16	12	-40		-13	4			-1
51	-4	10	-36	-11	16	-43		-7	6			-7
50	-4	12	-34	-4	20	-42		0	8			-8
49	-2	12	-35	-3	18	-38		-1	6			-3
48	-1	9	-36	-4	12	-32		-3	3			4
47	0	6	-35	-5	6	-30		-5	0			5
46	1	3	-33	-5	4	-31		-6	1			2
45	1	1	-31	-7	3	-32		-8	2			-1
44	0	0	-30	-7	4	-33		-7	4			-3
43	-6	2	-28	-7	6	-36		-1	4			-8
42	-15	4	-25	-15	4	-29		0	0			-4
41	-16	7	-22	-20	4	-21		-4	-3			1
40	-17	8	-21	-19	8	-20		-2	0			1
39	-19	7	-21	-20	11	-27		-1	4			-6


ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1
KM	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW
38	-21	5	-21	-25	4	-27	-6	-1	-6
37	-23	2	-20	-25	0	-22	-2	-2	-2
36	-24	1	-17	-24	2	-19	0	1	-2
35	-24	0	-16	-27	0	-17	-3	0	-1
34	-27	2	-15	-31	2	-17	-4	0	-2
33	-30	4	-16	-33	7	-16	-3	3	0
32	-31	4	-17	-35	4	-18	-4	0	-1
31	-35	3	-17	-37	0	-18	-2	-3	-1
30	-38	1	-16	-38	0	-17	0	-1	-1
29	-38	1	-16	-42	0	-15	-4	-1	1
28	-40	0	-15	-41	2	-14	-1	2	1
27	-41	0	-14	-42	-3	-16	-1	-3	-2
26	-44	0	-13	-45	0	-15	-1	0	2
25	-45	0	-11	-48	-1	-14	-3	-1	-3
24	-45	0	-7	-48	-4	-8	-3	-4	-1
23	999	999	999	-50	4	-3			
22	999	999	999	-51	0	-8			
21	999	999	999	-53	-2	-10			
20	999	999	999	-55	3	-1			

103

TEMPERATURE


MERIDIONAL

ZONAL



US - STANDARD AUG 15 1977 1930 GMT					USSR - PROSPECTIVE AUG 15 1977 1935 GMT					DIFFERENCES USSR-US		
ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS		
		DEG C	M S	-1		DEG C	M S	-1		DEG C	M S	-1
		NS	EW			NS	EW			NS	EW	
74	999	999	999		-89	999	999					
73	999	28	-13		-83	999	999					
72	999	28	-27		-79	999	999					
71	999	20	-40		-75	999	999					
70	-61	7	-49		-72	999	999	-11				
69	-58	-2	-50		-68	999	999	-10				
68	-51	-1	-47		-64	999	999	-13				
67	-45	3	-44		-61	999	999	-16				
66	-39	4	-43		-57	999	999	-18				
65	-39	0	-40		-53	999	999	-14				
64	-39	0	-36		-50	7	-32	-11	7	4		
63	-34	5	-35		-47	9	-34	-13	4	1		
62	-31	11	-38		-44	9	-36	-13	-2	2		
61	-31	12	-42		-40	8	-36	-9	-4	6		
60	-26	5	-43		-36	6	-36	-10	1	7		
59	-23	-4	-40		-31	2	-37	-8	6	3		
58	-21	-9	-36		-25	-3	-37	-4	6	-1		
57	-17	-5	-32		-20	-8	-38	-3	-3	-6		
56	-14	5	-33		-17	-10	-39	-3	-15	-6		
55	-13	12	-34		-17	-6	-41	-4	-18	-7		
54	-11	15	-37		-16	2	-44	-5	-13	-7		
53	-8	14	-38		-14	7	-46	-6	-7	-8		
52	-5	13	-38		-10	9	-44	-5	-4	-6		
51	-3	13	-37		-10	9	-40	-7	-4	-3		
50	-4	13	-35		-13	8	-35	-9	-5	0		
49	-2	13	-36		-11	8	-36	-9	-5	0		
48	-5	13	-38		-7	9	-44	-2	-4	-6		
47	-4	10	-39		-7	8	-48	-3	-2	-9		
46	-4	5	-38		-6	6	-42	-2	1	-4		
45	-4	0	-36		-7	3	-33	-3	3	3		
44	-5	-3	-32		-6	0	-29	-1	3	3		
43	-12	-1	-26		-18	1	-27	-6	2	-1		
42	-21	3	-22		-25	7	-23	-4	4	-1		
41	-22	7	-18		-24	11	-20	-2	4	-2		

ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS		
		DEG C	M S	-1		DEG C	M S	-1		DEG C	M S	-1
		NS	EW			NS	EW			NS	EW	
40	-22	9	-17		-24	10	-18			-2	1	-1
39	-23	7	-18		-25	10	-19			-2	3	-1
38	-25	5	-19		-27	6	-23			-2	1	-4
37	-26	3	-19		-28	3	-25			-2	0	-6
36	-28	0	-18		-29	0	-21			-1	0	-3
35	-31	-1	-16		-34	-5	-20			-3	-4	-4
34	-35	1	-14		-35	-1	-14			0	-2	0
33	-36	4	-13		-37	1	-7			-1	-3	6
32	-38	5	-14		-37	3	-14			1	-2	0
31	-39	4	-15		-40	-1	-18			-1	-5	-3
30	-42	2	-16		-44	-3	-16			-2	-5	0
29	-44	1	-17		-46	-8	-22			-2	-9	-5
28	-44	1	-16		-45	1	-18			-1	0	-2
27	-48	1	-14		-48	1	-12			0	0	2
26	-50	1	-12		-49	3	-11			1	2	1
25	-51	1	-10		-50	2	-8			1	1	2
24	999	999	999		-50	-2	-8					
23	999	999	999		-53	-1	-5					
22	999	999	999		-55	1	-6					
21	999	999	999		-57	-1	-7					
20	999	999	999		-58	-1	0					



US - STANDARD					USSR - PROSPECTIVE					DIFFERENCES				
AUG 16 1977					AUG 16 1977					USSR-US				
0113 GMT					0105 GMT									
ALT					COMPONENT					COMPONENT				
TEMP					WINDS					TEMP				
KM					-1					TEMP				
DEG C					M S					DEG C				
NS					EW					DEG C				
72	999	-18	9		999	999	999							
71	999	-1	-2		999	999	999							
70	-47	11	-13		999	999	999							
69	-41	12	-25		999	999	999							
68	-39	3	-35		999	999	999							
67	-48	-7	-41		999	999	999							
66	-52	-11	-41		999	-26	-9			-15	32			
65	-52	-10	-33		-60	-24	-13			-8	-14	20		
64	-48	-8	-24		-52	-23	-13			-4	-15	11		
63	-44	-7	-18		-45	-21	-16			-1	-14	2		
62	-38	-5	-18		-40	-18	-19			-2	-13	-1		
61	-34	-2	-24		-35	-13	-23			-1	-11	1		
60	-30	-1	-33		-30	-9	-26			0	-8	7		
59	-25	-2	-39		-23	-3	-30			2	-1	9		
58	-22	-2	-40		-15	3	-35			7	5	5		
57	-18	1	-38		-8	9	-40			10	8	-2		
56	-14	5	-36		-4	12	-43			10	7	-7		
55	-9	9	-36		-4	12	-42			5	3	-6		
54	-6	9	-36		-6	7	-36			0	-2	0		
53	-3	4	-36		-6	0	-33			-3	-4	3		
52	-1	-5	-36		-3	-2	-35			-2	3	1		
51	-3	-10	-34		1	-1	-40			4	9	-6		
50	-4	-12	-33		3	0	-41			7	12	-8		
49	-5	-10	-31		0	-1	-39			5	9	-8		
48	-7	-7	-29		-3	-2	-35			4	5	-6		
47	-9	-4	-26		-5	-5	-30			4	-1	-4		
46	-9	0	-21		-7	-9	-25			2	-9	-4		
45	-9	2	-20		-9	-8	-23			0	-10	-3		
44	-6	2	-24		-8	0	-24			-2	-2	0		
43	-12	0	-29		-9	4	-29			3	4	0		
42	-17	-2	-31		-16	-2	-31			1	0	0		
41	-18	-4	-28		-19	-5	-28			-1	-1	0		
40	-20	-3	-23		-17	-7	-25			3	-4	-2		
39	-23	-2	-19		-20	-6	-22			3	-4	-3		


ALT	TEMP	COMPONENT					TEMP	COMPONENT					TEMP	COMPONENT					
		WINDS						WINDS						WINDS					
KM	DEG C	-1		NS	EW	-1		DEG C	-1		NS	EW	-1		DEG C	-1		NS	EW
		DEG	C			DEG	C		DEG	C			DEG	C		DEG	C		
38	-24	0	-17			-20	-3	-20		-20			-20		4	-3	-3		
37	-25	1	-18			-23	-2	-20		-20			-20		2	-3	-2		
36	-29	1	-22			-28	2	-24		-24			-24		1	1	-2		
35	-32	-1	-24			-32	3	-27		-27			-27		0	4	-3		
34	-36	-4	-23			-34	-2	-24		-24			-24		2	2	-1		
33	-40	-4	-19			-36	-10	-16		-16			-16		4	-6	3		
32	-41	-3	-16			-36	-4	-11		-11			-11		5	-1	5		
31	-40	-1	-16			-36	1	-17		-17			-17		4	2	-1		
30	-41	-1	-15			-37	-3	-17		-17			-17		4	-2	-2		
29	-45	-1	-14			-40	-2	-12		-12			-12		5	-1	2		
28	-45	0	-13			-42	4	-13		-13			-13		3	4	0		
27	-47	1	-13			-43	-2	-16		-16			-16		4	-3	-3		
26	-49	0	-12			-47	-3	-13		-13			-13		2	-3	-1		
25	999	999	999			-48	-2	-12		-12			-12						
24	999	999	999			-49	-1	-12		-12			-12						
23	999	999	999			-49	-3	-9		-9			-9						
22	999	999	999			-53	0	-9		-9			-9						
21	999	999	999			-55	1	-4		-4			-4						
20	999	999	999			-58	-6	-2		-2			-2						

107

TEMPERATURE

MERIDIONAL


ZONAL



US - STANDARD AUG 16 1977 1835 GMT				USSR - PROSPECTIVE AUG 16 1977 1840 GMT				DIFFERENCES USSR-US			
ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS	
	TEMP	DEG C	M S -1	TEMP	DEG C	M S -1	TEMP	DEG C	M S NS EW	NS	EW
80	999	999	999	-108	999	999					
79	999	999	999	-101	999	999					
78	999	999	999	-94	999	999					
77	999	999	999	-90	999	999					
76	999	999	999	-87	999	999					
75	999	999	999	-84	999	999					
74	999	999	999	-81	999	999					
73	999	999	999	-78	999	999					
72	999	999	999	-74	999	999					
71	999	999	999	-69	999	999					
70	-58	-16	-47	-64	-31	-16			-6	-15	31
69	-58	-28	-47	-59	-25	-16			-1	3	31
68	-52	-35	-44	-55	-20	-15			-3	15	29
67	-45	-35	-38	-51	-16	-15			-6	19	23
66	-43	-26	-30	-48	-13	-15			-5	13	15
65	-40	-18	-23	-46	-9	-15			-6	9	8
64	-40	-13	-18	-44	-6	-16			-4	7	2
63	-42	-9	-16	-42	-3	-18			.0	6	-2
62	-37	-2	-18	-40	0	-21			-3	2	-3
61	-33	5	-24	-38	2	-25			-5	-3	-1
60	-30	10	-34	-34	4	-30			-4	-6	4
59	-26	11	-45	-30	6	-35			-4	-5	10
58	-22	9	-53	-26	7	-42			-4	-2	11
57	-20	7	-55	-21	7	-48			-1	0	7
56	-17	4	-53	-17	7	-53			0	3	0
55	-16	2	-49	-14	5	-55			2	3	-6
54	-14	-1	-45	-13	3	-52			1	4	-7
53	-11	-3	-42	-11	1	-45			0	4	-3
52	-12	-2	-41	-9	0	-40			3	2	1
51	-10	1	-39	-7	2	-36			3	1	3
50	-9	5	-35	-5	5	-32			4	0	3
49	-7	9	-31	-3	7	-28			4	-2	3
48	-4	10	-28	1	8	-25			5	-2	3
47	-3	9	-28	3	8	-26			6	-1	2


ALT KM	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	-1			-1			-1		
	TEMP DEG C	M S	N S E W	TEMP DEG C	M S	N S E W	TEMP DEG C	M S	N S E W
46	-4	8	-30	-2	9	-31	2	1	-1
45	-8	5	-33	-5	6	-35	3	1	-2
44	-10	1	-33	-8	1	-34	2	0	-1
43	-13	-1	-30	-8	-4	-31	5	-3	-1
42	-18	0	-26	-12	-3	-27	6	-3	-1
41	-18	3	-23	-14	8	-20	4	5	3
40	-19	5	-20	-17	10	-19	2	5	1
39	-21	6	-19	-20	8	-19	1	2	0
38	-22	4	-20	-21	6	-22	1	2	-2
37	-26	1	-20	-24	-4	-24	2	-5	-4
36	-31	-1	-17	-27	-3	-16	4	-2	1
35	-32	0	-14	-28	4	-13	4	4	1
34	-34	2	-13	-32	4	-15	2	2	-2
33	-36	4	-14	-34	3	-27	2	-1	-13
32	-35	5	-16	-35	4	-20	0	-1	-4
31	-39	3	-17	-37	4	-21	2	1	-4
30	-42	1	-19	-37	0	-20	5	-1	-1
29	-43	0	-18	-41	-4	-14	2	-4	4
28	-45	-1	-17	-43	-4	-16	2	-3	1
27	-47	-1	-14	-46	-3	-15	1	-2	-1
26	-49	-2	-11	-46	-5	-9	3	-3	2
25	-52	-2	-7	-48	-3	-2	4	-1	5
24	-54	-2	-5	-49	-2	-7	5	0	-2
23	999	999	999	-50	-1	-7			
22	999	999	999	-53	3	-6			
21	999	999	999	-55	1	-7			
20	999	999	999	-59	-1	-2			

109



US - STANDARD AUG 16 1977 2000 GMT				USSR - PROSPECTIVE AUG 16 1977 2029 GMT				DIFFERENCES USSR-US				
ALT KM	TEMP DEG C	COMPONENT WINDS -1			TEMP DEG C	COMPONENT WINDS -1			TEMP DEG C	COMPONENT WINDS -1		
		M	S	NS		E	W	NS		E	W	NS
72	999	-17	-15	999	999	999	999					
71	999	-8	-27	999	999	999	999					
70	-58	-2	-39	999	999	999	999					
69	-55	-2	-47	999	999	999	999					
68	-49	-7	-47	999	999	999	999					
67	-45	-11	-42	999	999	999	999					
66	-42	-13	-36	999	999	999	999					
65	-37	-17	-31	999	999	999	999					
64	-36	-23	-26	999	6	-16		29	10			
63	-33	-24	-22	999	6	-19		30	3			
62	-32	-14	-20	999	6	-20		20	0			
61	-31	1	-21	999	5	-22		4	-1			
60	-28	15	-26	999	4	-24		-11	2			
59	-23	20	-33	999	2	-26		-18	7			
58	-21	18	-41	999	1	-28		-17	13			
57	-16	13	-44	999	0	-30		-13	14			
56	-14	9	-45	999	-1	-33		-10	12			
55	-11	6	-43	999	-2	-36		-8	7			
54	-9	4	-42	-9	-3	-37	0	-7	5			
53	-6	1	-40	-4	-4	-35	2	-5	5			
52	-5	-3	-38	-5	-4	-34	0	-1	4			
51	-3	-5	-35	-9	-3	-34	-6	2	1			
50	-5	-4	-32	-10	-2	-35	-5	2	-3			
49	-4	-1	-30	-8	1	-38	-4	2	-8			
48	-3	1	-28	-9	3	-39	-6	2	-11			
47	-2	4	-28	-13	5	-37	-11	1	-9			
46	-4	6	-29	-14	7	-33	-10	1	-4			
45	-7	6	-32	-10	7	-32	-3	1	0			
44	-8	5	-34	-9	6	-33	-1	1	1			
43	-9	3	-33	-10	4	-32	-1	1	1			
42	-14	3	-28	-12	2	-28	2	-1	0			
41	-17	4	-22	-13	2	-22	4	-2	0			
40	-17	5	-18	-16	4	-20	1	-1	-2			
39	-18	6	-17	-28	3	-21	-10	-3	-4			


ALT KM	TEMP DEG C	COMPONENT WINDS -1			TEMP DEG C	COMPONENT WINDS -1			TEMP DEG C	COMPONENT WINDS -1		
		M	S	NS		E	W	NS		E	W	NS
38	-21	5	-20		-28	4	-22	-7	-1	-2		
37	-24	2	-21		-28	3	-25	-4	1	-4		
36	-27	-1	-20		-28	-5	-23	-1	-4	-3		
35	-30	-3	-16		-31	-10	-17	-1	-7	-1		
34	-32	-2	-14		-32	-7	-13	0	-5	1		
33	-34	1	-14		-33	-2	-12	1	-3	2		
32	-36	3	-16		-34	2	-15	2	-1	1		
31	-38	4	-17		-33	6	-18	5	2	-1		
30	-40	3	-17		-37	5	-22	3	2	-5		
29	-42	2	-16		-40	-7	-14	2	-9	2		
28	-44	1	-16		-40	0	-16	4	-1	0		
27	-45	1	-15		-41	0	-15	4	-1	0		
26	-47	0	-13		-43	0	-14	4	0	-1		
25	-51	-2	-11		-44	0	-10	7	2	1		
24	-52	-3	-9		999	999	999					



US - STANDARD					USSR - PROSPECTIVE					DIFFERENCES						
AUG 17 1977					AUG 17 1977					USSR-US						
ALT	TEMP	COMPONENT			TEMP	COMPONENT			TEMP	COMPONENT			TEMP	COMPONENT		
		WINDS	-1			WINDS	-1			WINDS	-1			WINDS	-1	
KM	DEG C	M	S	EW	DEG C	M	S	EW	DEG C	M	S	EW	DEG C	M	S	EW
80	999	999	999		-121	999	999									
79	999	999	999		-116	999	999									
78	999	999	999		-111	999	999									
77	999	999	999		-105	999	999									
76	999	999	999		-99	999	999									
75	999	999	999		-94	999	999									
74	999	999	999		-89	999	999									
73	999	999	999		-83	999	999									
72	999	999	999		-78	999	999									
71	999	12	-8		-72	999	999									
70	-53	21	-5		-66	999	999									
69	-43	27	-10		-60	999	999									
68	-39	26	-24		-53	999	999									
67	-43	21	-39		-47	999	999									
66	-40	15	-46		-42	999	999									
65	-36	12	-44		-37	3	-17		-1	-9	27					
64	-30	11	-41		-35	3	-17		-5	-8	24					
63	-27	8	-40		-33	2	-17		-6	-6	23					
62	-25	2	-40		-34	999	999		-9							
61	-24	-1	-36		-35	999	999		-11							
60	-21	6	-28		-36	999	999		-15							
59	-18	15	-21		-37	999	999		-19							
58	-18	20	-19		-36	999	999		-18							
57	-10	22	-22		-33	999	999		-23							
56	-8	27	-28		-28	999	999		-20							
55	-6	30	-34		-19	999	999		-13							
54	-1	25	-39		-9	25	-39		-8	0	0					
53	3	17	-42		-4	25	-43		-7	8	-1					
52	2	9	-45		-5	21	-44		-7	12	1					
51	-1	5	-46		-9	14	-43		-8	9	3					
50	-1	1	-45		-10	-6	-41		-9	-7	4					
49	-1	-3	-43		-8	-2	-40		-7	1	3					
48	-2	-7	-40		-9	-7	-42		-7	0	-2					
47	-5	-6	-35		-13	-7	-43		-8	-1	-8					

ALT	TEMP	COMPONENT			TEMP	COMPONENT			TEMP	COMPONENT		
		WINDS	-1			WINDS	-1			WINDS	-1	
KM	DEG C	M	S	EW	DEG C	M	S	EW	DEG C	M	S	EW
46	-6	1	-27		-14	-1	-38		-8	-2	-11	
45	-6	8	-22		-10	7	-26		-4	-1	-4	
44	-5	10	-21		-9	9	-19		-4	-1	2	
43	-7	6	-23		-11	8	-19		-4	2	4	
42	-10	3	-24		-13	4	-20		-3	1	4	
41	-13	1	-23		-13	-1	-22		0	-2	1	
40	-18	0	-20		-16	-4	-23		2	-4	-3	
39	-23	0	-17		-25	-4	-23		-2	-4	-6	
38	-24	-2	-17		-28	-4	-23		-4	-2	-6	
37	-24	-3	-17		-28	-5	-23		-4	-2	-6	
36	-23	3	-16		-28	-5	-20		-5	-2	-4	
35	-28	-2	-15		-31	0	-18		-3	2	-3	
34	-29	0	-14		-32	2	-14		-3	2	0	
33	-32	1	-13		-33	1	-13		-1	0	0	
32	-33	0	-15		-34	0	-19		-1	0	-4	
31	-35	-2	-15		-35	-4	-20		0	-2	-5	
30	999	999	999		-39	-6	-14					
29	999	999	999		-44	-2	-12					
28	999	999	999		-40	-1	-11					
27	999	999	999		-40	0	-14					
26	999	999	999		-43	0	-8					
25	999	999	999		-44	-6	-11					
24	999	999	999		-45	2	-9					
23	999	999	999		-47	-3	-8					
22	999	999	999		-49	1	-7					
21	999	999	999		-53	1	-4					
20	999	999	999		-53	-1	-3					


111



US - STANDARD				USSR - PROSPECTIVE				DIFFERENCES			
AUG 19 1977 0116 GMT				AUG 19 1977 0120 GMT				USSR-US			
ALT	COMPONENT			COMPONENT			COMPONENT			TEMP	COMPONENT
	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1		
KM	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	NS EW
78	999	999	999	-88	999	999					
77	999	999	999	-88	999	999					
76	999	999	999	-88	999	999					
75	999	999	999	-87	999	999					
74	999	999	999	-86	999	999					
73	999	999	999	-84	999	999					
72	999	-9	-20	-82	999	999					
71	999	-8	-21	-81	999	999					
70	-64	-7	-21	-79	-28	7	-15	-21	28		
69	-61	-6	-22	-78	-26	5	-17	-20	27		
68	-57	-5	-24	-75	-24	2	-18	-19	26		
67	-53	-3	-29	-72	-22	-1	-19	-19	28		
66	-49	-1	-34	-68	-20	-6	-19	-19	28		
65	-45	-1	-39	-62	-17	-10	-17	-16	29		
64	-41	-4	-42	-56	-15	-15	-15	-11	27		
63	-37	-9	-41	-50	-13	-20	-13	-4	21		
62	-34	-14	-38	-44	-12	-24	-10	2	14		
61	-30	-17	-33	-39	-12	-27	-9	5	6		
60	-25	-17	-29	-36	-12	-29	-11	5	0		
59	-22	-16	-26	-35	-13	-29	-13	3	-3		
58	-19	-13	-25	-34	-13	-29	-15	0	-4		
57	-20	-8	-25	-33	-12	-30	-13	-4	-5		
56	-21	-5	-27	-30	-9	-33	-9	-4	-6		
55	-18	-4	-28	-25	-6	-34	-7	-2	-6		
54	-15	-4	-28	-19	-4	-34	-4	0	-6		
53	-13	-2	-27	-15	-3	-31	-2	-1	-4		
52	-10	1	-26	-16	-5	-24	-6	-6	2		
51	-7	3	-25	-16	-6	-17	-9	-9	8		
50	-4	3	-23	-12	-4	-16	-8	-7	7		
49	-2	2	-21	-7	2	-19	-5	0	2		
48	-4	2	-21	-6	8	-24	-2	6	-3		
47	-7	1	-24	-10	10	-25	-3	9	-1		
46	-5	-1	-28	-10	4	-25	-5	5	3		
45	-6	-5	-30	-6	-5	-31	0	0	-1		

ALT	TEMP	COMPONENT			TEMP	COMPONENT			TEMP	COMPONENT		
		DEG C	M S	NS EW		DEG C	M S	NS EW		DEG C	M S	NS EW
44	-6	-9	-31		-8	-10	-37		-2	-1	-6	
43	-17	-10	-28		-12	-7	-36		5	3	-8	
42	-19	-7	-24		-22	-6	-27		-3	1	-3	
41	-20	-3	-20		-24	-1	-21		-4	2	-1	
40	-22	1	-16		-22	5	-16		0	4	0	
39	-22	3	-13		-24	2	-10		-2	-1	3	
38	-25	3	-13		-24	1	-12		1	-2	1	
37	-29	1	-16		-29	-1	-17		0	-2	-1	
36	-32	0	-19		-31	-4	-21		1	-4	-2	
35	-32	-1	-19		-33	-2	-24		-1	-1	-5	
34	-34	-2	-17		-33	-2	-18		1	0	-1	
33	-39	-2	-14		-37	-6	-11		2	-4	3	
32	-42	-2	-12		-40	1	-15		2	3	-3	
31	-42	0	-13		-40	-1	-9		2	-1	4	
30	-43	0	-13		-44	3	-16		-1	3	-3	
29	-44	1	-13		-44	1	-17		0	0	-4	
28	-45	0	-13		-44	0	-12		1	0	1	
27	-48	1	-12		-46	0	-9		2	-1	3	
26	-49	2	-12		-48	-7	-15		1	-9	-3	
25	-50	1	-12		-50	6	-11		0	5	1	
24	999	999	999		-52	-2	-7					
23	999	999	999		-52	-1	-5					
22	999	999	999		-53	1	-2					
21	999	999	999		-54	2	-3					
20	999	999	999		-58	-1	-2					


115



US - STANDARD				USSR - PROSPECTIVE				DIFFERENCES USSR-US			
AUG 19 1977 0300 GMT				AUG 19 1977 0308 GMT							
ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS				
	TEMP	DEG C	M S -1	TEMP	DEG C	M S -1	TEMP	DEG C	M S -1	DEG C	M S -1
KM	NS	EW		NS	EW		NS	EW		NS	EW
70	999	-38	-47	999	8	-32				46	15
69	999	-31	-38	999	5	-29				36	9
68	999	-23	-24	999	1	-26				24	-2
67	999	-16	-12	999	-4	-24				12	-12
66	999	-7	-13	999	-11	-23				-4	-10
65	999	-5	-27	999	-16	-23				-11	4
64	999	-9	-44	999	-21	-24				-12	20
63	999	-17	-52	999	-25	-27				-d	25
62	999	-24	-49	999	-27	-29				-3	20
61	999	-25	-41	999	-28	-33				-3	8
60	999	-25	-34	999	-26	-37				-1	-3
59	999	-24	-30	999	-22	-40				2	-10
58	999	-22	-27	999	-16	-42				6	-15
57	999	-17	-26	999	-11	-40				6	-14
56	999	-10	-26	999	-10	-33				-6	-2
55	999	-6	-27	999	-8	-30				-2	-3
54	999	-3	-27	999	-7	-26				-4	1
53	999	-1	-26	999	-6	-25				-5	1
52	999	0	-24	999	-6	-26				-6	-2
51	999.	-4	-27	999	-5	-29				-1	-2
50	999	999	999	999	-5	-31					
49	999	999	999	999	-5	-32					
48	999	999	999	999	-5	-30					
47	999	999	999	999	-5	-27					
46	999	999	999	999	-7	-23					
45	999	999	999	999	-10	-24					
44	999	999	999	999	-11	-28					
43	999	999	999	999	-10	-29					
42	999	999	999	999	-8	-28					
41	999	999	999	999	-5	-23					
40	999	999	999	999	-3	-19					
39	999	999	999	999	-1	-17					
38	999	999	999	999	0	-15					
37	999	999	999	999	0	-15					


ALT KM	COMPONENT WINDS			TEMP DEG C	COMPONENT WINDS			TEMP DEG C	COMPONENT WINDS		
	M	S	-1		NS	EW	M		S	-1	
36	999	999	999	999	999	999	-1	-17			
35	999	999	999	999	999	999	-1	-19			
34	999	999	999	999	999	999	1	-18			
33	999	999	999	999	999	999	0	-16			
32	999	999	999	999	999	999	0	-14			
31	999	999	999	999	999	999	-2	-14			
30	999	999	999	999	999	999	0	-11			
29	999	999	999	999	999	999	-2	-13			
28	999	999	999	999	999	999	4	-9			
27	999	999	999	999	999	999	-4	-13			
26	999	999	999	999	999	999	-1	-10			
25	999	999	999	999	999	999	1	-13			
24	999	999	999	999	999	999	-2	-10			
23	999	999	999	999	999	999	2	-6			
22	999	999	999	999	999	999	4	-3			
21	999	999	999	999	999	999	3	-3			
20	999	999	999	999	999	999	1	-1			

117




ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	TEMP	M	S	TEMP	M	S	TEMP	M	S
KM	DEG	C	NS	DEG	C	NS	DEG	C	NS
			EW						
42	-18	-2	-25	-19	1	-31	-1	3	-6
41	-19	0	-22	-21	-1	-25	-2	-1	-3
40	-21	-1	-20	-26	-4	-20	-5	-3	0
39	-25	-3	-19	-28	-5	-19	-3	-2	0
38	-26	-3	-17	-28	-6	-17	-2	-3	0
37	-28	1	-17	-28	0	-15	0	-1	2
36	-31	5	-18	-29	10	-17	2	5	1
35	-33	5	-20	-30	11	-22	3	6	-2
34	-35	2	-19	-34	-2	-21	1	-4	-2
33	-34	-1	-17	-36	-6	-15	-2	-5	2
32	-36	-2	-14	-41	-8	-12	-5	-6	2
31	-39	-2	-13	-43	-7	-13	-4	-5	0
30	-42	-2	-14	-43	2	-12	-1	4	2
29	-46	0	-14	-46	-1	-20	0	-1	-6
28	-47	2	-14	-45	1	-12	2	-1	2
27	-46	2	-13	-44	1	-10	2	-1	3
26	-47	2	-11	-47	1	-13	0	-1	1
25	-49	3	-9	-49	3	-8	0	0	1
24	999	999	999	-52	1	-8			
23	999	999	999	-52	-1	-8			
22	999	999	999	-54	1	-4			
21	999	999	999	-54	7	-2			
20	999	999	999	-55	3	-2			

611



US - STANDARD AUG 19 1977 2000 GMT				USSR - PROSPECTIVE AUG 19 1977 2005 GMT				DIFFERENCES USSH-US				
ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS	
		DEG	C		M	S		DEG	C		M	S
		NS	EW		NS	EW		NS	EW		NS	LW
78	999	999	999	-78	999	999						
77	999	999	999	-77	999	999						
76	999	999	999	-76	999	999						
75	999	999	999	-73	999	999						
74	999	999	999	-69	999	999						
73	999	999	999	-64	999	999						
72	999	999	999	-58	999	999						
71	999	28	-13	-51	999	999						
70	-54	29	-14	-44	999	999	10					
69	-50	28	-14	-38	999	999	12					
68	-46	26	-16	-34	999	999	12					
67	-40	24	-17	-31	999	999	9					
66	-33	22	-19	-30	999	999	3					
65	-32	19	-21	-30	999	999	2					
64	-35	16	-23	-32	999	999	3					
63	-36	13	-27	-35	999	999	1					
62	-35	11	-30	-37	999	999	-2					
61	-34	8	-34	-40	999	999	-6					
60	-30	6	-37	-41	-8	-18	-11	-14	19			
59	-29	6	-39	-41	-3	-22	-12	-9	17			
58	-29	9	-41	-39	2	-27	-10	-7	14			
57	-25	15	-43	-35	7	-31	-10	-8	12			
56	-20	18	-45	-29	12	-34	-9	-6	11			
55	-16	17	-45	-24	18	-34	-8	1	11			
54	-16	11	-42	-21	23	-30	-5	12	12			
53	-11	4	-35	-21	27	-24	-10	23	11			
52	-12	2	-30	-20	17	-31	-8	15	-1			
51	-12	2	-29	-15	12	-37	-3	10	-8			
50	-11	4	-32	-10	4	-44	1	0	-12			
49	-8	6	-36	-8	1	-45	0	-5	-9			
48	-4	7	-38	-6	5	-39	-2	-2	-1			
47	0	6	-35	-7	9	-33	-7	3	2			
46	-2	3	-31	-6	7	-31	-4	4	0			
45	-4	0	-28	-3	2	-25	1	2	3			


ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS			
		DEG	C		M	S		DEG	C		
44	-10	-1	-25	-6	-1	-18	4	0	7		
43	-14	0	-24	-10	-3	-19	4	-3	5		
42	-18	3	-22	-15	-4	-23	3	-7	-1		
41	-20	7	-21	-21	1	-23	-1	-6	-2		
40	-22	9	-22	-20	10	-22	2	1	0		
39	-23	6	-22	-24	9	-23	-1	3	-1		
38	-25	4	-20	-25	2	-22	0	-2	-2		
37	-32	2	-17	-28	2	-19	4	0	-2		
36	-31	2	-15	-29	3	-15	2	1	0		
35	-31	1	-14	-27	1	-14	4	0	0		
34	-35	0	-13	-30	-3	-14	5	-3	-1		
33	-38	0	-11	-31	-1	-11	7	-1	0		
32	-39	0	-10	-36	4	-10	3	4	0		
31	-39	2	-11	-36	0	-12	3	-2	-1		
30	-42	1	-12	-39	2	-14	3	1	-2		
29	-46	1	-13	-41	-1	-14	5	-2	-1		
28	-44	1	-13	-39	0	-16	5	-1	-3		
27	-47	1	-12	-43	-1	-10	4	-2	2		
26	-49	1	-10	-44	5	-10	5	4	0		
25	-52	2	-8	-47	0	-7	5	-2	1		
24	999	999	999	-47	6	-7					
23	999	999	999	-48	2	-5					
22	999	999	999	-47	0	-3					
21	999	999	999	-50	2	0					
20	999	999	999	-53	-1	-4					



US - STANDARD					USSR - PROSPECTIVE					DIFFERENCES														
AUG 19 1977					AUG 19 1977					USSR-US														
ALT	COMPONENT				COMPONENT				COMPONENT				ALT	COMPONENT				COMPONENT						
	TEMP	WINDS	-1		TEMP	WINDS	-1		TEMP	WINDS	-1			TEMP	WINDS	-1		TEMP	WINDS	-1				
KM	DEG C	M S	NS	EW	DEG C	M S	NS	EW	DEG C	M S	NS	EW		DEG C	M S	NS	EW	DEG C	M S	NS	EW			
76	999	999	999		-84	999	999							42	-15	-2	-24		-16	4	-29	-1	6	-5
75	999	999	999		-86	999	999							41	-18	1	-20		-21	3	-28	-3	2	-8
74	999	30	-28		-87	999	999							40	-19	5	-18		-23	2	-23	-4	-3	-5
73	999	19	-22		-86	999	999							39	-23	7	-18		-25	6	-20	-2	-1	-2
72	999	12	-15		-83	999	999							38	-27	5	-20		-25	9	-18	2	4	2
71	999	12	-8		-78	999	999							37	-24	2	-20		-25	3	-18	-1	1	2
70	-53	17	-4		-72	20	-11		-19	3	-7			36	-32	0	-19		-31	-2	-20	1	-2	-1
69	-48	20	-4		-66	24	-13		-18	4	-9			35	-34	0	-18		-34	0	-18	0	0	0
68	-42	17	-7		-60	23	-18		-18	6	-11			34	-36	0	-16		-36	2	-17	0	2	-1
67	-39	12	-9		-56	19	-23		-17	7	-14			33	-38	-1	-13		-37	-1	-13	1	0	0
66	-37	10	-9		-53	18	-21		-16	8	-12			32	-39	-1	-11		-36	-5	-8	3	-4	3
65	-34	12	-6		-51	13	-22		-17	1	-16			31	-42	0	-10		-39	0	-9	3	0	1
64	-33	13	-2		-50	9	-21		-17	-4	-19			30	-41	0	-10		-39	2	-9	2	2	1
63	-32	14	-1		-48	6	-20		-16	-8	-19			29	-46	0	-11		-42	0	-16	4	0	-5
62	-29	14	-9		-46	4	-19		-17	-10	-10			28	-45	0	-11		-41	2	-12	4	2	-1
61	-25	9	-21		-44	3	-18		-19	-6	3			27	-46	0	-9		-42	0	-13	4	0	-4
60	-27	2	-32		-41	4	-17		-14	2	15			26	-49	-1	-4		-46	-1	-11	3	0	-7
59	-24	-1	-36		-38	6	-18		-14	7	18			25	999	999	999		-48	-1	-9			
58	-22	3	-37		-34	8	-18		-12	5	19			24	999	999	999		-51	2	-5			
57	-20	13	-38		-31	11	-20		-11	-2	18			23	999	999	999		-51	3	-6			
56	-17	20	-40		-28	15	-22		-11	-5	18			22	999	999	999		-49	2	-7			
55	-14	21	-41		-25	18	-26		-11	-3	15			21	999	999	999		-52	-2	-3			
54	-15	15	-39		-21	19	-32		-6	4	7			20	999.	999	999		-54	2	-2			
53	-10	7	-35		-17	13	-36		-7	6	-1													
52	-8	0	-32		-14	9	-39		-6	9	-7													
51	-5	-2	-32		-11	4	-41		-6	6	-9													
50	-6	-1	-33		-9	0	-39		-3	1	-6													
49	-6	1	-35		-10	-1	-37		-4	-2	-2													
48	-6	2	-35		-11	1	-35		-5	-1	0													
47	-8	2	-31		-9	1	-34		-1	-1	-3													
46	-6	3	-27		-7	-5	-31		-1	-8	-4													
45	-5	3	-25		-10	-11	-24		-5	-14	1													
44	-6	2	-25		-14	-10	-21		-8	-12	4													
43	-11	-1	-25		-16	-1	-25		-5	0	0													


ALT	TEMP	COMPONENT	WINDS	-1	TEMP	COMPONENT	WINDS	-1	TEMP	COMPONENT	WINDS	-1
KM	DEG C	M S	NS	EW	DEG C	M S	NS	EW	DEG C	M S	NS	EW
42	-15	-2	-24		-16	4	-29		-1	6	-5	
41	-18	1	-20		-21	3	-28		-3	2	-8	
40	-19	5	-18		-23	2	-23		-4	-3	-5	
39	-23	7	-18		-25	6	-20		-2	-1	-2	
38	-27	5	-20		-25	9	-18		2	4	2	
37	-24	2	-20		-25	3	-18		-1	1	2	
36	-32	0	-19		-31	-2	-20		1	-2	-1	
35	-34	0	-18		-34	0	-18		0	0	0	
34	-36	0	-16		-36	2	-17		0	2	-1	
33	-38	-1	-13		-37	-1	-13		1	0	0	
32	-39	-1	-11		-36	-5	-8		3	-4	3	
31	-42	0	-10		-39	0	-9		3	0	1	
30	-41	0	-10		-39	2	-9		2	2	1	
29	-46	0	-11		-42	0	-16		4	0	-5	
28	-45	0	-11		-41	2	-12		4	2	-1	
27	-46	0	-9		-42	0	-13		4	0	-4	
26	-49	-1	-4		-46	-1	-11		3	0	-7	
25	999	999	999		-48	-1	-9					
24	999	999	999		-51	2	-5					
23	999	999	999		-51	3	-6					
22	999	999	999		-49	2	-7					
21	999	999	999		-52	-2	-3					
20	999.	999	999		-54	2	-2					

123



US - STANDARD				USSR - PROSPECTIVE				DIFFERENCES			
AUG 20 1977				AUG 20 1977				USSR-US			
0100 GMT				0105 GMT							
ALT				COMPONENT				COMPONENT			
TEMP				WINDS				TEMP			
KM				-1				WINDS			
DEG C				M S				-1			
NS				NS				DEG C			
NS				EW				NS			
77	999	999	999	-83	999	999	-83	999	999	999	999
76	999	999	999	-84	999	999	-84	999	999	999	999
75	999	999	999	-86	999	999	-86	999	999	999	999
74	999	999	999	-87	999	999	-87	999	999	999	999
73	999	999	999	-86	999	999	-86	999	999	999	999
72	999	999	999	-84	999	999	-84	999	999	999	999
71	999	999	999	-80	999	999	-80	999	999	999	999
70	999	999	999	-74	999	999	-74	999	999	999	999
69	-51	30	8	-67	999	999	-67	999	999	999	-16
68	-45	26	7	-60	18	-21	-60	18	-21	-21	-15
67	-42	21	6	-54	16	-18	-54	16	-18	-18	-12
66	-40	16	2	-49	12	-20	-49	12	-20	-20	-9
65	-37	9	-3	-46	7	-17	-46	7	-17	-17	-9
64	-41	0	-11	-44	3	-14	-44	3	-14	-14	-3
63	-38	-7	-21	-42	0	-11	-42	0	-11	-11	-4
62	-33	-11	-29	-41	-2	-8	-41	-2	-8	-8	7
61	-33	-11	-34	-39	-4	-5	-39	-4	-5	-5	7
60	-32	-13	-36	-38	-4	-4	-38	-4	-4	-4	3
59	-29	-15	-36	-36	-4	-3	-36	-4	-3	-3	32
58	-24	-13	-31	-34	-3	-3	-34	-3	-3	-3	33
57	-23	-3	-25	-32	-1	-5	-32	-1	-5	-5	2
56	-19	10	-22	-29	2	-9	-29	2	-9	-9	13
55	-14	16	-25	-26	5	-16	-26	5	-16	-16	9
54	-12	13	-30	-21	6	-25	-21	6	-25	-25	5
53	-12	5	-34	-16	8	-33	-16	8	-33	-33	1
52	-9	-2	-34	-12	8	-39	-12	8	-39	-39	-5
51	-9	-2	-33	-10	8	-41	-10	8	-41	-41	-8
50	-8	2	-32	-8	7	-39	-8	7	-39	-39	-7
49	-10	6	-32	-9	6	-36	-9	6	-36	-36	0
48	-9	7	-33	-11	4	-33	-11	4	-33	-33	-3
47	-10	4	-33	-11	2	-30	-11	2	-30	-30	3
46	-9	1	-31	-11	-1	-28	-11	-1	-28	-28	3
45	-7	-2	-27	-11	-7	-25	-11	-7	-25	-25	5
44	-8	-3	-24	-10	-13	-22	-10	-13	-22	-22	2

ALT KM	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	TEMP DEG C	-1		TEMP DEG C	-1		TEMP DEG C	-1	
		M	S		NS	EW		M	S
43	-11	-4	-24	-12	-12	-22	-1	-8	2
42	-17	-4	-25	-17	-7	-25	0	-3	0
41	-17	-3	-23	-21	-2	-26	-4	1	-3
40	-19	-2	-20	-22	0	-22	-3	2	-2
39	-19	-1	-19	-19	-2	-18	0	-1	1
38	-27	0	-19	-25	-3	-21	2	-3	-2
37	-29	-1	-19	-28	-1	-24	1	0	-5
36	-33	-1	-18	-32	0	-20	1	1	-2
35	-36	0	-17	-33	1	-17	3	1	0
34	-37	1	-16	-37	2	-18	0	1	-2
33	-37	-1	-15	-38	-2	-17	-1	-1	-2
32	-40	-2	-14	-40	-6	-15	0	-4	-1
31	-42	-3	-14	-40	-3	-13	2	0	1
30	-44	-2	-13	-42	-3	-12	2	-1	1
29	-43	-1	-12	-44	-2	-17	-1	-1	-5
28	-47	0	-11	-42	-1	-13	5	-1	1
27	-46	0	-10	-43	0	-10	3	0	0
26	-48	1	-10	-45	-2	-11	3	-3	-1
25	-50	1	-9	-48	0	-10	2	-1	-1
24	-51	1	-7	-49	-1	-9	2	-2	-2
23	-53	1	-5	-50	0	-6	3	-1	-1
22	999	999	999	-50	4	-4			
21	999	999	999	-51	5	-2			
20	999	999	999	-51	3	1			



US - STANDARD AUG 22 1977 2308 GMT				USSR - PROSPECTIVE AUG 22 1977 2312 GMT				DIFFERENCES USSR-US				
ALT KM	TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1	
		M	S		NS	EW		M	S		NS	EW
76	999	999	999	-120	999	999						
75	999	999	999	-113	999	999						
74	999	999	999	-105	999	999						
73	999	999	999	-96	999	999						
72	999	999	999	-88	999	999						
71	999	999	999	-81	999	999						
70	999	999	999	-76	-3	1						
69	-54	12	4	-73	-2	-3	-19	-14	-7			
68	-47	5	-1	-71	-3	-7	-24	-8	-6			
67	-40	-1	-5	-69	-3	-10	-29	-2	-5			
66	-37	-5	-9	-68	-4	-12	-31	1	-3			
65	-38	-6	-15	-66	-5	-15	-28	1	0			
64	-34	-6	-22	-63	-6	-17	-29	0	5			
63	-36	-5	-28	-59	-7	-19	-23	-2	9			
62	-35	-2	-29	-53	-7	-20	-18	-5	9			
61	-30	3	-31	-47	-7	-19	-17	-10	12			
60	-27	7	-35	-40	-7	-17	-13	-14	18			
59	-24	6	-37	-34	-7	-14	-10	-13	23			
58	-18	0	-33	-28	-6	-10	-10	-6	23			
57	-15	-7	-24	-24	-6	-5	-9	1	19			
56	-13	-11	-18	-20	-4	-2	-7	7	16			
55	-11	-12	-15	-17	-1	-2	-6	11	13			
54	-8	-12	-15	-13	-2	-7	-5	10	8			
53	-8	-12	-15	-10	-3	-10	-2	9	5			
52	-6	-11	-15	-8	-7	-15	-2	4	0			
51	-4	-6	-15	-9	-13	-19	-5	-7	-4			
50	-5	0	-16	-11	-17	-23	-6	-17	-7			
49	-5	5	-18	-13	-15	-27	-8	-20	-9			
48	-6	7	-21	-12	-4	-31	-6	-11	-10			
47	-3	5	-24	-7	7	-34	-4	2	-10			
46	-2	3	-28	-8	7	-33	-6	4	-5			
45	-2	1	-29	-10	4	-35	-8	3	-6			
44	-8	1	-29	-11	6	-38	-3	5	-9			
43	-11	0	-28	-14	4	-35	-3	4	-7			


ALT KM	TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1	
		M	S		NS	EW		M	S		NS	EW
42	-13	-1	-27	-17	1	-31	-4	2	-4			
41	-20	-3	-24	-20	-2	-26	0	1	-2			
40	-21	-4	-20	-23	-5	-20	-2	-1	0			
39	-24	-5	-18	-26	-7	-18	-2	-2	0			
38	-25	-4	-17	-25	-5	-17	0	-1	0			
37	-25	-4	-18	-25	-5	-17	0	-1	1			
36	-27	-3	-20	-27	-6	-23	0	-3	-3			
35	-29	-3	-20	-29	-6	-21	0	-3	-1			
34	-35	-3	-18	-32	-6	-18	3	-3	0			
33	-39	-1	-17	-36	-4	-15	3	-3	2			
32	-41	0	-16	-37	1	-20	4	1	-4			
31	-39	1	-15	-36	1	-20	3	0	-5			
30	-40	1	-13	-42	0	-13	-2	-1	0			
29	-43	1	-11	-44	16	9	-1	15	20			
28	-45	1	-10	-41	-4	-13	4	-5	-3			
27	-45	0	-10	-40	-3	-11	5	-3	-1			
26	-47	-1	-9	-45	-3	-8	2	-2	1			
25	-51	-1	-9	-49	0	-9	2	1	0			
24	-52	-1	-7	-47	-4	-6	5	-3	1			
23	999	999	999	-49	-1	-5						
22	999	999	999	-50	1	-4						
21	999	999	999	-53	3	-7						
20	999	999	999	-55	0	0						

127

TEMPERATURE

MERIDIONAL


ZONAL



US - STANDARD AUG 23 1977 0100 GMT					USSR - PROSPECTIVE AUG 23 1977 0108 GMT					DIFFERENCES USSR-US			
ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			
		DEG	C	M S		DEG	C	M S		DLG	C	M S	-1
KM		NS		EW		NS		EW		NS		EW	
77	999	999	999		-97	999	999						
76	999	999	999		-94	999	999						
75	999	999	999		-91	999	999						
74	999	999	999		-88	999	999						
73	999	999	999		-86	999	999						
72	999	999	999		-85	999	999						
71	999	999	999		-84	999	999						
70	999	999	999		-83	-26	39						
69	999	999	999		-81	-25	28						
68	-53	-1	17		-77	-26	19			-24	-25	2	
67	-46	2	17		-73	-26	11			-27	-28	-6	
66	-41	-1	12		-69	-26	4			-28	-25	-8	
65	-41	-8	0		-65	-25	-2			-24	-17	-2	
64	-40	-15	-16		-61	-25	-8			-21	-10	8	
63	-38	-18	-27		-57	-24	-13			-19	-6	14	
62	-36	-15	-29		-53	-22	-18			-17	-7	11	
61	-36	-7	-29		-50	-21	-22			-14	-14	7	
60	-34	1	-32		-46	-20	-25			-12	-21	7	
59	-34	3	-34		-42	-19	-27			-8	-22	7	
58	-29	1	-29		-38	-19	-28			-9	-20	1	
57	-24	0	-23		-34	-20	-26			-10	-20	-3	
56	-21	-1	-18		-30	-21	-23			-9	-20	-5	
55	-16	-3	-16		-26	-22	-21			-10	-19	-5	
54	-12	-6	-15		-20	-17	-21			-8	-11	-6	
53	-8	-9	-17		-14	-13	-21			-6	-4	-4	
52	-7	-12	-20		-9	-6	-22			-2	6	-2	
51	-8	-12	-20		-7	0	-24			1	12	-4	
50	-8	-12	-20		-7	5	-25			1	17	-5	
49	-10	-10	-21		-9	4	-26			1	14	-5	
48	-10	-8	-21		-12	-1	-26			-2	7	-5	
47	-8	-6	-22		-12	-5	-26			-4	1	-4	
46	-8	-4	-22		-11	-5	-22			-3	-1	0	
45	-9	-1	-21		-14	-6	-13			-5	-5	8	
44	-12	1	-21		-17	-5	-9			-5	-6	12	

ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS								
	TEMP	M	S	TEMP	M	S	TEMP	M	S	TEMP	M	S	NS	EW	
KM	DEG	C	NS		EW	DEG	C	NS		EW	DEG	C	NS		EW
43	-11	2	-23			-17	-1	-16			-6	-3			7
42	-12	1	-26			-15	3	-28			-3	2			-2
41	-17	-3	-27			-23	2	-33			-6	5			-6
40	-21	-7	-25			-25	-12	-30			-4	-5			-5
39	-25	-8	-22			-30	-13	-25			-5	-5			-3
38	-28	-6	-20			-29	-7	-24			-1	-1			-4
37	-32	-2	-19			-31	2	-27			1	4			-8
36	-32	0	-20			-31	3	-27			1	3			-7
35	-32	0	-21			-32	-4	-23			0	-4			-2
34	-33	-1	-20			-34	-4	-21			-1	-3			-1
33	-36	-1	-17			-35	-2	-13			1	-1			4
32	-38	0	-15			-38	-2	-13			0	-2			2
31	-42	0	-14			-40	-2	-15			2	-2			-1
30	-42	-1	-13			-38	-5	-13			4	-4			0
29	-43	-2	-12			-41	-11	-8			2	-9			4
28	-46	-1	-11			-43	0	-11			3	1			0
27	-46	-1	-11			-45	-5	-15			1	-4			-4
26	-47	0	-10			-45	1	-9			2	1			1
25	-51	0	-10			-51	-5	-14			0	-5			-4
24	-52	-1	-9			-50	-1	-9			2	0			0
23	999	999	999			-52	-4	-8							
22	999	999	999			-53	0	-8							
21	999	999	999			-57	2	-4							
20	999	999	999			-56	-7	-2							


129



US - STANDARD AUG 23 1977 0339 GMT				USSR - PROSPECTIVE AUG 23 1977 0340 GMT				DIFFERENCES USSR-US					
ALT KM	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			ALT KM	COMPONENT TEMP WINDS -1		
	DEG C NS	M S	EW	DEG C NS	M S	EW	DEG C NS	M S	EW		DEG C NS	M S	EW
78	999	999	999	-106	999	999				44	-12	-7	-22
77	999	999	999	-102	999	999				43	-13	-6	-21
76	999	999	999	-96	999	999				42	-16	-5	-22
75	999	999	999	-91	999	999				41	-20	-6	-24
74	999	999	999	-85	999	999				40	-21	-8	-25
73	999	999	999	-81	999	999				39	-25	-8	-24
72	999	999	999	-78	999	999				38	-28	-4	-21
71	999	13	15	-75	999	999				37	-30	1	-19
70	-59	11	19	-72	-33	-11	-13	-44	-30	36	-31	5	-18
69	-54	2	18	-70	-30	-12	-16	-32	-30	35	-31	5	-20
68	-50	-9	14	-67	-27	-13	-17	-18	-27	34	-33	2	-20
67	-49	-18	8	-64	-24	-15	-15	-6	-23	33	-36	0	-19
66	-47	-24	-2	-60	-22	-18	-13	2	-16	32	-38	0	-16
65	-45	-26	-17	-57	-19	-20	-12	7	-3	31	-41	1	-14
64	-43	-25	-31	-54	-17	-23	-11	8	8	30	-40	1	-14
63	-41	-24	-39	-51	-15	-25	-10	9	14	29	-40	0	-14
62	-39	-22	-39	-49	-13	-26	-10	9	13	28	-44	0	-13
61	-38	-16	-36	-47	-12	-26	-9	4	10	27	-46	0	-12
60	-34	-8	-36	-45	-12	-25	-11	-4	11	26	-46	0	-12
59	-32	-8	-38	-44	-13	-22	-12	-5	16	25	-50	0	-10
58	-31	-14	-37	-41	-16	-19	-10	-2	18	24	999	999	999
57	-27	-18	-31	-37	-18	-16	-10	0	15	23	999	999	999
56	-21	-20	-24	-31	-21	-14	-10	-1	10	22	999	999	999
55	-19	-19	-20	-24	-20	-15	-5	-1	5	21	999	999	999
54	-15	-18	-20	-16	-16	-20	-1	2	0	20	999	999	999
53	-12	-17	-23	-10	-14	-24	2	3	-1				
52	-10	-16	-26	-9	-12	-27	1	4	-1				
51	-9	-15	-25	-9	-12	-28	0	3	-3				
50	-9	-13	-23	-7	-13	-26	2	0	-3				
49	-8	-8	-23	-9	-13	-23	-1	-5	0				
48	-8	-4	-24	-12	-10	-21	-4	-6	3				
47	-8	-2	-25	-11	-6	-22	-3	-4	3				
46	-8	-3	-24	-10	-6	-23	-2	-3	1				
45	-9	-6	-23	-11	-11	-23	-2	-5	0				

ALT KM	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			ALT KM	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1		
	DEG C NS	M S	EW	DEG C NS	M S	EW	DEG C NS	M S	EW		DEG C NS	M S	EW	DEG C NS	M S	EW
44	-12	-7	-22	-12	-12	-25	0	-5	-3	43	-13	-6	-21	-2	-2	-4
43	-13	-6	-21	-15	-8	-25	0	-3	-2	42	-16	-5	-22	0	-3	-2
42	-16	-5	-22	-16	-8	-24	0	-2	-3	41	-20	-6	-24	0	-2	-3
41	-20	-6	-24	-20	-8	-27	0	-2	-3	40	-21	-8	-25	-2	0	-4
40	-21	-8	-25	-23	-8	-29	-2	1	1	39	-25	-8	-24	-2	1	-1
39	-25	-8	-24	-27	-7	-25	-2	1	1	38	-28	-4	-21	1	1	-4
38	-28	-4	-21	-27	-3	-25	0	0	0	37	-30	1	-19	0	0	-1
37	-30	1	-19	-30	1	-20	0	0	0	36	-31	5	-18	1	-2	0
36	-31	5	-18	-30	3	-18	1	-2	0	35	-31	5	-20	0	0	-3
35	-31	5	-20	-31	5	-23	0	0	0	34	-33	2	-20	-1	3	1
34	-33	2	-20	-33	-1	-19	-1	-19	0	33	-36	0	-19	3	-5	1
33	-36	0	-19	-33	-5	-18	-2	-20	4	32	-38	0	-16	-2	-2	-4
32	-38	0	-16	-34	-2	-20	2	-2	2	31	-41	1	-14	2	2	-2
31	-41	1	-14	-39	3	-16	0	0	0	30	-40	1	-14	0	0	-4
30	-40	1	-14	-40	1	-18	-1	-15	-1	29	-40	0	-14	-1	7	-1
29	-40	0	-14	-41	7	-15	-1	-14	1	28	-44	0	-13	1	-2	-1
28	-44	0	-13	-43	-2	-14	-2	-14	-1	27	-46	0	-12	2	-4	-2
27	-46	0	-12	-44	-4	-14	-4	-14	2	26	-46	0	-12	1	-1	4
26	-46	0	-12	-45	-1	-8	-1	-8	1	25	-50	-4	-12	0	-4	-2
25	-50	0	-10	-50	-4	-12	-5	-12	0	24	999	999	999	-52	-2	-10
24	999	999	999	-52	-2	-10	0	-8		23	999	999	999	-50	0	-8
23	999	999	999	-50	0	-8				22	999	999	999	-54	0	-4
22	999	999	999	-54	0	-4				21	999	999	999	-54	4	-2
21	999	999	999	-54	4	-2				20	999	999	999	-55	-5	-1


131



US - STANDARD						USSR - PROSPECTIVE						DIFFERENCES								
AUG 24 1977			AUG 24 1977			0107 GMT			0128 GMT			USSR-US								
ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		DELG C	COMPONENT WINDS		TEMP	COMPONENT WINDS		DELG C	COMPONENT WINDS			
		DEG	C	NS	M	S		DEG	C	NS	M	S		DEG	C	NS	EW	DEG	C	NS
78	999	999	999	-89	999	999	78	999	999	-84	999	999	77	999	999	-84	999	-8	-4	-10
77	999	999	999	-77	999	999	76	999	999	-77	999	999	75	999	999	-75	999	-16	-2	-31
76	999	999	999	-75	999	999	74	999	999	-74	999	999	73	999	999	-72	999	-11	-3	-4
75	999	999	999	-70	999	999	72	999	999	-70	999	999	71	999	999	-68	-11	-27	-4	-25
74	999	999	999	-68	-11	-23	70	999	999	-65	-12	-22	69	999	999	-65	-12	-22	-5	-11
73	999	999	999	-62	-12	-22	68	999	999	-59	-12	-21	67	999	-9	-21	-27	-3	-14	
72	999	999	999	-55	-11	-20	66	999	-15	-30	-55	-11	-20	65	999	-19	-32	-52	-11	-19
71	999	999	999	-52	-11	-19	64	-50	-21	-25	-49	-10	-18	63	-45	-17	-16	-46	-9	-1
70	999	999	999	-50	-11	-19	62	-40	-10	-15	-42	-8	-15	61	-33	-7	-22	-40	-8	-13
69	999	999	999	-48	-11	-19	60	-27	-6	-29	-37	-7	-10	59	-25	-10	-27	-35	-7	-6
68	999	999	999	-45	-11	-19	58	-25	-14	-19	-33	-7	-3	57	-22	-15	-11	-29	-6	-3
67	999	-9	-21	-42	-11	-19	56	-16	-12	-10	-24	-5	-5	55	-10	-8	-15	-17	-5	-10
66	999	-15	-30	-55	-11	-20	54	-7	-8	-21	-12	-11	-12	53	-9	-9	-24	-12	-14	-14
65	999	-19	-32	-52	-11	-19	53	-9	-9	-24	-12	-11	-12	52	-9	-8	-23	-18	-16	-15
64	-50	-21	-25	-49	-10	-18	52	-9	-8	-23	-18	-16	-15	51	-9	-5	-23	-20	-15	-17
63	-45	-17	-16	-46	-9	-17	50	-8	0	-21	-15	-10	-21	49	-6	2	-19	-7	-3	-27
62	-40	-10	-15	-42	-8	-15	48	-6	1	-16	-7	1	-28	47	-7	-2	-15	-7	0	-10
61	-33	-7	-22	-40	-8	-13	46	-7	-2	-15	-33	-7	-3	45	-6	0	-17	-11	-3	-10
60	-27	-6	-29	-37	-7	-10	45	-11	-8	-21	-10	-10	-1	44	-8	2	-21	-16	-2	-10
59	-25	-10	-27	-35	-7	-6	44	-11	-5	-21	-10	-10	-3	43	-11	2	-25	-27	-3	-2
58	-25	-14	-19	-33	-7	-3	43	-16	-5	-21	-10	-10	-1	42	-16	-1	-27	-27	-4	-2
57	-22	-15	-11	-29	-6	-3	42	-21	-5	-21	-10	-10	-1	41	-21	-5	-19	-25	0	7
56	-16	-12	-10	-24	-5	-5	40	-27	-6	-22	-10	-10	-1	40	-27	-6	-22	-27	0	1
55	-10	-8	-15	-17	-5	-10	39	-30	-3	-19	-10	-10	-1	39	-30	-3	-19	-27	3	5
54	-7	-8	-21	-12	-11	-12	38	-29	0	-18	-10	-10	-1	38	-29	0	-18	-26	3	-3
53	-9	-9	-24	-12	-14	-14	37	-31	2	-19	-10	-10	-1	37	-31	2	-19	-27	4	-4
52	-9	-8	-23	-18	-16	-15	36	-30	3	-20	-10	-10	-1	36	-30	3	-20	-28	2	-1
51	-9	-5	-23	-20	-15	-17	35	-34	1	-21	-10	-10	-1	35	-34	1	-21	-32	2	-1
50	-8	0	-21	-15	-10	-21	34	-35	-2	-19	-10	-10	-1	34	-35	-2	-19	-33	2	-2
49	-6	2	-19	-7	-3	-27	33	-36	-4	-17	-10	-10	-1	33	-36	-4	-17	-34	2	-1
48	-6	1	-16	-7	1	-28	32	-39	-5	-16	-10	-10	-1	32	-39	-5	-16	-37	2	-1
47	-7	-2	-15	-7	0	-25	31	-42	-3	-15	-10	-10	-1	31	-42	-3	-15	-39	3	0
46	-7	-2	-15	-8	-3	-23	30	-42	-2	-14	-10	-10	-1	30	-42	-2	-14	-41	1	0
45	-6	0	-17	-11	-3	-27	29	-41	-1	-13	-10	-10	-1	29	-41	-1	-13	-41	5	-6


ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		DELG C	COMPONENT WINDS		
		DEG	NS		DEG	NS		DEG	NS		DEG	NS	
44	-8	2	-21	-16	-2	-31	-8	-4	-10	-11	-5	-4	
43	-11	2	-25	-24	-3	-29	-13	-5	-4	-11	-3	-2	
42	-16	-1	-27	-27	-4	-25	-11	-3	-2	-27	-5	-19	
41	-21	-5	-26	-27	-5	-19	-6	0	7	-27	-5	-15	
40	-27	-6	-22	-27	-5	-15	-6	1	7	-32	0	-25	
39	-30	-3	-19	-27	-3	-14	3	0	5	-32	-3	-14	
38	-29	0	-18	-26	-3	-14	3	-3	4	-32	-3	-14	
37	-31	2	-19	-27	-2	-19	4	-4	0	-31	-4	-19	
36	-30	3	-20	-28	2	-28	2	-1	-8	-30	2	-1	
35	-34	1	-21	-32	0	-25	2	-1	-4	-34	2	-21	
34	-35	-2	-19	-33	-6	-21	2	-4	-2	-36	-4	-17	
33	-36	-4	-17	-34	-10	-16	2	-6	1	-39	-5	-16	
32	-39	-5	-16	-37	-6	-17	2	-1	-1	-39	-5	-15	
31	-42	-3	-15	-39	-2	-15	3	1	0	-42	-2	-12	
30	-42	-2	-14	-41	-2	-12	1	0	2	-42	5	-16	
29	-41	-1	-13	-41	-1	-14	1	-1	-1	-41	5	-16	
28	-44	0	-12	-42	3	-12	2	3	0	-44	3	-12	
27	-46	2	-12	-45	1	-14	1	-1	-1	-46	2	-12	
26	-47	2	-13	-43	0	-13	4	-2	0	-47	0	-13	
25	-51	1	-12	-47	-5	-9	4	-6	3	-51	-5	-9	
24	-52	0	-9	-49	-3	-7	3	-3	2	-52	1	-7	
23	999	999	999	-50	-3	-5	22	999	999	999	-51	-5	-2
22	999	999	999	-51	-5	-2	21	999	999	999	-53	2	0
20	999	999	999	-55	1	-4	20	999	999	999	-55	1	-4

133



US - STANDARD AUG 24 1977 0300 GMT					USSR - PROSPECTIVE AUG 24 1977 0305 GMT					DIFFERENCES USSR-US						
ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS		
		-1	DEG C	M S		-1	DEG C	M S		-1	DEG C	M S	-1	DEG C	M S	-1
		NS	EW			NS	EW			NS	EW			NS	EW	
78	999	999	999		-82	999	999			-8	3	-23		-3	1	-4
77	999	999	999		-80	999	999			-10	5	-28		0	3	-4
76	999	999	999		-79	999	999			-17	-1	-29		-3	0	0
75	999	999	999		-78	999	999			-20	-9	-27		-2	-3	2
74	999	999	999		-77	999	999			-28	-15	-25		-3	-6	1
73	999	999	999		-75	999	999			-32	-13	-21		-3	-7	0
72	999	999	999		-75	999	999			-29	-6	-19		0	-4	-1
71	999	8	1		-72	999	999			-27	1	-20		3	0	-2
70	-58	-1	-3		-69	-22	22		-11	-21	25					
69	-54	-10	-9		-66	-22	13		-12	-12	22					
68	-47	-19	-15		-63	-22	6		-16	-3	21					
67	-46	-24	-19		-61	-22	-1		-15	2	18					
66	-44	-25	-24		-60	-22	-8		-16	3	16					
65	-42	-24	-28		-60	-23	-13		-18	1	15					
64	-41	-24	-31		-60	-24	-17		-19	0	14					
63	-41	-22	-32		-59	-23	-21		-18	-1	11					
62	-38	-16	-34		-58	-23	-25		-20	-7	9					
61	-34	-10	-37		-55	-22	-28		-21	-12	9					
60	-33	-9	-37		-50	-20	-30		-17	-11	7					
59	-30	-14	-32		-43	-18	-32		-13	-4	0					
58	-28	-17	-25		-34	-17	-32		-6	0	-7					
57	-24	-17	-21		-26	-18	-29		-2	-1	-8					
56	-18	-14	-21		-21	-22	-25		-3	-8	-4					
55	-13	-14	-22		-22	-28	-21		-9	-14	1					
54	-11	-16	-24		-22	-25	-26		-11	-9	-2					
53	-10	-17	-24		-22	-22	-30		-12	-5	-6					
52	-10	-15	-24		-18	-16	-34		-8	-1	-10					
51	-10	-12	-24		-11	-8	-35		-1	4	-11					
50	-9	-8	-21		-9	-5	-27		0	3	-6					
49	-9	-5	-17		-11	-6	-16		-2	-1	1					
48	-7	-4	-15		-13	-6	-11		-6	-2	4					
47	-7	-4	-14		-11	-5	-15		-4	-1	-1					
46	-6	-3	-13		-10	-3	-20		-4	0	-7					
45	-5	0	-15		-12	-1	-21		-7	-1	-6					

ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS		
		-1	DEG C	M S		-1	DEG C	M S		-1	DEG C	M S
		NS	EW			NS	EW			NS	EW	
44	-5	2	-19		-8	3	-23		-3	1	-4	
43	-10	2	-24		-10	5	-28		0	3	-4	
42	-14	-1	-29		-17	-1	-29		-3	0	0	
41	-18	-6	-29		-20	-9	-27		-2	-3	2	
40	-25	-9	-26		-28	-15	-25		-3	-6	1	
39	-29	-6	-21		-32	-13	-21		-3	-7	0	
38	-29	-2	-18		-29	-6	-19		0	-4	-1	
37	-30	1	-18		-27	1	-20		3	0	-2	
36	-32	3	-19		-29	2	-22		3	-1	-3	
35	-34	2	-20		-32	1	-22		2	-1	-2	
34	-36	0	-20		-34	3	-21		2	3	-1	
33	-36	-2	-20		-34	-1	-21		2	1	-1	
32	-37	-4	-19		-36	-7	-17		1	-3	2	
31	-41	-4	-17		-39	-4	-17		2	0	0	
30	-42	-2	-15		-38	-3	-15		4	-1	0	
29	-43	-1	-13		-38	13	-22		5	14	-9	
28	999	999	999		-41	-1	-12					
27	999	999	999		-42	2	-11					
26	999	999	999		-44	1	-13					
25	999	999	999		-46	-1	-12					
24	999	999	999		-50	-5	-9					
23	999	999	999		-52	-4	-6					
22	999	999	999		-53	-6	-7					
21	999	999	999		-54	2	0					
20	999	999	999		-57	6	1					
19	999	999	999		-57	-1	2					
18	999	999	999		-60	-2	8					



APPENDIX C


LISTINGS AND PLOTS OF US(STANDARD) AND US(SPHERE) DATA

A comparison of data obtained from the US Super-Loki Datasonde and Super-Loki Sphere rocketsonde systems using standard data reduction techniques are presented with corresponding differences listed.

US - SPHERE AUG 12 1977 1111 GMT					US - STANDARD AUG 12 1977 1100 GMT					DIFFERENCES STD-SPHERE							
ALT	TEMP	COMPONENT			TEMP	COMPONENT			TEMP	COMPONENT			TEMP	COMPONENT			
		WINDS	-1	M S		WINDS	-1	M S		NS	EW	NS	EW	WINDS	-1	M S	
93	-90	13	2		999	999	999										
92	-95	10	5		999	999	999										
91	-100	8	8		999	999	999										
90	-104	4	10		999	999	999										
89	-106	1	12		999	999	999										
88	-107	-2	15		999	999	999										
87	-106	-5	18		999	999	999										
86	-105	-7	22		999	999	999										
85	-103	-9	26		999	999	999										
84	-100	-10	29		999	999	999										
83	-96	-10	32		999	999	999										
82	-93	-10	35		999	999	999										
81	-90	-9	35		999	999	999										
80	-87	-8	35		999	999	999										
79	-83	-6	32		999	999	999										
78	-79	-5	28		999	999	999										
77	-75	-3	23		999	999	999										
76	-72	-2	16		999	999	999										
75	-70	-1	9		999	999	999										
74	-70	0	1		999	999	999										
73	-70	1	-6		999	999	999										
72	-71	2	-12		999	999	999										
71	-73	2	-16		999	999	999										
70	-77	1	-17		999	999	999										
69	-66	0	-17		999	999	999										
68	-59	0	-15		999	999	999										
67	-46	0	-17	-45	-1	-17		1	-1	0							
66	-38	3	-23	-39	4	-24		-1	1	-1							
65	-37	7	-32	-39	8	-31		-2	1	1							
64	-37	11	-41	-40	8	-39		-3	-3	2							
63	-39	13	-48	-37	6	-44		2	-7	4							
62	-39	14	-50	-33	5	-47		6	-9	3							
61	-34	13	-49	-29	6	-48		5	-7	1							
60	-31	10	-46	-29	8	-47		2	-2	-1							

ALT	TEMP	COMPONENT			TEMP	COMPONENT			TEMP	COMPONENT			
		WINDS	-1	M S		WINDS	-1	M S		NS	EW	WINDS	-1
59	-29	7	-42		-24	8	-44		5	1	-2		
58	-29	6	-37		-21	7	-40		8	1	-3		
57	-25	7	-35		-18	9	-36		7	2	-1		
56	-21	9	-36		-14	11	-36		7	2	0		
55	-13	8	-41		-10	11	-39		3	3	2		
54	-10	4	-47		-9	6	-45		1	2	2		
53	-6	-1	-50		-7	-2	-50		-1	-1	0		
52	-6	-6	-51		-8	-9	-51		-2	-3	0		
51	-2	-7	-48		-7	-12	-50		-5	-5	-2		
50	-3	-3	-44		-6	-9	-47		-3	-6	-3		
49	-7	2	-42		-12	-3	-46		-5	-5	-4		
48	-10	6	-42		-11	2	-47		-1	-4	-5		
47	-14	6	-43		-10	4	-46		4	-2	-3		
46	-23	3	-42		-12	4	-42		11	1	0		
45	-34	-1	-38		-15	2	-35		19	3	3		
44	-40	-6	-33		-16	-3	-31		24	3	2		
43	-46	-9	-31		-15	-6	-30		31	3	1		
42	-49	-7	-31		-16	-6	-31		33	1	0		
41	-48	-3	-30		-19	-4	-30		29	-1	0		
40	-44	0	-28		-23	-2	-27		21	-2	1		
39	-44	-2	-23		-25	-1	-23		19	1	0		
38	999	999	999		-27	1	-21						
37	999	999	999		-30	3	-19						
36	999	999	999		-30	4	-19						
35	999	999	999		-31	3	-20						
34	999	999	999		-34	0	-21						
33	999	999	999		-34	-1	-23						
32	999	999	999		-36	-2	-23						
31	999	999	999		-39	-1	-22						
30	999	999	999		-45	-1	-20						
29	999	999	999		-45	-1	-17						
28	999	999	999		-44	-1	-15						
27	999	999	999		-45	-1	-12						
26	999	999	999		-45	0	-11						


139



US - SPHERE				US - STANDARD				DIFFERENCES				
AUG 15 1977 1942 GMT				AUG 15 1977 1930 GMT				STD-SPHERE				
ALT KM	TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1	
		NS	EW		NS	EW		NS	EW		NS	EW
94	-81	-5	65	999	999	999	94	8	-4	94	5	-4
93	-76	13	64	999	999	999	93	6	-37	93	2	-3
92	-68	31	59	999	999	999	92	9	-33	92	0	-3
91	-62	46	49	999	999	999	91	5	-30	91	0	-2
90	-56	58	36	999	999	999	90	4	-30	90	1	-3
89	-51	63	21	999	999	999	89	11	-33	89	1	-1
88	-52	64	7	999	999	999	88	13	-37	88	2	0
87	-55	60	-6	999	999	999	87	12	-39	87	2	1
86	-60	53	-15	999	999	999	86	12	-38	86	1	0
85	-66	44	-21	999	999	999	85	13	-34	85	0	-3
84	-73	35	-23	999	999	999	84	15	-33	84	-2	-2
83	-79	25	-22	999	999	999	83	15	-34	83	-2	-2
82	-83	17	-20	999	999	999	82	14	-36	82	-8	-1
81	-85	11	-16	999	999	999	81	12	-38	81	-10	-2
80	-87	6	-11	999	999	999	80	7	-38	80	-8	-2
79	-86	3	-5	999	999	999	79	1	-36	79	-7	-1
78	-83	2	-1	999	999	999	78	3	-32	78	0	0
77	-81	4	2	999	999	999	77	2	-27	77	-3	1
76	-79	7	4	999	999	999	76	2	-22	76	1	0
75	-77	11	2	999	999	999	75	5	-17	75	2	-1
74	-76	16	-2	999	999	999	74	7	-16	74	3	-1
73	-75	20	-9	999	28	-13	73	4	-18	73	1	-1
72	-73	21	-19	999	28	-27	72	7	-8	72	-5	-1
71	-68	19	-29	999	20	-40	71	1	-11	71	-3	-1
70	-65	13	-39	-61	7	-49	70	4	-6	70	-16	-1
69	-62	7	-45	-58	-2	-50	69	4	-9	69	3	0
68	-56	5	-46	-51	-1	-47	68	5	-6	68	-14	0
67	-49	5	-44	-45	3	-44	67	4	-2	67	-36	1
66	-46	7	-40	-39	4	-43	66	7	-3	66	-14	0
65	-44	6	-37	-39	0	-40	65	5	-6	65	-17	2
64	-41	4	-36	-39	0	-36	64	2	-4	64	-17	1
63	-40	3	-36	-34	5	-35	63	2	1	63	-17	1
62	-37	4	-38	-31	11	-38	62	6	7	62	-16	1
61	-36	5	-40	-31	12	-42	61	5	7	61	-9	1

ALT KM	TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1		TEMP DEG C	COMPONENT WINDS -1	
		NS	EW		NS	EW		NS	EW		NS	EW
60	-33	0	-39	60	-26	5	-43	7	5	-4	60	-4
59	-28	-6	-37	59	-23	-4	-40	5	2	-3	59	-3
58	-26	-9	-33	58	-21	-9	-36	5	0	-3	58	-2
57	-22	-5	-30	57	-17	-5	-32	5	0	-2	57	-2
56	-17	4	-30	56	-14	5	-33	3	1	-3	56	-3
55	-16	11	-33	55	-13	12	-34	3	1	-1	55	-1
54	-15	13	-37	54	-11	15	-37	4	2	0	54	0
53	-11	12	-39	53	-8	14	-38	3	2	1	53	1
52	-14	12	-38	52	-5	13	-38	9	1	0	52	0
51	-8	13	-34	51	-3	13	-37	5	0	-3	51	-3
50	-4	15	-33	50	-4	13	-35	0	-2	-2	50	-2
49	-1	15	-34	49	-2	13	-36	-1	-2	-2	49	-2
48	3	14	-36	48	-5	13	-38	-8	-1	-2	48	-1
47	6	12	-38	47	-4	10	-39	-10	-2	-1	47	-1
46	4	7	-38	46	-4	5	-38	-8	-2	0	46	0
45	3	1	-36	45	-4	0	-36	-7	-1	0	45	0
44	0	-3	-32	44	-5	-3	-32	-5	0	0	44	0
43	-9	-2	-27	43	-12	-1	-26	-3	1	1	43	1
42	-17	2	-22	42	-21	3	-22	-4	1	0	42	0
41	-20	5	-17	41	-22	7	-18	-2	2	-1	41	-1
40	-25	7	-16	40	-22	9	-17	3	2	-1	40	-1
39	-24	5	-17	39	-23	7	-18	1	2	-1	39	-1
38	-20	4	-18	38	-25	5	-19	-5	1	-1	38	-1
37	-22	2	-18	37	-26	3	-19	-4	1	-1	37	-1
36	-32	0	-17	36	-28	0	-18	4	0	-1	36	-1
35	-34	-1	-15	35	-31	-1	-16	3	0	0	35	0
34	-44	1	-14	34	-35	1	-14	9	0	0	34	0
33	-33	4	-14	33	-36	4	-13	-3	0	1	33	1
32	-21	5	-15	32	-38	5	-14	-17	0	1	32	1
31	-22	2	-16	31	-39	4	-15	-17	2	1	31	1
30	-33	1	-17	30	-42	2	-16	-9	1	1	30	1
29	999	999	999	29	-44	1	-17	1	-17	1	29	1
28	999	999	999	28	-44	1	-16	1	-16	1	28	1
27	999	999	999	27	-48	1	-14	1	-14	1	27	1


141



US - SPHERE					US - STANDARD					DIFFERENCES				
ALT	TEMP	COMPONENT			TEMP	COMPONENT			TEMP	COMPONENT			STD-SPHERE	
		WINDS	-1	DEG C		WINDS	-1	DEG C		WINDS	-1	DEG C	M S	NS
		NS	EW			NS	EW			NS	EW			
93	-87	-71	51		999	999	999							
92	-85	-65	63		999	999	999							
91	-82	-57	74		999	999	999							
90	-78	-47	81		999	999	999							
89	-74	-35	85		999	999	999							
88	-72	-22	84		999	999	999							
87	-72	-11	79		999	999	999							
86	-72	0	72		999	999	999							
85	-73	8	64		999	999	999							
84	-76	12	55		999	999	999							
83	-80	14	46		999	999	999							
82	-82	14	38		999	999	999							
81	-84	11	31		999	999	999							
80	-86	7	25		999	999	999							
79	-85	1	20		999	999	999							
78	-83	-5	16		999	999	999							
77	-80	-11	13		999	999	999							
76	-78	-16	11		999	999	999							
75	-77	-19	10		999	999	999							
74	-75	-19	8		999	999	999							
73	-74	-17	6		999	999	999							
72	-72	-12	1		999	-18	9		-6	8				
71	-69	-5	-5		999	-1	-2		4	3				
70	-68	0	-13		-47	11	-13		21	11	0			
69	-62	0	-22		-41	12	-25		21	12	-3			
68	-58	-5	-31		-39	3	-35		19	8	-4			
67	-55	-11	-36		-48	-7	-41		7	4	-5			
66	-51	-15	-37		-52	-11	-41		-1	4	-4			
65	-50	-15	-34		-52	-10	-33		-2	5	1			
64	-46	-13	-27		-48	-8	-24		-2	5	3			
63	-36	-11	-21		-44	-7	-18		-8	4	3			
62	-31	-9	-20		-38	-5	-18		-7	4	2			
61	-28	-7	-25		-34	-2	-24		-6	5	1			
60	-23	-5	-33		-30	-1	-33		-7	4	0			

ALT	TEMP	COMPONENT			TEMP	COMPONENT			TEMP	COMPONENT			
		WINDS	-1	DEG C		WINDS	-1	DEG C		WINDS	-1	DEG C	
		NS	EW			NS	EW			NS	EW		
59	-19	-4	-38		-25	-2	-39		-6	2	-1		
58	-18	-3	-40		-22	-2	-40		-4	1	0		
57	-17	1	-38		-18	1	-38		-1	0	0		
56	-12	8	-36		-14	5	-36		-2	-3	0		
55	-5	15	-35		-9	9	-36		-4	-6	-1		
54	2	15	-35		-6	9	-36		-8	-6	-1		
53	2	8	-35		-3	4	-36		-5	-4	-1		
52	8	-4	-36		-1	-5	-36		-9	-1	0		
51	8	-13	-37		-3	-10	-34		-11	3	3		
50	2	-17	-36		-4	-12	-33		-6	5	3		
49	-2	-15	-34		-5	-10	-31		-3	5	3		
48	-9	-11	-29		-7	-7	-29		2	4	0		
47	-11	-7	-24		-9	-4	-26		2	3	-2		
46	-11	-2	-19		-9	0	-21		2	2	-2		
45	-8	4	-16		-9	2	-20		-1	-2	-4		
44	-8	5	-23		-6	2	-24		2	-3	-1		
43	999	999	999		-12	0	-29						
42	999	999	999		-17	-2	-31						
41	999	999	999		-18	-4	-28						
40	999	999	999		-20	-3	-23						
39	999	999	999		-23	-2	-19						
38	999	999	999		-24	0	-17						
37	999	999	999		-25	1	-18						
36	999	999	999		-29	1	-22						
35	999	999	999		-32	-1	-24						
34	999	999	999		-36	-4	-23						
33	999	999	999		-40	-4	-19						
32	999	999	999		-41	-3	-16						
31	999	999	999		-40	-1	-16						
30	999	999	999		-41	-1	-15						
29	999	999	999		-45	-1	-14						
28	999	999	999		-45	0	-13						
27	999	999	999		-47	1	-13						
26	999	999	999		-49	0	-12						


143



US - SPHERE AUG 16 1977 2032 GMT					US - STANDARD AUG 16 1977 2000 GMT					DIFFERENCES STD-SPHERE							
ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			
		DEG	C	M	S	NS	EW	DEG	C	M	S	NS	EW	DEG	C	M	S
94	-86	9	-22			999	999	999									
93	-83	8	-18			999	999	999									
92	-81	7	-13			999	999	999									
91	-81	7	-6			999	999	999									
90	-85	8	2			999	999	999									
89	-88	9	9			999	999	999									
88	-91	11	15			999	999	999									
87	-94	15	19			999	999	999									
86	-96	18	22			999	999	999									
85	-96	20	23			999	999	999									
84	-93	21	22			999	999	999									
83	-90	20	20			999	999	999									
82	-86	18	16			999	999	999									
81	-81	14	12			999	999	999									
80	-78	10	8			999	999	999									
79	-75	5	4			999	999	999									
78	-72	0	0			999	999	999									
77	-71	-4	-4			999	999	999									
76	-71	-8	-7			999	999	999									
75	-72	-10	-10			999	999	999									
74	-72	-10	-13			999	999	999									
73	-70	-8	-15			999	999	999									
72	-67	-2	-18			999	-17	-15									
71	-64	7	-21			999	-8	-27									
70	-65	17	-27			-58	-2	-39									
69	-59	23	-33			-55	-2	-47									
68	-55	22	-38			-49	-7	-47									
67	-48	12	-40			-45	-11	-42									
66	-41	-3	-39			-42	-13	-36									
65	-39	-17	-35			-37	-17	-31									
64	-42	-27	-30			-36	-23	-26									
63	-46	-29	-26			-33	-24	-22									
62	-48	-23	-24			-32	-14	-20									
61	-44	-11	-25			-31	1	-21									

ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS				
		DEG	C	M	S	NS	EW	DEG	C	M	S	NS	EW	
60	-38	3	-31			-28	15	-26				10	12	5
59	-33	13	-38			-23	20	-33				10	7	5
58	-32	14	-42			-21	18	-41				11	4	1
57	-22	11	-43			-16	13	-44				6	2	-1
56	-15	8	-40			-14	9	-45				1	1	-5
55	-9	7	-37			-11	6	-43				-2	-1	-6
54	-3	5	-35			-9	4	-42				-6	-1	-7
53	3	3	-33			-6	1	-40				-9	-2	-7
52	1	0	-32			-5	-3	-38				-6	-3	-6
51	-1	-2	-31			-3	-5	-35				-2	-3	-4
50	-3	-1	-31			-5	-4	-32				-2	-3	-1
49	-4	1	-31			-4	-1	-30				0	-2	1
48	-6	3	-31			-3	1	-28				3	-2	3
47	-3	3	-31			-2	4	-28				1	1	3
46	-6	4	-31			-4	6	-29				2	2	2
45	-8	5	-32			-7	6	-32				1	1	0
44	-5	5	-32			-8	5	-34				-3	0	-2
43	0	5	-30			-9	3	-33				-9	-2	-3
42	-3	4	-26			-14	3	-28				-11	-1	-2
41	-8	4	-21			-17	4	-22				-9	0	-1
40	-15	3	-18			-17	5	-18				-2	2	0
39	-26	4	-18			-18	6	-17				8	2	1
38	-36	4	-20			-21	5	-20				15	1	0
37	-39	2	-21			-24	2	-21				15	0	0
36	-30	-2	-19			-27	-1	-20				3	1	-1
35	-26	-4	-15			-30	-3	-16				-4	1	-1
34	-23	-4	-14			-32	-2	-14				-9	2	0
33	-33	-2	-13			-34	1	-14				-1	3	-1
32	-34	3	-14			-36	3	-16				-2	0	-2
31	-40	8	-16			-38	4	-17				2	-4	-1
30	-53	7	-17			-40	3	-17				13	-4	0
29	999	999	999			-42	2	-16						
28	999	999	999			-44	1	-16						
27	999	999	999			-45	1	-15						


145



US - SPHERE AUG 19 1977 0125 GMT				US - STANDARD AUG 19 1977 0116 GMT				DIFFERENCLS STD-SPHERE					
ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			KM	DEG C	M S	NS EW
	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW				
93	-83	-1	17	999	999	999							
92	-82	-9	33	999	999	999							
91	-81	-15	47	999	999	999							
90	-81	-17	57	999	999	999							
89	-79	-17	64	999	999	999							
88	-77	-15	66	999	999	999							
87	-76	-12	63	999	999	999							
86	-76	-7	58	999	999	999							
85	-76	-2	51	999	999	999							
84	-76	4	42	999	999	999							
83	-78	10	33	999	999	999							
82	-77	15	24	999	999	999							
81	-76	20	15	999	999	999							
80	-77	24	6	999	999	999							
79	-78	26	-3	999	999	999							
78	-80	26	-11	999	999	999							
77	-80	24	-19	999	999	999							
76	-82	21	-25	999	999	999							
75	-83	15	-31	999	999	999							
74	-85	8	-35	999	999	999							
73	-86	-1	-37	999	999	999							
72	-85	-11	-37	999	-9	-20							
71	-82	-20	-34	999	-8	-21							
70	-82	-24	-26	-64	-7	-21		18	17	5			
69	-71	-22	-14	-61	-6	-22		10	16	-8			
68	-66	-12	-4	-57	-5	-24		9	7	-20			
67	-57	0	-2	-53	-3	-29		4	-3	-27			
66	-51	9	-10	-49	-1	-34		2	-10	-24			
65	-49	9	-24	-45	-1	-39		4	-10	-15			
64	-44	2	-38	-41	-4	-42		3	-6	-4			
63	-40	-9	-44	-37	-9	-41		3	0	3			
62	-35	-18	-42	-34	-14	-38		1	4	4			
61	-30	-22	-36	-30	-17	-33		0	5	3			
60	-26	-23	-31	-25	-17	-29		1	6	2			

ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			KM	DEG C	M S	NS EW
	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW				
59	-20	-21	-28	-22	-16	-26	-2	5	2				
58	-14	-17	-26	-19	-13	-25	-5	4	1				
57	-15	-13	-26	-20	-8	-25	-5	5	1				
56	-17	-11	-27	-21	-5	-27	-4	6	0				
55	-18	-10	-29	-18	-4	-28	0	6	1				
54	-16	-7	-29	-15	-4	-28	1	3	1				
53	-11	-1	-28	-13	-2	-27	-2	-1	1				
52	-4	4	-27	-10	1	-26	-6	-3	1				
51	-1	5	-25	-7	3	-25	-6	-2	0				
50	1	4	-22	-4	3	-23	-5	-1	-1				
49	-5	2	-21	-2	2	-21	3	0	0				
48	-2	1	-21	-4	2	-21	-2	1	0				
47	-5	0	-23	-7	1	-24	-2	1	-1				
46	-8	-2	-26	-5	-1	-28	3	1	-2				
45	-11	-5	-28	-6	-5	-30	5	0	-2				
44	-8	-8	-29	-6	-9	-31	2	-1	-2				
43	-11	-8	-28	-17	-10	-28	-6	-2	0				
42	-17	-5	-26	-19	-7	-24	-2	-2	2				
41	-22	-1	-23	-20	-3	-20	2	-2	3				
40	-21	2	-17	-22	1	-16	-1	-1	1				
39	-17	3	-13	-22	3	-13	-5	0	0				
38	-19	2	-13	-25	3	-13	-6	1	0				
37	-28	0	-16	-29	1	-16	-1	1	0				
36	-33	-3	-21	-32	0	-19	1	3	2				
35	-35	-2	-22	-32	-1	-19	3	1	3				
34	999	999	999	-34	-2	-17							
33	999	999	999	-39	-2	-14							
32	999	999	999	-42	-2	-12							
31	999	999	999	-42	0	-13							
30	999	999	999	-43	0	-13							
29	999	999	999	-44	1	-13							
28	999	999	999	-45	0	-13							
27	999	999	999	-48	1	-12							
26	999	999	999	-49	2	-12							


147



US - SPHERE				US - STANDARD				DIFFERENCES			
AUG 19 1977 0524 GMT				AUG 19 1977 0537 GMT				STD-SPHERE			
ALT	COMPONENT			COMPONENT			COMPONENT			TEMP	WINDS
	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1		
KM	DEG C	M S		DEG C	M S		DEG C	M S		NS	EW
94	-80	23	-16	999	999	999					
93	-81	20	-22	999	999	999					
92	-81	13	-27	999	999	999					
91	-82	5	-30	999	999	999					
90	-85	-4	-32	999	999	999					
89	-85	-13	-32	999	999	999					
88	-85	-19	-30	999	999	999					
87	-84	-24	-28	999	999	999					
86	-81	-26	-26	999	999	999					
85	-78	-25	-23	999	999	999					
84	-77	-23	-20	999	999	999					
83	-77	-19	-18	999	999	999					
82	-77	-14	-15	999	999	999					
81	-79	-9	-12	999	999	999					
80	-82	-3	-9	999	999	999					
79	-84	3	-7	999	999	999					
78	-83	7	-5	999	999	999					
77	-80	11	-3	999	999	999					
76	-77	12	-3	999	999	999					
75	-71	12	-4	999	999	999					
74	-67	9	-6	999	999	999					
73	-64	3	-11	999	999	999					
72	-64	-5	-18	999	999	999					
71	-67	-15	-27	999	999	999					
70	-75	-25	-35	999	999	999					
69	-73	-32	-41	-61	-34	-56	12	-2	-15		
68	-69	-33	-40	-59	-39	-47	10	-6	-7		
67	-65	-27	-34	-53	-38	-36	12	-11	-2		
66	-55	-17	-28	-49	-28	-29	6	-11	-1		
65	-51	-9	-31	-48	-14	-33	3	-5	-2		
64	-50	-8	-41	-46	-6	-47	4	2	-6		
63	-47	-12	-53	-43	-7	-61	4	5	-8		
62	-43	-17	-60	-40	-11	-67	3	6	-7		
61	-36	-17	-58	-36	-13	-64	0	4	-6		

ALT	COMPONENT			COMPONENT			COMPONENT			TEMP	WINDS
	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1		
KM	DEG C	M S		DEG C	M S		DEG C	M S		NS	EW
60	-29	-16	-51	-30	-13	-55	-1	3	-4		
59	-24	-15	-44	-27	-14	-46	-3	1	-2		
58	-24	-18	-39	-25	-19	-40	-1	-1	-1		
57	-20	-22	-36	-22	-23	-36	-2	-1	0		
56	-17	-21	-34	-21	-23	-33	-4	-2	1		
55	-14	-16	-33	-19	-19	-32	-5	-3	1		
54	-12	-11	-33	-18	-13	-32	-6	-2	1		
53	-9	-8	-32	-18	-8	-33	-9	0	-1		
52	-10	-5	-32	-15	-3	-34	-5	2	-2		
51	-8	-2	-33	-11	-1	-35	-3	1	-2		
50	-5	-2	-34	-10	-1	-35	-5	1	-1		
49	-2	-4	-33	-7	-3	-34	-5	1	-1		
48	-1	-7	-31	-6	-6	-32	-5	1	-1		
47	-9	-8	-30	-8	-7	-30	1	1	0		
46	-11	-5	-29	-9	-5	-29	2	0	0		
45	-7	-3	-30	-10	-4	-30	-3	-1	0		
44	-8	-3	-31	-10	-5	-30	-2	-2	1		
43	-14	-5	-29	-14	-4	-29	0	1	0		
42	-21	-5	-26	-18	-2	-25	3	3	1		
41	-24	-3	-24	-19	0	-22	5	3	2		
40	-29	-3	-22	-21	-1	-20	8	2	2		
39	-27	-4	-19	-25	-3	-19	2	1	0		
38	-24	-3	-17	-26	-3	-17	-2	0	0		
37	-31	0	-17	-28	1	-17	3	1	0		
36	-37	3	-18	-31	5	-18	6	2	0		
35	-37	5	-19	-33	5	-20	4	0	-1		
34	-33	3	-19	-35	2	-19	-2	-1	0		
33	999	999	999	-34	-1	-17					
32	999	999	999	-36	-2	-14					
31	999	999	999	-39	-2	-13					
30	999	999	999	-42	-2	-14					
29	999	999	999	-46	0	-14					
28	999	999	999	-47	2	-14					
27	999	999	999	-46	2	-13					

149



APPENDIX D


LISTINGS AND PLOTS OF USSR(STANDARD) AND US(SPHERE) DATA

The data of Appendix D is similar to Appendix C except that data from the USSR(standard) technique is compared with the Sphere data.

US - SPHERE				USSR - STANDARD				DIFFERENCES			
AUG 12 1977 1111 GMT				AUG 12 1977 1105 GMT				USSR-US			
ALT	COMPONENT			COMPONENT			COMPONENT			TEMP	WINDS
	TEMP	M	S	TEMP	M	S	TEMP	M	S		
KM	DEG	C	-1	DEG	C	-1	DEG	C	-1	NS	EW
	NS		EW		NS		NS	EW		NS	EW
93	-90	13	2	999	999	999					
92	-95	10	5	999	999	999					
91	-100	8	8	999	999	999					
90	-104	4	10	999	999	999					
89	-106	1	12	999	999	999					
88	-107	-2	15	999	999	999					
87	-106	-5	18	999	999	999					
86	-105	-7	22	999	999	999					
85	-103	-9	26	999	999	999					
84	-100	-10	29	999	999	999					
83	-96	-10	32	999	999	999					
82	-93	-10	35	999	999	999					
81	-90	-9	35	999	999	999					
80	-87	-8	35	999	999	999					
79	-83	-6	32	999	999	999					
78	-79	-5	28	999	999	999					
77	-75	-3	23	999	999	999					
76	-72	-2	16	999	999	999					
75	-70	-1	9	999	999	999					
74	-70	0	1	-92	999	999	-22				
73	-70	1	-6	-88	999	999	-18				
72	-71	2	-12	-84	999	999	-13				
71	-73	2	-16	-80	999	999	-7				
70	-77	1	-17	-77	999	999	0				
69	-66	0	-17	-74	999	999	-8				
68	-59	0	-15	-72	999	999	-13				
67	-46	0	-17	-69	999	999	-23				
66	-38	3	-23	-66	999	999	-28				
65	-37	7	-32	-62	999	999	-25				
64	-37	11	-41	-58	999	999	-21				
63	-39	13	-48	-54	999	999	-15				
62	-39	14	-50	-49	-4	-38	-10	-18	12		
61	-34	13	-49	-43	-1	-42	-9	-14	7		
60	-31	10	-46	-38	1	-44	-7	-9	2		

ALT	COMPONENT			COMPONENT			COMPONENT			TEMP	WINDS
	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1		
KM	DEG	C	M	S	NS	EW	DEG	C	M	NS	EW
59	-29	7	-42	-33	2	-44	-4	-5	-2		
58	-29	6	-37	-28	2	-43	1	-4	-6		
57	-25	7	-35	-24	0	-41	1	-7	-6		
56	-21	9	-36	-20	-2	-39	1	-11	-3		
55	-13	8	-41	-17	-3	-38	-4	-11	3		
54	-10	4	-47	-15	-4	-39	-5	-8	8		
53	-6	-1	-50	-13	-5	-41	-7	-4	9		
52	-6	-6	-51	-12	-8	-45	-6	-2	6		
51	-2	-7	-48	-12	-12	-48	-10	-5	0		
50	-3	-3	-44	-14	-14	-48	-11	-11	-4		
49	-7	2	-42	-15	-8	-44	-8	-10	-2		
48	-10	6	-42	-16	2	-38	-6	-4	4		
47	-14	6	-43	-16	9	-35	-2	3	8		
46	-23	3	-42	-16	9	-36	7	6	6		
45	-34	-1	-38	-17	,4	-39	17	5	-1		
44	-40	-6	-33	-16	-3	-37	24	3	-4		
43	-46	-9	-31	-16	-10	-33	30	-1	-2		
42	-49	-7	-31	-17	-8	-33	32	-1	-2		
41	-48	-3	-30	-20	-2	-27	28	1	3		
40	-44	0	-28	-23	0	-23	21	0	5		
39	-44	-2	-23	-24	-7	-35	20	-5	-12		
38	999	999	999	-26	-17	-23					
37	999	999	999	-29	4	-12					
36	999	999	999	-30	11	-20					
35	999	999	999	-30	3	-24					
34	999	999	999	-32	-1	-23					
33	999	999	999	-32	-2	-24					
32	999	999	999	-34	2	-27					
31	999	999	999	-36	-1	-27					
30	999	999	999	-42	-2	-17					
29	999	999	999	-44	-1	-19					


153



US - SPHERE AUG 15 1977 1942 GMT				USSR - STANDARD AUG 15 1977 1935 GMT				DIFFERENCES USSR-US												
ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1						
	KM	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW	KM	DEG C	M S	NS EW	DEG C	M S	NS EW			
94	-81	-5	65	999	999	999					60	-33	0	-39	-34	1	-34	-1	1	5
93	-76	13	64	999	999	999					59	-28	-6	-37	-30	-3	-33	-2	3	4
92	-68	31	59	999	999	999					58	-26	-9	-33	-26	-6	-33	0	3	0
91	-62	46	49	999	999	999					57	-22	-5	-30	-23	-6	-34	-1	-1	-4
90	-56	58	36	999	999	999					56	-17	4	-30	-19	-4	-37	-2	-8	-7
89	-51	63	21	999	999	999					55	-16	11	-33	-16	2	-42	0	-9	-9
88	-52	64	7	999	999	999					54	-15	13	-37	-13	7	-48	2	-6	-11
87	-55	60	-6	999	999	999					53	-11	12	-39	-11	11	-50	0	-1	-11
86	-60	53	-15	999	999	999					52	-14	12	-38	-9	10	-43	5	-2	-5
85	-66	44	-21	999	999	999					51	-8	13	-34	-9	8	-30	-1	-5	4
84	-73	35	-23	999	999	999					50	-4	15	-33	-8	8	-25	-4	-7	8
83	-79	25	-22	999	999	999					49	-1	15	-34	-7	11	-36	-6	-4	-2
82	-83	17	-20	999	999	999					48	3	14	-36	-6	12	-51	-9	-2	-15
81	-85	11	-16	999	999	999					47	6	12	-38	-5	10	-51	-11	-2	-13
80	-87	6	-11	999	999	999					46	4	7	-38	-5	8	-37	-9	1	1
79	-86	3	-5	999	999	999					45	3	1	-36	-5	4	-30	-8	3	6
78	-83	2	-1	999	999	999					44	0	-3	-32	-8	-1	-30	-8	2	2
77	-81	4	2	999	999	999					43	-9	-2	-27	-15	2	-25	-6	4	2
76	-79	7	4	999	999	999					42	-17	2	-22	-23	12	-22	-6	10	0
75	-77	11	2	999	999	999					41	-20	5	-17	-24	12	-19	-4	7	-2
74	-76	16	-2	-82	999	999	-6				40	-25	7	-16	-24	11	-16	1	4	0
73	-75	20	-9	-78	999	999	-3				39	-24	5	-17	-25	13	-17	-1	8	0
72	-73	21	-19	-75	999	999	-2				38	-20	4	-18	-26	6	-24	-6	2	-6
71	-68	19	-29	-72	999	999	-4				37	-22	2	-18	-28	5	-25	-6	3	-7
70	-65	13	-39	-69	999	999	-4				36	-32	0	-17	-29	3	-18	3	3	-1
69	-62	7	-45	-66	999	999	-4				35	-34	-1	-15	-33	-5	-20	1	-4	-5
68	-56	5	-46	-64	999	999	-8				34	-44	1	-14	-35	1	-14	9	0	0
67	-49	5	-44	-61	999	999	-12				33	-33	4	-14	-36	2	-4	-3	-2	10
66	-46	7	-40	-58	999	999	-12				32	-21	5	-15	-37	5	-15	-16	0	0
65	-44	6	-37	-55	999	999	-11				31	-22	2	-16	-39	-1	-15	-17	-3	1
64	-41	4	-36	-51	11	-34	-10	-10	7	2	30	-33	1	-17	-42	-1	-15	-9	-2	2
63	-40	3	-36	-47	10	-34	-7	-7	2		29	999	999	999	-43	-5	-21			
62	-37	4	-38	-43	8	-34	-6	-4	4											
61	-36	5	-40	-38	5	-34	-2	0	6											

ALT	TEMP	COMPONENT WINDS -1			TEMP	COMPONENT WINDS -1			TEMP	COMPONENT WINDS -1		
KM	DEG C	M	S	NS EW	DEG C	M	S	NS EW	DEG C	M	S	NS EW
60	-33	0	-39		-34	1	-34		-1	1	5	
59	-28	-6	-37		-30	-3	-33		-2	3	4	
58	-26	-9	-33		-26	-6	-33		0	3	0	
57	-22	-5	-30		-23	-6	-34		-1	-1	-4	
56	-17	4	-30		-19	-4	-37		-2	-8	-7	
55	-16	11	-33		-16	2	-42		0	-9	-9	
54	-15	13	-37		-13	7	-48		2	-6	-11	
53	-11	12	-39		-11	11	-50		0	-1	-11	
52	-14	12	-38		-9	10	-43		5	-2	-5	
51	-8	13	-34		-9	8	-30		-1	-5	4	
50	-4	15	-33		-8	8	-25		-4	-7	8	
49	-1	15	-34		-7	11	-36		-6	-4	-2	
48	3	14	-36		-6	12	-51		-9	-2	-15	
47	6	12	-38		-5	10	-51		-11	-2	-13	
46	4	7	-38		-5	8	-37		-9	1	1	
45	3	1	-36		-5	4	-30		-8	3	6	
44	0	-3	-32		-8	-1	-30		-8	2	2	
43	-9	-2	-27		-15	2	-25		-6	4	2	
42	-17	2	-22		-23	12	-22		-6	10	0	
41	-20	5	-17		-24	12	-19		-4	7	-2	
40	-25	7	-16		-24	11	-16		1	4	0	
39	-24	5	-17		-25	13	-17		-1	8	0	
38	-20	4	-18		-26	6	-24		-6	2	-6	
37	-22	2	-18		-28	5	-25		-6	3	-7	
36	-32	0	-17		-29	3	-18		3	3	-1	
35	-34	-1	-15		-33	-5	-20		1	-4	-5	
34	-44	1	-14		-35	1	-14		9	0	0	
33	-33	4	-14		-36	2	-4		-3	-2	10	
32	-21	5	-15		-37	5	-15		-16	0	0	
31	-22	2	-16		-39	-1	-15		-17	-3	1	
30	-33	1	-17		-42	-1	-15		-9	-2	2	
29	999	999	999		-43	-5	-21					


155



US - SPHERE AUG 16 1977 0123 GMT				USSR - STANDARD AUG 16 1977 0105 GMT				DIFFERENCES USSR-US			
ALT	TEMP KM	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS			
		TEMP DEG C	M S	-1 NS EW	TEMP DEG C	M S	-1 NS EW	TEMP DEG C	M S	-1 NS EW	
93	-87	-71	51		999	999	999				
92	-85	-65	63		999	999	999				
91	-82	-57	74		999	999	999				
90	-78	-47	81		999	999	999				
89	-74	-35	85		999	999	999				
88	-72	-22	84		999	999	999				
87	-72	-11	79		999	999	999				
86	-72	0	72		999	999	999				
85	-73	8	64		999	999	999				
84	-76	12	55		999	999	999				
83	-80	14	46		999	999	999				
82	-82	14	38		999	999	999				
81	-84	11	31		999	999	999				
80	-86	7	25		999	999	999				
79	-85	1	20		999	999	999				
78	-83	-5	16		999	999	999				
77	-80	-11	13		999	999	999				
76	-78	-16	11		999	999	999				
75	-77	-19	10		999	999	999				
74	-75	-19	8		999	999	999				
73	-74	-17	6		999	999	999				
72	-72	-12	1		999	999	999				
71	-69	-5	-5		999	999	999				
70	-68	0	-13		999	999	999				
69	-62	0	-22		999	999	999				
68	-58	-5	-31		999	999	999				
67	-55	-11	-36		999	999	999				
66	-51	-15	-37		999	-37	11		-22	48	
65	-50	-15	-34		-62	-36	10		-12	-21	
64	-46	-13	-27		-53	-34	6		-7	-21	
63	-36	-11	-21		-44	-29	1		-8	-18	
62	-31	-9	-20		-35	-23	-6		-4	-14	
61	-28	-7	-25		-27	-15	-15		1	-8	
60	-23	-5	-33		-20	-6	-25		3	-1	


ALT	COMPONENT WINDS				COMPONENT WINDS				COMPONENT WINDS			
	TEMP	-1		TEMP	-1		TEMP	-1		TEMP	-1	
		DEG	C		M	S		DLG	C		M	S
KM		NS	EW		NS	EW		NS	EW		NS	EW
59	-19	-4	-38		-14	3	-36		5	7	2	-6
58	-18	-3	-40		-11	12	-46		7	15	-1	-19
57	-17	1	-38		-9	18	-53		8	17	-19	
56	-12	8	-36		-9	21	-55		3	13	-19	
55	-5	15	-35		-10	18	-53		-5	3	-11	
54	2	15	-35		-9	12	-48		-11	-3	-11	
53	2	8	-35		-8	6	-44		-10	-2	-11	
52	8	-4	-36		-5	1	-42		-13	5	-11	
51	8	-13	-37		-1	-1	-41		-9	12	-11	
50	2	-17	-36		1	-2	-40		-1	15	-11	
49	-2	-15	-34		0	1	-37		2	16	-11	
48	-9	-11	-29		-2	-1	-33		7	10	-11	
47	-11	-7	-24		-4	-7	-29		7	0	-11	
46	-11	-2	-19		-6	-13	-24		5	-11	-11	
45	-8	4	-16		-8	-8	-21		0	-12	-11	
44	-8	5	-23		-8	4	-24		0	-1	-11	
43	999	999	999		-10	4	-31					
42	999	999	999		-15	-4	-31					
41	999	999	999		-17	-4	-27					
40	999	999	999		-18	-8	-26					
39	999	999	999		-19	-5	-20					
38	999	999	999		-20	-2	-21					
37	999	999	999		-23	-4	-18					
36	999	999	999		-28	4	-25					
35	999	999	999		-31	2	-27					
34	999	999	999		-34	-1	-25					
33	999	999	999		-36	-12	-15					
32	999	999	999		-36	-4	-10					
31	999	999	999		-36	2	-18					
30	999	999	999		-37	-3	-17					
29	999	999	999		-40	-2	-12					

157



US - SPHERE AUG 16 1977 2032 GMT					USSR - STANDARD AUG 16 1977 2029 GMT					DIFFERENCES USSR-US				
ALT	TEMP	COMPONENT WINDS				TEMP	COMPONENT WINDS				COMPONENT WINDS			
		DEG	C	M	S		DEG	C	M	S	DEG	C	M	S
				NS	EW									
94	-86	9	-22			999	999	999						
93	-83	8	-18			999	999	999						
92	-81	7	-13			999	999	999						
91	-81	7	-6			999	999	999						
90	-85	8	2			999	999	999						
89	-88	9	9			999	999	999						
88	-91	11	15			999	999	999						
87	-94	15	19			999	999	999						
86	-96	18	22			999	999	999						
85	-96	20	23			999	999	999						
84	-93	21	22			999	999	999						
83	-90	20	20			999	999	999						
82	-86	18	16			999	999	999						
81	-81	14	12			999	999	999						
80	-78	10	8			999	999	999						
79	-75	5	4			999	999	999						
78	-72	0	0			999	999	999						
77	-71	-4	-4			999	999	999						
76	-71	-8	-7			999	999	999						
75	-72	-10	-10			999	999	999						
74	-72	-10	-13			999	999	999						
73	-70	-8	-15			999	999	999						
72	-67	-2	-18			999	999	999						
71	-64	7	-21			999	999	999						
70	-65	17	-27			999	999	999						
69	-59	23	-33			999	999	999						
68	-55	22	-38			999	999	999						
67	-48	12	-40			999	999	999						
66	-41	-3	-39			999	999	999						
65	-39	-17	-35			999	999	999						
64	-42	-27	-30			999	6	-16				33	14	
63	-46	-29	-26			999	6	-19				35	7	
62	-48	-23	-24			999	6	-20				29	4	
61	-44	-11	-25			999	5	-22				16	3	


ALT	TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS			TEMP	COMPONENT WINDS		
		-1		-1		-1		-1		-1		-1
KM	DEG C	M	S	NS	DEG C	M	S	NS	DEG C	M	S	NS
		NS	EW			NS	EW			NS	EW	
60	-38	3	-31		999	4	-24			1	7	
59	-33	13	-38		999	2	-26			-11	12	
58	-32	14	-42		999	1	-28			-13	14	
57	-22	11	-43		999	0	-30			-11	13	
56	-15	8	-40		999	-1	-33			-9	7	
55	-9	7	-37		999	-2	-36			-9	1	
54	-3	5	-35		-9	-3	-37			-6	-8	-2
53	3	3	-33		-4	-4	-35			-7	-7	-2
52	1	0	-32		-5	-4	-34			-6	-4	-2
51	-1	-2	-31		-9	-3	-34			-8	-1	-3
50	-3	-1	-31		-10	-2	-35			-7	-1	-4
49	-4	1	-31		-8	1	-38			-4	0	-7
48	-6	3	-31		-9	3	-39			-3	0	-8
47	-3	3	-31		-13	5	-37			-10	2	-6
46	-6	4	-31		-14	7	-33			-8	3	-2
45	-8	5	-32		-10	7	-32			-2	2	0
44	-5	5	-32		-9	6	-33			-4	1	-1
43	0	5	-30		-10	4	-32			-10	-1	-2
42	-3	4	-26		-12	2	-28			-9	-2	-2
41	-8	4	-21		-13	2	-22			-5	-2	-1
40	-15	3	-18		-16	4	-20			-1	1	-2
39	-26	4	-18		-28	3	-21			-2	-1	-3
38	-36	4	-20		-28	4	-22			8	0	-2
37	-39	2	-21		-28	3	-25			11	1	-4
36	-30	-2	-19		-28	-5	-23			2	-3	-4
35	-26	-4	-15		-31	-10	-17			-5	-6	-2
34	-23	-4	-14		-32	-7	-13			-9	-3	1
33	-33	-2	-13		-33	-2	-12			0	0	1
32	-34	3	-14		-34	2	-15			0	-1	-1
31	-40	8	-16		-33	6	-18			7	-2	-2
30	-53	7	-17		-37	5	-22			16	-2	-5
29	999	999	999		-40	-7	-14					
28	999	999	999		-40	0	-16					
27	999	999	999		-41	0	-15					



US - SPHERE AUG 19 1977 0125 GMT				USSR - STANDARD AUG 19 1977 0120 GMT				DIFFERENCES USSR-US			
ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			DEG C	M S
	DEG	C	NS	DEG	C	NS	DEG	C	NS		
93	-83	-1	17	999	999	999					
92	-82	-9	33	999	999	999					
91	-81	-15	47	999	999	999					
90	-81	-17	57	999	999	999					
89	-79	-17	64	999	999	999					
88	-77	-15	66	999	999	999					
87	-76	-12	63	999	999	999					
86	-76	-7	58	999	999	999					
85	-76	-2	51	999	999	999					
84	-76	4	42	999	999	999					
83	-78	10	33	999	999	999					
82	-77	15	24	999	999	999					
81	-76	20	15	999	999	999					
80	-77	24	6	999	999	999					
79	-78	26	-3	999	999	999					
78	-80	26	-11	-82	999	999	-2				
77	-80	24	-19	-81	999	999	-1				
76	-82	21	-25	-80	999	999	2				
75	-83	15	-31	-80	999	999	3				
74	-85	8	-35	-80	999	999	5				
73	-86	-1	-37	-81	999	999	5				
72	+85	-11	-37	-81	999	999	4				
71	-82	-20	-34	-80	999	999	2				
70	-82	-24	-26	-78	-20	-1	4	4	25		
69	-71	-22	-14	-76	-16	-6	-5	6	8		
68	-66	-12	-4	-73	-14	-11	-7	-2	-7		
67	-57	0	-2	-70	-12	-15	-13	-12	-13		
66	-51	9	-10	-65	-11	-18	-14	-20	-8		
65	-49	9	-24	-61	-11	-20	-12	-20	4		
64	-44	2	-38	-56	-11	-22	-12	-13	16		
63	-40	-9	-44	-51	-12	-23	-11	-3	21		
62	-35	-18	-42	-46	-13	-24	-11	5	18		
61	-30	-22	-36	-42	-14	-25	-12	8	11		
60	-26	-23	-31	-36	-14	-26	-12	9	5		

ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			DEG C	M S
	DEG	C	NS	DEG	C	NS	DEG	C	NS		
59	-20	-21	-28	-35	-13	-28	-15	8	0		
58	-14	-17	-26	-31	-11	-30	-17	6	-4		
57	-15	-13	-26	-28	-8	-34	-13	5	-8		
56	-17	-11	-27	-24	-4	-38	-7	7	-11		
55	-18	-10	-29	-21	-1	-40	-3	9	-11		
54	-16	-7	-29	-18	-1	-37	-2	6	-8		
53	-11	-1	-28	-16	-6	-27	-5	-5	1		
52	-4	4	-27	-14	-12	-14	-10	-16	13		
51	-1	5	-25	-13	-12	-9	-12	-17	16		
50	1	4	-22	-10	-4	-16	-11	-8	6		
49	-5	2	-21	-8	6	-25	-3	4	-4		
48	-2	1	-21	-7	13	-27	-5	12	-6		
47	-5	0	-23	-7	12	-21	-2	12	2		
46	-8	-2	-26	-7	2	-23	1	4	3		
45	-11	-5	-28	-7	-10	-33	4	-5	-5		
44	-8	-8	-29	-8	-9	-40	0	-1	-11		
43	-11	-8	-28	-13	-3	-36	-2	5	-8		
42	-17	-5	-26	-19	-13	-21	-2	-8	5		
41	-22	-1	-23	-21	0	-22	1	1	1		
40	-21	2	-17	-22	11	-19	-1	9	-2		
39	-17	3	-13	-23	-6	-4	-6	-9	9		
38	-19	2	-13	-23	7	-16	-4	5	-3		
37	-28	0	-16	-28	-5	-16	0	-5	0		
36	-33	-3	-21	-31	-3	-21	2	0	0		
35	-35	-2	-22	-33	-1	-25	2	1	-3		
34	999	999	999	-33	-3	-18					
33	999	999	999	-37	-7	-10					
32	999	999	999	-39	1	-13					
31	999	999	999	-40	-2	-10					
30	999	999	999	-42	3	-15					
29	999	999	999	-42	3	-26					


191



US - SPHERE AUG 19 1977 0524 GMT				USSR - STANDARD AUG 19 1977 0507 GMT				DIFFERENCES USSR-US				
ALT	TEMP	COMPONENT WINDS -1			TEMP	COMPONENT WINDS -1			TEMP	COMPONENT WINDS -1		
		DEG	C	M		DEG	C	M		DLG	C	M
		NS		EW		NS		EW		NS		EW
94	-80	23	-16		999	999	999					
93	-81	20	-22		999	999	999					
92	-81	13	-27		999	999	999					
91	-82	5	-30		999	999	999					
90	-85	-4	-32		999	999	999					
89	-85	-13	-32		999	999	999					
88	-85	-19	-30		999	999	999					
87	-84	-24	-28		999	999	999					
86	-81	-26	-26		999	999	999					
85	-78	-25	-23		999	999	999					
84	-77	-23	-20		999	999	999					
83	-77	-19	-18		999	999	999					
82	-77	-14	-15		999	999	999					
81	-79	-9	-12		999	999	999					
80	-82	-3	-9		999	999	999					
79	-84	3	-7		999	999	999					
78	-83	7	-5		999	999	999					
77	-80	11	-3		999	999	999					
76	-77	12	-3		-83	999	999	-6				
75	-71	12	-4		-81	999	999	-10				
74	-67	9	-6		-78	999	999	-11				
73	-64	3	-11		-77	999	999	-13				
72	-64	-5	-18		-75	999	999	-11				
71	-67	-15	-27		-74	999	999	-7				
70	-75	-25	-35		-73	999	999	2				
69	-73	-32	-41		-72	999	999	1				
68	-69	-33	-40		-70	999	999	-1				
67	-65	-27	-34		-68	999	999	-3				
66	-55	-17	-28		-65	999	999	-10				
65	-51	-9	-31		-62	-23	-31	-11 -14 0				
64	-50	-8	-41		-58	-24	-38	-8 -16 3				
63	-47	-12	-53		-54	-26	-44	-7 -14 9				
62	-43	-17	-60		-49	-28	-48	-6 -11 12				
61	-36	-17	-58		-44	-30	-51	-8 -13 7				

ALT	TEMP	COMPONENT WINDS -1			TEMP	COMPONENT WINDS -1			TEMP	COMPONENT WINDS -1		
		DEG	C	M		DEG	C	M		DEG	C	M
		NS		EW		NS		EW		NS		EW
60	-29	-16	-51		-39	-31	-51		-10	-15	0	
59	-24	-15	-44		-35	-31	-50		-11	-16	-6	
58	-24	-18	-39		-31	-30	-48		-7	-12	-9	
57	-20	-22	-36		-28	-27	-43		-8	-5	-7	
56	-17	-21	-34		-25	-22	-37		-8	-1	-3	
55	-14	-16	-33		-24	-16	-31		-10	0	2	
54	-12	-11	-33		-22	-9	-29		-10	2	4	
53	-9	-8	-32		-20	-2	-31		-11	6	1	
52	-10	-5	-32		-18	4	-36		-8	9	-4	
51	-8	-2	-33		-15	6	-39		-7	8	-6	
50	-5	-2	-34		-12	4	-38		-7	6	-4	
49	-2	-4	-33		-9	-3	-35		-7	1	-2	
48	-1	-7	-31		-8	-8	-33		-7	-1	-2	
47	-9	-8	-30		-8	-12	-27		1	-4	3	
46	-11	-5	-29		-10	-24	-18		1	-19	11	
45	-7	-3	-30		-13	-30	-20		-6	-27	10	
44	-8	-3	-31		-15	-15	-31		-7	-12	0	
43	-14	-5	-29		-16	3	-36		-2	8	-7	
42	-21	-5	-26		-18	0	-30		3	5	-4	
41	-24	-3	-24		-21	-3	-26		3	0	-2	
40	-29	-3	-22		-25	-4	-17		4	-1	5	
39	-27	-4	-19		-27	-5	-22		0	-1	-3	
38	-24	-3	-17		-27	-8	-15		-3	-5	2	
37	-31	0	-17		-28	1	-15		3	1	2	
36	-37	3	-18		-29	11	-17		8	8	1	
35	-37	5	-19		-30	12	-23		7	7	-4	
34	-33	3	-19		-33	-4	-20		0	-7	-1	
33	999	999	999		-36	-5	-15					
32	999	999	999		-41	-8	-12					
31	999	999	999		-42	-7	-13					
30	999	999	999		-43	2	-13					
29	999	999	999		-45	1	-19					

163



APPENDIX E


LISTINGS AND PLOTS OF USSR(PROSPECTIVE) AND US(SPHERE) DATA

Appendix E is similar to Appendixes C and D except the comparison is US Sphere technique with the USSR(prospective) technique.

US - SPHERE				USSR - PROSPECTIVE				DIFFERENCES				
AUG 12 1977 1111 GMT				AUG 12 1977 1105 GMT				USSR-US				
ALT	COMPONENT			COMPONENT			COMPONENT			COMPONENT		
	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1	TEMP	WINDS	-1
KM	DEG C	M S		DEG C	M S		DEG C	M S		DEG C	M S	
	NS	EW		NS	EW		NS	EW		NS	EW	
93	-90	13	2	999	999	999						
92	-95	10	5	999	999	999						
91	-100	8	8	999	999	999						
90	-104	4	10	999	999	999						
89	-106	1	12	999	999	999						
88	-107	-2	15	999	999	999						
87	-106	-5	18	999	999	999						
86	-105	-7	22	999	999	999						
85	-103	-9	26	999	999	999						
84	-100	-10	29	999	999	999						
83	-96	-10	32	999	999	999						
82	-93	-10	35	999	999	999						
81	-90	-9	35	999	999	999						
80	-87	-8	35	999	999	999						
79	-83	-6	32	999	999	999						
78	-79	-5	28	999	999	999						
77	-75	-3	23	999	999	999						
76	-72	-2	16	999	999	999						
75	-70	-1	9	999	999	999						
74	-70	0	1	-101	999	999	-31					
73	-70	1	-6	-93	999	999	-23					
72	-71	2	-12	-84	999	999	-13					
71	-73	2	-16	-76	999	999	-3					
70	-77	1	-17	-70	999	999	7					
69	-66	0	-17	-66	999	999	0					
68	-59	0	-15	-65	999	999	-6					
67	-46	0	-17	-66	999	999	-20					
66	-38	3	-23	-66	999	999	-28					
65	-37	7	-32	-66	999	999	-29					
64	-37	11	-41	-63	999	999	-26					
63	-39	13	-48	-59	999	999	-20					
62	-39	14	-50	-53	-11	-37	-14 -25 13					
61	-34	13	-49	-46	-6	-46	-12 -19 3					
60	-31	10	-46	-38	0	-52	-7 -10 -6					

ALT	COMPONENT			COMPONENT			COMPONENT			COMPONENT		
	TEMP	WINDS	-1									
KM	DEG C	M S										
	NS	EW		NS	EW		NS	EW		NS	EW	
59	-29	7	-42	-31	6	-56	-2	-1	-14			
58	-29	6	-37	-25	9	-54	4	3	-17			
57	-25	7	-35	-21	7	-49	4	0	-14			
56	-21	9	-36	-18	0	-42	3	-9	-6			
55	-13	8	-41	-16	-6	-37	-3	-14	4			
54	-10	4	-47	-14	-8	-37	-4	-12	10			
53	-6	-1	-50	-13	-6	-40	-7	-5	10			
52	-6	-6	-51	-12	-7	-43	-6	-1	8			
51	-2	-7	-48	-12	-9	-45	-10	-2	3			
50	-3	-3	-44	-13	-9	-46	-10	-6	-2			
49	-7	2	-42	-15	-7	-44	-8	-9	-2			
48	-10	6	-42	-15	-1	-40	-5	-7	2			
47	-14	6	-43	-15	5	-36	-1	-1	7			
46	-23	3	-42	-16	7	-34	7	4	8			
45	-34	-1	-38	-17	4	-35	17	5	3			
44	-40	-6	-33	-17	-3	-35	23	3	-2			
43	-46	-9	-31	-15	-8	-34	31	1	-3			
42	-49	-7	-31	-17	-8	-32	32	-1	-1			
41	-48	-3	-30	-20	-4	-29	28	-1	1			
40	-44	0	-28	-23	-2	-27	21	-2	1			
39	-44	-2	-23	-24	-6	-30	20	-4	-7			
38	999	999	999	-26	-11	-25						
37	999	999	999	-29	-1	-16						
36	999	999	999	-31	9	-17						
35	999	999	999	-30	5	-23						
34	999	999	999	-32	-1	-23						
33	999	999	999	-32	-1	-24						
32	999	999	999	-35	2	-26						
31	999	999	999	-36	-2	-27						
30	999	999	999	-45	-1	-18						
29	999	999	999	-49	-3	-19						
28	999	999	999	-45	-4	-15						
27	999	999	999	-43	-2	-11						
26	999	999	999	-43	-2	-11						


167



US - SPHERE AUG 15 1977 1942 GMT				USSR - PROSPECTIVE AUG 15 1977 1935 GMT				DIFFERENCES USSR-US				
ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TLMF	COMPONENT WINDS		DEG C	M S	NS EW
		DEG	C		DEG	C		DEG	C			
		NS	EW		NS	EW		NS	EW			
94	-81	-5	65	999	999	999						
93	-76	13	64	999	999	999						
92	-68	31	59	999	999	999						
91	-62	46	49	999	999	999						
90	-56	58	36	999	999	999						
89	-51	63	21	999	999	999						
88	-52	64	7	999	999	999						
87	-55	60	-6	999	999	999						
86	-60	53	-15	999	999	999						
85	-66	44	-21	999	999	999						
84	-73	35	-23	999	999	999						
83	-79	25	-22	999	999	999						
82	-83	17	-20	999	999	999						
81	-85	11	-16	999	999	999						
80	-87	6	-11	999	999	999						
79	-86	3	-5	999	999	999						
78	-83	2	-1	999	999	999						
77	-81	.4	2	999	999	999						
76	-79	7	4	999	999	999						
75	-77	11	2	999	999	999						
74	-76	16	-2	-89	999	999	-13					
73	-75	20	-9	-83	999	999	-8					
72	-73	21	-19	-79	999	999	-6					
71	-68	19	-29	-75	999	999	-7					
70	-65	13	-39	-72	999	999	-7					
69	-62	7	-45	-68	999	999	-6					
68	-56	5	-46	-64	999	999	-8					
67	-49	5	-44	-61	999	999	-12					
66	-46	7	-40	-57	999	999	-11					
65	-44	6	-37	-53	999	999	-9					
64	-41	4	-36	-50	7	-32	-9	3	4			
63	-40	3	-36	-47	9	-34	-7	6	2			
62	-37	4	-38	-44	9	-36	-7	5	2			
61	-36	5	-40	-40	8	-36	-4	3	4			


ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		DEG C	M S	NS EW
		DEG	C		DEG	C		DEG	C			
		NS	EW		NS	EW		NS	EW			
60	-33	0	-39	-36	6	-36	-3	6	3			
59	-28	-6	-37	-31	2	-37	-3	8	0			
58	-26	-9	-33	-25	-3	-37	1	6	-4			
57	-22	-5	-30	-20	-8	-38	2	-3	-8			
56	-17	4	-30	-17	-10	-39	0	-14	-9			
55	-16	11	-33	-17	-6	-41	-1	-17	-8			
54	-15	13	-37	-16	2	-44	-1	-11	-7			
53	-11	12	-39	-14	7	-46	-3	-5	-7			
52	-14	12	-38	-10	9	-44	4	-3	-6			
51	-8	13	-34	-10	9	-40	-2	-4	-6			
50	-4	15	-33	-13	8	-35	-9	-7	-2			
49	-1	15	-34	-11	8	-36	-10	-7	-2			
48	3	14	-36	-7	9	-44	-10	-5	-8			
47	6	12	-38	-7	8	-48	-13	-4	-10			
46	4	7	-38	-6	6	-42	-10	-1	-4			
45	3	1	-36	-7	3	-33	-10	2	3			
44	0	-3	-32	-6	0	-29	-6	3	3			
43	-9	-2	-27	-18	1	-27	-9	3	0			
42	-17	2	-22	-25	7	-23	-8	5	-1			
41	-20	5	-17	-24	11	-20	-4	6	-3			
40	-25	7	-16	-24	10	-18	1	3	-2			
39	-24	5	-17	-25	10	-19	-1	5	-2			
38	-20	4	-18	-27	6	-23	-7	2	-5			
37	-22	2	-18	-28	3	-25	-6	1	-7			
36	-32	0	-17	-29	0	-21	3	0	-4			
35	-34	-1	-15	-34	-5	-20	0	-4	-5			
34	-44	1	-14	-35	-1	-14	9	-2	0			
33	-33	4	-14	-37	1	-7	-4	-3	7			
32	-21	5	-15	-37	3	-14	-16	-2	1			
31	-22	2	-16	-40	-1	-18	-18	-3	-2			
30	-33	1	-17	-44	-3	-16	-11	-4	1			
29	999	999	999	-46	-8	-22						
28	999	999	999	-45	1	-18						
27	999	999	999	-48	1	-12						

169



US - SPHERE AUG 16 1977 0123 GMT				USSR - PROSPECTIVE AUG 16 1977 0105 GMT				DIFFERENCES USSR-US											
ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS			ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	TEMP	DEG C	M S	TEMP	DEG C	M S	TEMP	DEG C	M S		TEMP	DEG C	M S	TEMP	DEG C	M S	TEMP	DEG C	M S
-93	-87	-71	51	999	999	999	-23	-19	-4	-38	-15	-17	1	-3	-30	-4	1	8	
92	-85	-65	63	999	999	999	58	-18	-3	-40	-8	1	-38	-3	-35	3	6	5	
91	-82	-57	74	999	999	999	57	-17	1	-38	-8	9	-40	9	8	-2			
90	-78	-47	81	999	999	999	56	-12	8	-36	-4	12	-43	8	4	-7			
89	-74	-35	85	999	999	999	55	-5	15	-35	-4	12	-42	1	-3	-7			
88	-72	-22	84	999	999	999	54	-2	15	-35	-6	7	-36	-8	-8	-1			
87	-72	-11	79	999	999	999	53	2	8	-35	-6	0	-33	-8	-8	2			
86	-72	0	72	999	999	999	52	8	-4	-36	-3	-2	-35	-11	2	1			
85	-73	8	64	999	999	999	51	8	-13	-37	1	-1	-40	-7	12	-3			
84	-76	12	55	999	999	999	50	2	-17	-36	3	0	-41	1	17	-5			
83	-80	14	46	999	999	999	49	-2	-15	-34	0	-1	-39	2	14	-5			
82	-82	14	38	999	999	999	48	-9	-11	-29	-3	-2	-35	6	9	-6			
81	-84	11	31	999	999	999	47	-11	-7	-24	-5	-5	-30	6	2	-6			
80	-86	7	25	999	999	999	46	-11	-2	-19	-7	-9	-25	4	-7	-6			
79	-85	1	20	999	999	999	45	-8	4	-16	-9	-8	-23	-1	-12	-7			
78	-83	-5	16	999	999	999	44	-8	5	-23	-8	0	-24	0	-5	-1			
77	-80	-11	13	999	999	999	43	999	999	999	-9	4	-29						
76	-78	-16	11	999	999	999	42	999	999	999	-16	-2	-31						
75	-77	-19	10	999	999	999	41	999	999	999	-19	-5	-28						
74	-75	-19	8	999	999	999	40	999	999	999	-17	-7	-25						
73	-74	-17	6	999	999	999	39	999	999	999	-20	-6	-22						
72	-72	-12	1	999	999	999	38	999	999	999	-20	-3	-20						
71	-69	-5	-5	999	999	999	37	999	999	999	-23	-2	-20						
70	-68	0	-13	999	999	999	36	999	999	999	-28	2	-24						
69	-62	0	-22	999	999	999	35	999	999	999	-32	3	-27						
68	-58	-5	-31	999	999	999	34	999	999	999	-34	-2	-24						
67	-55	-11	-36	999	999	999	33	999	999	999	-36	-10	-16						
66	-51	-15	-37	999	-26	-9	32	999	999	999	-36	-4	-11						
65	-50	-15	-34	-60	-24	-13	31	999	999	999	-36	1	-17						
64	-46	-13	-27	-52	-23	-13	30	999	999	999	-37	-3	-17						
63	-36	-11	-21	-45	-21	-16	29	999	999	999	-40	-2	-12						
62	-31	-9	-20	-40	-18	-19	28	999	999	999	-42	4	-13						
61	-28	-7	-25	-35	-13	-23	27	999	999	999	-43	-2	-16						
60	-23	-5	-33	-30	-9	-26	26	999	999	999	-47	-3	-13						


ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS			ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	TEMP	DEG C	M S	TEMP	DEG C	M S	TEMP	DEG C	M S		TEMP	DEG C	M S	TEMP	DEG C	M S	TEMP	DEG C	M S
59	-19	-4	-38	-23	-3	-30	-4	1	8										
58	-18	-3	-40	-15	3	-35	3	6	5										
57	-17	1	-38	-8	9	-40	9	8	-2										
56	-12	8	-36	-4	12	-43	8	4	-7										
55	-5	15	-35	-4	12	-42	1	-3	-7										
54	-2	15	-35	-6	7	-36	-8	-8	-1										
53	2	8	-35	-6	0	-33	-8	-8	-8										
52	8	-4	-36	-3	-2	-35	-11	2	1										
51	8	-13	-37	1	-1	-40	-7	12	-3										
50	2	-17	-36	3	0	-41	1	17	-5										
49	-2	-15	-34	0	-1	-39	2	14	-5										
48	-9	-11	-29	-3	-2	-35	6	9	-6										
47	-11	-7	-24	-5	-5	-30	6	2	-6										
46	-11	-2	-19	-7	-9	-25	4	-7	-6										
45	-8	4	-16	-9	-8	-23	-1	-12	-7										
44	-8	5	-23	-8	0	-24	0	-5	-1										
43	999	999	999	-9	4	-29													
42	999	999	999	-16	-2	-31													
41	999	999	999	-19	-5	-28													
40	999	999	999	-17	-7	-25													
39	999	999	999	-20	-6	-22													
38	999	999	999	-20	-3	-20													
37	999	999	999	-23	-2	-20													
36	999	999	999	-28	2	-24													
35	999	999	999	-32	3	-27													
34	999	999	999	-34	-2	-24													
33	999	999	999	-36	-10	-16													
32	999	999	999	-36	-4	-11													
31	999	999	999	-36	1	-17													
30	999	999	999	-37	-3	-17													
29	999	999	999	-40	-2	-12													
28	999	999	999	-42	4	-13													
27	999	999	999	-43	-2	-16													
26	999	999	999	-47	-3	-13													



US - SPHERE AUG 16 1977 2032 GMT				USSR - PROSPECTIVE AUG 16 1977 2029 GMT				DIFFERENCES USSR-US													
ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			ALT	COMPONENT TEMP WINDS -1			
	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW		DEG C	M S	NS EW	DEG C	M S	NS EW		DEG C	M S	NS EW	
94	-86	9	-22	999	999	999				60	-38	3	-31	999	4	-24	1	7			
93	-83	8	-18	999	999	999				59	-33	13	-38	999	2	-26	-11	12			
92	-81	7	-13	999	999	999				58	-32	14	-42	999	1	-28	-13	14			
91	-81	7	-6	999	999	999				57	-22	11	-43	999	0	-30	-11	13			
90	-85	8	2	999	999	999				56	-15	8	-40	999	-1	-33	-9	7			
89	-88	9	9	999	999	999				55	-9	7	-37	999	-2	-36	-9	1			
88	-91	11	15	999	999	999				54	-3	5	-35	-9	-3	-37	-6	-8	-2		
87	-94	15	19	999	999	999				53	3	3	-33	-4	-4	-35	-7	-7	-2		
86	-96	18	22	999	999	999				52	1	0	-32	-5	-4	-34	-6	-4	-2		
85	-96	20	23	999	999	999				51	-1	-2	-31	-9	-3	-34	-8	-1	-3		
84	-93	21	22	999	999	999				50	-3	-1	-31	-10	-2	-35	-7	-1	-4		
83	-90	20	20	999	999	999				49	-4	1	-31	-8	1	-38	-4	0	-7		
82	-86	18	16	999	999	999				48	-6	3	-31	-9	3	-39	-3	0	-8		
81	-81	14	12	999	999	999				47	-3	3	-31	-13	5	-37	-10	2	-6		
80	-78	10	8	999	999	999				46	-6	4	-31	-14	7	-33	-8	3	-2		
79	-75	5	4	999	999	999				45	-8	5	-32	-10	7	-32	-2	2	0		
78	-72	0	0	999	999	999				44	-5	5	-32	-9	6	-33	-4	1	-1		
77	-71	-4	-4	999	999	999				43	0	5	-30	-10	4	-32	-10	-1	-2		
76	-71	-8	-7	999	999	999				42	-3	4	-26	-12	2	-28	-9	-2	-2		
75	-72	-10	-10	999	999	999				41	-8	4	-21	-13	2	-22	-5	-2	-1		
74	-72	-10	-13	999	999	999				40	-15	3	-18	-16	4	-20	-1	1	-2		
73	-70	-8	-15	999	999	999				39	-26	4	-18	-28	3	-21	-2	-1	-3		
72	-67	-2	-18	999	999	999				38	-36	4	-20	-28	4	-22	8	0	-2		
71	-64	7	-21	999	999	999				37	-39	2	-21	-28	3	-25	11	1	-4		
70	-65	17	-27	999	999	999				36	-30	-2	-19	-28	-5	-23	2	-3	-4		
69	-59	23	-33	999	999	999				35	-26	-4	-15	-31	-10	-17	-5	-6	-2		
68	-55	22	-38	999	999	999				34	-23	-4	-14	-32	-7	-13	-9	-3	1		
67	-48	12	-40	999	999	999				33	-33	-2	-13	-33	-2	-12	0	0	1		
66	-41	-3	-39	999	999	999				32	-34	3	-14	-34	2	-15	0	-1	-1		
65	-39	-17	-35	999	999	999				31	-40	8	-16	-33	6	-18	7	-2	-2		
64	-42	-27	-30	999	6	-16		33	14		30	-53	7	-17	-37	5	-22	16	-2	-5	
63	-46	-29	-26	999	6	-19		35	7		29	999	999	999	-40	-7	-14				
62	-48	-23	-24	999	6	-20		29	4		28	999	999	999	-40	0	-16				
61	-44	-11	-25	999	5	-22		16	3		27	999	999	999	-41	0	-15				

ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			ALT	COMPONENT TEMP WINDS -1			COMPONENT TEMP WINDS -1			ALT	COMPONENT TEMP WINDS -1		
	DEG C	M S	NS EW	DEG C	M S	NS EW	DEG C	M S	NS EW		DEG C	M S	NS EW	DEG C	M S	NS EW		DEG C	M S	NS EW
60	-38	3	-31	999	4	-24				61	1	7								
59	-33	13	-38	999	2	-26				58	-11	12								
58	-32	14	-42	999	1	-28				57	-13	14								
57	-22	11	-43	999	0	-30				56	-11	13								
56	-15	8	-40	999	-1	-33				55	-9	1								
55	-9	7	-37	999	-2	-36				54	-8	-2								
54	-3	5	-35	-9	-3	-37				53	-7	-2								
53	3	3	-33	-4	-4	-35				52	-7	-2								
52	1	0	-32	-5	-4	-34				51	-4	-1								
51	-1	-2	-31	-9	-3	-34				50	-1	-1								
50	-3	-1	-31	-10	-2	-35				49	-1	-1								
49	-4	1	-31	-8	1	-38				48	-1	-1								
48	-6	3	-31	-9	3	-39				47	-1	-1								
47	-3	3	-31	-13	5	-37				46	-2	-2								
46	-6	4	-31	-14	7	-33				45	-2	-2								
45	-8	5	-32	-10	7	-32				44	-1	-1								
44	-5	5	-32	-9	6	-33				43	-1	-1								
43	0	5	-30	-10	4	-32				42	-1	-1								
42	-3	4	-26	-12	2	-28				41	-1	-1								
41	-8	4	-21	-13	2	-22				40	-1	-1								
40	-15	3	-18	-16	4	-20				39	-1	-1								
39	-26	4	-18	-28	3	-21				38	-1	-1								
38	-36	4	-20	-28	4	-22				37	-1	-1								
37	-39	2	-21	-28	3	-25				36	-1	-1								
36	-30	-2	-19	-28	-5	-23				35	-1	-1								
35	-26	-4	-15	-31	-10	-17				34	-1	-1								
34	-23	-4	-14	-32	-7	-13				33	-1	-1								
33	-33	-2	-13	-33	-2	-12				32	-1	-1								
32	-34	3	-14	-34	2	-15				31	-1	-1								
31	-40	8	-16	-33	6	-18				30	-1	-1								
30	-53	7	-17	-37	5	-22				29	-1	-1								
29	999	999	999	-40	-7	-14				28	-1	-1								
28	999	999	999	-40	0	-16				27	-1	-1								


173



US - SPHERE AUG 19 1977 0125 GMT				USSR - PROSPECTIVE AUG 19 1977 0120 GMT				DIFFERENCES USSR-US			
ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS
		-1			-1			-1			-1
KM	DEG C	NS	MS	DEG C	NS	MS	DEG C	NS	MS	DEG C	NS
			EW			EW			EW		EW
93	-83	-1	17	999	999	999	999	999	999	999	999
92	-82	-9	33	999	999	999	999	999	999	999	999
91	-81	-15	47	999	999	999	999	999	999	999	999
90	-81	-17	57	999	999	999	999	999	999	999	999
89	-79	-17	64	999	999	999	999	999	999	999	999
88	-77	-15	66	999	999	999	999	999	999	999	999
87	-76	-12	63	999	999	999	999	999	999	999	999
86	-76	-7	58	999	999	999	999	999	999	999	999
85	-76	-2	51	999	999	999	999	999	999	999	999
84	-76	4	42	999	999	999	999	999	999	999	999
83	-78	10	33	999	999	999	999	999	999	999	999
82	-77	15	24	999	999	999	999	999	999	999	999
81	-76	20	15	999	999	999	999	999	999	999	999
80	-77	24	6	999	999	999	999	999	999	999	999
79	-78	26	-3	999	999	999	999	999	999	999	999
78	-80	26	-11	-88	999	999	999	999	999	999	-8
77	-80	24	-19	-88	999	999	999	999	999	999	-8
76	-82	21	-25	-88	999	999	999	999	999	999	-6
75	-83	15	-31	-87	999	999	999	999	999	999	-4
74	-85	8	-35	-86	999	999	999	999	999	999	-1
73	-86	-1	-37	-84	999	999	999	999	999	999	2
72	-85	-11	-37	-82	999	999	999	999	999	999	3
71	-82	-20	-34	-81	999	999	999	999	999	999	1
70	-82	-24	-26	-79	-28	7	3	-4	-4	-4	33
69	-71	-22	-14	-78	-26	5	-7	-4	-4	-4	19
68	-66	-12	-4	-75	-24	2	-9	-12	-12	-12	6
67	-57	0	-2	-72	-22	-1	-15	-22	-22	-22	1
66	-51	9	-10	-68	-20	-6	-17	-29	-29	-29	4
65	-49	9	-24	-62	-17	-10	-13	-26	-26	-26	14
64	-44	2	-38	-56	-15	-15	-12	-17	-17	-17	23
63	-40	-9	-44	-50	-13	-20	-10	-4	-4	-4	24
62	-35	-18	-42	-44	-12	-24	-9	6	6	6	18
61	-30	-22	-36	-39	-12	-27	-9	10	10	10	9
60	-26	-23	-31	-36	-12	-29	-10	11	11	11	2

ALT	COMPONENT WINDS			COMPONENT WINDS			COMPONENT WINDS		
	TEMP	DEG	C	TEMP	DEG	C	TEMP	DEG	C
KM		M	S		M	S		M	S
		NS	EW		NS	EW		NS	EW
59	-20	-21	-28	-35	-13	-29	-15	8	-1
58	-14	-17	-26	-34	-13	-29	-20	4	-3
57	-15	-13	-26	-33	-12	-30	-18	1	-4
56	-17	-11	-27	-30	-9	-33	-13	2	-6
55	-18	-10	-29	-25	-6	-34	-7	4	-5
54	-16	-7	-29	-19	-4	-34	-3	3	-5
53	-11	-1	-28	-15	-3	-31	-4	-2	-3
52	-4	4	-27	-16	-5	-24	-12	-9	3
51	-1	5	-25	-16	-6	-17	-15	-11	8
50	1	4	-22	-12	-4	-16	-13	-8	6
49	-5	2	-21	-7	2	-19	-2	0	2
48	-2	1	-21	-6	8	-24	-4	7	-3
47	-5	0	-23	-10	10	-25	-5	10	-2
46	-8	-2	-26	-10	4	-25	-2	6	1
45	-11	-5	-28	-6	-5	-31	5	0	-3
44	-8	-8	-29	-8	-10	-37	0	-2	-8
43	-11	-8	-28	-12	-7	-36	-1	1	-8
42	-17	-5	-26	-22	-6	-27	-5	-1	-1
41	-22	-1	-23	-24	-1	-21	-2	0	2
40	-21	2	-17	-22	5	-16	-1	3	1
39	-17	3	-13	-24	2	-10	-7	-1	3
38	-19	2	-13	-24	1	-12	-5	-1	1
37	-28	0	-16	-29	-1	-17	-1	-1	-1
36	-33	-3	-21	-31	-4	-21	2	-1	0
35	-35	-2	-22	-33	-2	-24	2	0	-2
34	999	999	999	-33	-2	-18			
33	999	999	999	-37	-6	-11			
32	999	999	999	-40	1	-15			
31	999	999	999	-40	-1	-9			
30	999	999	999	-44	3	-16			
29	999	999	999	-44	1	-17			
28	999	999	999	-44	0	-12			
27	999	999	999	-46	0	-9			
26	999	999	999	-48	-7	-15			


175



US - SPHERE				USSR - PROSPECTIVE				DIFFERENCES				
AUG 19 1977				AUG 19 1977				USSR-US				
ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS	
		DEG	C	M	S	-1		DEG	C	M	S	-1
KM		NS		EW			DLG	C	M	S	EW	
94	-80	23	-16	999	999	999						
93	-81	20	-22	999	999	999						
92	-81	13	-27	999	999	999						
91	-82	5	-30	999	999	999						
90	-85	-4	-32	999	999	999						
89	-85	-13	-32	999	999	999						
88	-85	-19	-30	999	999	999						
87	-84	-24	-28	999	999	999						
86	-81	-26	-26	999	999	999						
85	-78	-25	-23	999	999	999						
84	-77	-23	-20	999	999	999						
83	-77	-19	-18	999	999	999						
82	-77	-14	-15	999	999	999						
81	-79	-9	-12	999	999	999						
80	-82	-3	-9	999	999	999						
79	-84	3	-7	999	999	999						
78	-83	7	-5	999	999	999						
77	-80	11	-3	999	999	999						
76	-77	12	-3	-94	999	999	-17					
75	-71	12	-4	-89	999	999	-18					
74	-67	9	-6	-82	999	999	-15					
73	-64	3	-11	-76	999	999	-12					
72	-64	-5	-18	-71	999	999	-7					
71	-67	-15	-27	-67	999	999	0					
70	-75	-25	-35	-66	999	999	9					
69	-73	-32	-41	-66	999	999	7					
68	-69	-33	-40	-67	999	999	2					
67	-65	-27	-34	-67	999	999	-2					
66	-55	-17	-28	-67	999	999	-12					
65	-51	-9	-31	-65	-27	-20	-14 -18 11					
64	-50	-8	-41	-62	-27	-28	-12 -19 13					
63	-47	-12	-53	-58	-27	-35	-11 -15 18					
62	-43	-17	-60	-53	-26	-41	-10 -11 19					
61	-36	-17	-58	-47	-29	-45	-11 -12 13					

ALT	TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		TEMP	COMPONENT WINDS		
		DEG	C	M	S	-1		DEG	C	M	S	DEG	C
KM		NS		EW			DLG	C	M	S	EW		
60	-29	-16	-51				-42	-31	-50			-13	-15 1
59	-24	-15	-44				-37	-32	-53			-13	-17 -9
58	-24	-18	-39				-32	-33	-54			-8	-15 -15
57	-20	-22	-36				-28	-31	-53			-8	-9 -17
56	-17	-21	-34				-25	-27	-48			-8	-6 -14
55	-14	-16	-33				-24	-19	-39			-10	-3 -6
54	-12	-11	-33				-24	-10	-31			-12	1 2
53	-9	-8	-32				-24	-4	-32			-15	4 0
52	-10	-5	-32				-20	1	-33			-10	6 -1
51	-8	-2	-33				-15	4	-36			-7	6 -3
50	-5	-2	-34				-11	3	-37			-6	5 -3
49	-2	-4	-33				-9	-1	-36			-7	3 -3
48	-1	-7	-31				-8	-7	-32			-7	0 -1
47	-9	-8	-30				-7	-14	-27			2	-6 3
46	-11	-5	-29				-9	-20	-22			2	-15 7
45	-7	-3	-30				-14	-23	-22			-7	-20 8
44	-8	-3	-31				-18	-17	-27			-10	-14 4
43	-14	-5	-29				-16	-3	-34			-2	2 -5
42	-21	-5	-26				-19	1	-31			2	6 -5
41	-24	-3	-24				-21	-1	-25			3	2 -1
40	-29	-3	-22				-26	-4	-20			3	-1 2
39	-27	-4	-19				-28	-5	-19			-1	-1 0
38	-24	-3	-17				-28	-6	-17			-4	-3 0
37	-31	0	-17				-28	0	-15			3	0 2
36	-37	3	-18				-29	10	-17			8	7 1
35	-37	5	-19				-30	11	-22			7	6 -3
34	-33	3	-19				-34	-2	-21			-1	-5 -2
33	999	999	999				-36	-6	-15				
32	999	999	999				-41	-8	-12				
31	999	999	999				-43	-7	-13				
30	999	999	999				-43	2	-12				
29	999	999	999				-46	-1	-20				
28	999	999	999				-45	1	-12				
27	999	999	999				-44	1	-10				

771



APPENDIX F

LISTINGS OF US RADIOSONDE (NWS TYPE J005) AND USSR RADIOSONDE (TYPE RKZ) DATA

During the intercomparison exercise at Wallops Island, Va., it was recognized that much of the rocketsonde data makes use of a radiosonde profile, either, for tie-on at some initial level for computation of pressure at rocketsonde altitudes, or to provide a continuous profile from the surface to the top of the rocket data. Differences in rocketsonde temperature and geopotential heights at fixed pressure surfaces when compared to other rocketsonde measurements can be attributed to lack of suitable tie-on information. In order to provide data suitable for such an analysis, radiosondes of the US and USSR were launched on a single balloon and tracked by the ground equipment of both participants. Although analysis of the measurements still remain to be accomplished, this was, to our knowledge, the first time US and USSR instruments were used to measure the exact same volume of the atmosphere. The radiosonde instrument used during this test was the typical US National Weather Service device (J005) and the radiosonde used aboard the USSR Research Vessel Akademik Korolev was the RKZ instrument.

ТАБ-2		37 45 С 75 27 З			M	ШИР	N	P	T	G	U	D	V	D	W			
ТАБЛИЦА РЕЗУЛЬТАТОВ ЗОНДИРОВАНИЯ																		
СТАЦИЯ НИС АКД. КОРОЛЕВ ТИП Р/З РКЗ-2 Н ВЫПУСКА 73																		
ДАТА 24/08/77 ВРЕМЯ НАБЛ. 12,0 GMT. 06,9 МЕСТН.																		
Ч/К : ОСЛАЧНОСТЬ И АТМОСФЕРН. ЯВЛЕНИЯ: ВЫСОТА Н/Д ПЗ.																		
16/04 СТ АС 10,1 КМ 0,2 К1 0,5 КМ																		
КОДЫЧ: ФОРМА:		ВЫСОТА			Д		У	Д	У	Д	У							
05:НХ:1:2:34:5:Г:Ф: ЧМ : ПЗ																		
06:04:1:1:01:0:0:0:1: :																		
216: 10 234: 10																		
5.0 НГ																		
5.0 ОПМТ																		
5.0 ВГ																		
Н: ШИР		Н : Р : Т : Г			0 : Д : У		0	Д	У	0	Н							
3.1 НГ		0,01: 1013: 22,3			91: 200: 00													
3.1 ВГ		0,13: 1000: 21,9			91: 215: 10													
3.2 НГ		0,20: 992: 21,6			90: 219: 10													
3.2 ВГ		0,24: 986: 21,5			90: 224: 10													
3.3 НГ		0,31: 979: 21,5			90: 224: 10													
3.3 ВГ		0,49: 959: 21,7			79: 236: 10													
3.4 НГ		0,50: 958: 21,6			79: 235: 10													
3.4 ВГ		0,61: 946: 21,3			77: 237: 11													
3.5 НГ		0,69: 913: 20,5			74: 232: 14													
3.5 ВГ		1,00: 904: 20,3			73: 233: 14													
3.6 НГ		1,04: 900: 20,2			72: 234: 15													
3.6 ВГ		1,20: 884: 19,9			70: 231: 15													
3.7 НГ		1,50: 853: 17,0			67: 229: 16													
3.7 ВГ		1,53: 850: 16,9			66: 229: 16													
3.8 НГ		1,59: 844: 16,3			66: 229: 16													
3.8 ВГ		2,00: 804: 13,0			66: 228: 15													
3.9 НГ		2,04: 800: 12,6			74: 227: 15													
3.9 ВГ		3,00: 713: 5,9			89: 232: 10													
3.10 НГ		3,15: 700: 4,8			91: 234: 10													
3.10 ВГ		3,42: 677: 2,6			94: 237: 21													
3.11 НГ		3,91: 637: 0,0			97: 238: 21													
3.11 ЧГ		4,00: 630: -0,5			98: 239: 21													
3.12 ЧГ		4,15: 618: -1,4			98: 239: 21													
3.13 НГ		4,33: 604: -1,3			99: 240: 20													
3.13 ВГ		4,39: 600: -1,3			98: 240: 20													
3.14 НГ		5,00: 556: -5,5			89: 238: 10													
3.14 ВГ		5,82: 500: -10,0			92: 230: 10													
3.15 НГ		6,00: 488: -11,0			91: 227: 18													
3.15 ВГ		7,00: 428: -16,6			79: 238: 15													
3.16 НГ		7,51: 400: -19,3			71: 234: 14													
3.16 ВГ		7,55: 398: -19,5			72: 234: 15													
3.17 НГ		8,00: 374: -22,6			76: 236: 13													
3.17 ВГ		8,49: 350: -29,7			79: 246: 10													
3.18 НГ		8,94: 329: -30,0			65: 244: 10													
3.18 ВГ		9,00: 326: -30,5			65: 244: 10													
3.19 НГ		9,58: 300: -36,0			68: 245: 21													
3.19 ВГ		9,62: 298: -36,4			68: 245: 22													
3.20 НГ		10,00: 282: -38,2			72: 249: 23													
3.20 ВГ		10,14: 277: -39,0			72: 246: 24													
3.21 НГ		10,83: 250: -44,5			71: 249: 24													
3.21 ВГ		11,00: 244: -44,9			71: 250: 24													
3.22 НГ		12,00: 209: -53,7			70: 252: 27													
3.22 ВГ		12,28: 200: -55,8			70: 252: 27													
3.23 НГ		12,56: 192: -57,0			70: 252: 26													
3.23 ВГ		13,00: 178: -60,4			68: 251: 25													

ТАЗ-3

37 45 С 75 27 3

ТАБЛИЦА РЕЗУЛЬТАТОВ ЗОНДИРОВАНИЯ

СТАНЦИЯ НИС АКАД. КОРОЛЕВ ТИП Р/З РКЗ-2 Н ВИЧУСКА 74

ДАТА 24/08-77

ВРЕМЯ НАБЛ. 14,9 ЧМТ. 00,9 МЕСН.

М:К : ОСЛАЧНОСТЬ И АТМОСФЕРНЫЕ ПАРАМЕТРЫ: ВЫСОТА НИД ПО.

10/10 NS, FRNB 10.1 КМ 10.2 КМ 0.5 КМ

КОЛИЧ. ФОРМА : ВЫСОТА Д У Д У 5.0 ВГ

ОСНОВН: 1:213:4:5; Г:Ф: УН : ПЗ

1:11:10:0:0:10:0:0:6:10:0: 1:212: 14:221: 15:236: 16

М: ИНФР Н : Р : Т : Г : У : А : В : Д : В

3.4 НГ 0.01 1013 21.8 92.220 11 1.4

3.4 НГ 0.12 1000 21.5 94.213 14 1.6

3.4 НГ 0.20 991 21.4 95.220 15

3.4 НГ 0.31 979 21.1 94.230 15

3.4 НГ 0.50 958 20.5 0.23 88.2336 15

3.4 НГ 0.61 945 20.5 0.23 88.2339 15

3.4 НГ 0.91 913 19.6 84.2334 15

3.4 НГ 1.00 904 19.2 0.30 80.2334 15

3.4 НГ 1.02 901 19.1 79.2335 15 3.7

3.4 НГ 1.04 900 19.3 79.2335 15 3.7

3.4 НГ 1.22 881 18.2 0.44 82.238 15 3.2

3.4 НГ 1.53 853 15.0 0.62 85.231 15

3.4 НГ 1.53 850 15.8 85.231 15 2.4

3.4 НГ 2.00 804 12.1 0.77 92.229 15

3.4 НГ 2.04 800 11.9 92.230 15 1.2

3.4 НГ 2.66 742 7.5 0.55 90.233 15 1.6 216

3.4 НГ 3.00 712 7.7 0.55 92.235 15

3.4 НГ 3.14 700 4.9 94.235 15 0.9

3.4 НГ 3.97 632 0.0 94.252 15 0.9

3.4 НГ 4.00 530 0.42 94.252 15 0.9

3.4 НГ 4.08 523 0.6 0.58 95.250 15 0.7

3.4 НГ 4.26 610 2.4 97.247 15 0.4

3.4 НГ 4.33 604 0.4 -0.0 97.249 15 0.5

3.4 НГ 4.39 600 0.8 96.246 15 0.5

3.4 НГ 5.00 556 4.9 95.242 14 233

3.4 НГ 5.13 546 5.7 0.66 94.242 14 0.8

3.4 НГ 5.82 500 8.3 92.247 14 1.1

3.4 НГ 6.00 488 8.0 0.36 92.247 14

3.4 НГ 6.32 457 11.0 0.52 92.247 15 1.0

3.4 НГ 7.00 429 14.0 0.62 92.248 15 248

3.4 НГ 8.00 375 21.1 0.65 98.243 15 1.2

3.4 НГ 8.51 350 24.0 0.65 96.240 21 1.6

3.4 НГ 9.00 327 -27.5 0.64 84.239 23

3.4 НГ 9.43 308 -30.2 0.63 82.235 23 2.0

3.4 НГ 9.62 300 -31.8 81.236 23 2.1

3.4 НГ 10.00 284 -34.6 0.78 79.237 22 2.6

3.4 НГ 10.73 256 -39.3 0.64 75.240 24 2.6

3.4 НГ 10.88 250 -40.9 75.240 25 2.6

3.4 НГ 11.00 246 -42.2 1.07 75.240 25

3.4 НГ 12.00 211 -52.4 1.02 73.240 25

3.4 НГ 12.35 200 -55.6 72.240 25 2.5

3.4 НГ 12.62 192 -58.1 0.91 72.240 25 2.5

3.4 НГ 12.97 181 -58.1 0.01 71.240 25 2.6

3.4 НГ 13.00 180 -58.2 71.240 25 2.6

M:	ИНФР	H	R	T	G	U	A	V	D	W
3.4 НГ		13.49	167	-59.5	0.26	70	242	27	2.7	
5.0 НГ		14.00	154	-63.5		70	234	22		
5.0 НГ		14.06	152	-63.9	0.79	70	238	22	2.6	
5.0 НГ		14.15	158	-63.5		69	238	21	2.6	
5.0 ПМТ		15.06	151	-51.7		69	240	19		
5.0 ВГ		15.07	120	-51.6	-0.23	69	240	19	2.8	
5.0 ВГ		15.61	119	-44.3	0.50	68	245	19	2.7	276
5.0 ВГ		16.00	111	-53.2	-0.28	68	253	17		
5.0 ВГ		16.64	106	-51.5		68	269	12	2.9	
5.0 ВГ		16.86	96.6	-51.5	-0.20	67	270	11	2.9	
5.0 ВГ		17.00	94.4	-50		67	262	11		
5.0 ВГ		17.27	90.4	-58.0	-0.87	67	246	11	3.1	
5.0 ВГ		19.00	80.5	-57.6	-0.06	65	208	11		288
5.0 ВГ		19.89	70.2	-56.0		66	201	05	3.3	
5.0 ВГ		19.00	68.9	-55.5	-0.20	66	200	05		
5.0 ВГ		19.32	65.5	-53.3	-0.70	65	194	04	3.4	
5.0 ВГ		20.00	58.0	-54.3	0.15	64	164	05		
5.0 ВГ		20.89	51.3	-53.8	-0.06	63	133	06	3.7	
5.0 ВГ		21.00	50.4	-53.3		63	130	06		
5.0 ВГ		21.35	50.1	-51.2		63	129	06	3.8	
5.0 ВГ		22.06	43.2	-51.0	-0.17	61	108	04		336
5.0 ВГ		22.85	37.8	-49.7	-0.26	59	099	04	4.3	
5.0 ВГ		23.00	37.7	-50.6		60	098	04		
5.0 ВГ		24.08	31.7	-51.1	0.11	60	092	04		
5.0 ВГ		24.09	31.7	-51.1	0.11	60	091	04		
5.0 ВГ		25.00	27.2	-46.6		59	093	06		
5.0 ВГ		25.11	26.8	-47.6	-0.33	59	094	07		
5.0 ВГ		26.00	23.4	-47.9	0.03	59	095	07		
5.0 ВГ		27.00	20.1	-47.8	-0.01	59	098	10		490
5.0 ВГ		27.04	20.0	-47.7		59	098	11		
5.0 ВГ		28.00	17.7	-46.5	-0.14	100	11			
5.0 ВГ		29.32	16.5	-46.5	-0.00					
5.0 ВГ		29.93	15.0	-43.3	-0.50					489

7.13-3

37 45 С 75 27 З

ТАБЛИЦА РЕЗУЛЬТАТОВ ЗОНДИРОВАНИЯ

СТАНЦИЯ НИС АКАД. КОРОЛЕВ ТИП Р/З РКЗ-2 Н ВЫСУСКА 75

ДАТА 24/08-77

ВРЕМЯ НАБЛ. 23,2 ГМТ. 10,2 МЕСТН.

М:К : ОБЛАЧНОСТЬ И АТМОСФЕРН. ЯВЛЕНИЯ: ВЫСОТА Н.Д. ПЗ.

10/00 АС 10,1 КМ 10,2 КМ 10,5 КМ

КОЛИЧ. ФОРМА ВЫСОТА Д У Д У Д У

ОБ:НЖ:1:2:3:4:5:Г:Ф: УМ : ПЗ

10:00:0:1:0:0:0:0:0:1 332 07 324 37 238 05

5 ОПМТ

ВЫСОТА Н Р Т Г У Д У Д В

5:0 ВГ

0.01 1010 23,1 88 320 05 2.1

0.10 1000 22,9 89 333 05 1.8

0.20 989 22,6 91 325 07

0.31 976 22,3 93 310 05

0.50 955 21,0 0.43 98 244 05

0.6 943 20,2 0.43 99 234 07

0.9 911 18,6 98 214 12

1.0 901 18,4 0.52 98 214 11

1.05 900 18,4 0.52 98 214 11

1.56 864 17,1 0.34 97 216 12

1.50 850 16,2 0.34 96 213 11

2.00 802 13,4 0.58 90 212 12

2.02 800 13,3 0.58 90 212 12

2.92 745 9,4 0.64 94 211 14 1.6

2.77 732 9,8 -0.28 95 210 15 0.7

3.00 711 8,2 0.70 97 208 16 281

3.13 700 7,5 98 207 17 0.3

3.465 673 4,6 100 203 17 0.0

3.90 537 1,2 100 204 15 0.0

4.00 529 0,5 0.79 97 206 15

4.03 527 0,0 96 207 18 0.6

4.30 506 -2,1 0.81 96 214 12 0.0

4.38 684 -2,1 0.81 96 215 12 0.0

4.34 594 -2,1 0.81 96 216 12 0.0

4.66 579 -2,1 0.00 92 221 10 1.8

4.92 561 -3,4 0.00 100 227 10 0.0

5.00 555 -3,6 100 228 10 0.0

5.17 543 -4,0 0.37 100 229 10 0.0

5.82 500 -7,0 0.37 100 231 10 0.0

6.00 488 -9,0 0.60 100 231 10 0.0

6.53 456 -11,8 0.60 100 230 10 0.0

7.00 429 -14,7 0.58 97 227 10 0.0

7.52 400 -18,3 0.58 93 228 10 0.0

7.73 393 -18,6 0.58 93 228 10 0.0

8.00 350 -20,8 0.60 93 227 10 0.0

8.00 344 -20,8 0.60 93 227 10 0.0

11.00 244 -46,9 0.90 82 240 20

12.00 210 -55,4 0.90 76 232 31

12.08 207 -56,1 0.85 76 231 31 2.2

12.30 200 -57,1 0.85 75 229 31 2.3

	ШИФР	Н	Р	Т	Г	У	Д	У	Д	W
3.3 НГ	13.88	178	-61.2	0.55	71	234	32	349		
3.4 НГ	13.22	172	-62.3	0.48	70	235	33	2.6		
3.4 НГ	13.59	162	-62.5	0.06	68	240	32	2.9		
5.0 НГ	14.88	152	-65.5	0.74	66	247	29	2.4		
5.0 НГ	14.02	152	-65.7	0.74	66	247	29	2.4		
5.0 НГ	14.08	158	-65.6		66	248	29	3.5		
5.0 НГ	14.56	138	-64.6	-0.20	65	255	29	3.1		
5.0 НГ	14.74	134	-62.1	-1.36	64	256	24	3.2		
5.0 НГ	15.88	126	-53.5	0.54	63	257	22			
5.0 НГ	16.80	118	-64.3	0.08	64	259	13			365
5.0 НГ	16.30	104	-66.2	0.62	64	258	11	3.1		
5.0 НГ	16.56	106	-64.6		65	256	09	3.1		
5.0 НГ	17.00	93	-61.2		65	253	09	3.2		
5.0 НГ	17.81	92	-61.1	-0.72	65	249	12	3.2		
5.0 НГ	18.00	79	-54.7		53	253	11			
5.0 ВГ	18.37	74	-56.4	-1.42	62	265	07	3.6	252	
5.0 ВГ	18.76	70	-59.1		56	273	04	3.8		
5.0 ВГ	19.00	67	-58.2	-0.20	59	262	03			
5.0 ВГ	19.58	61	-58.3	0.03	238	02				
5.0 ВГ	20.00				265	02				
5.0 ВГ	21.00				200	02				209
5.0 ВГ	22.00				222	02				
5.0 ВГ	23.00				249	02				
5.0 ВГ	24.00				222	02				265
5.0 ВГ	24.50				265	05				
5.0 ВГ	25.00				208	10				
5.0 ВГ	25.50				112	09				
5.0 ВГ	26.00				163	08				243

ТАБЛИЦА РЕЗУЛЬТАТОВ ЗОНДИРОВАНИЯ									
СТАНЦИЯ НИС АКАД. КОРОЛЕВ ТИП Р/З РКЗ-2 Н ВЫПУСКА 76									
ДАТА 25/08/77		ВРЕМЯ НАБЛ. 11,5 ЧМТ. 06,5 МЕСН.							
М : К : ОБЛАЧНОСТЬ И АТМОСФЕРНЫЕ ЯВЛЕНИЯ: ВЫСОТА НД ПЗ.									
00/00		0.1	КМ	0.2	КГ	0.5	КМ		
КОЛИЧ:	ФОРМА:	ВЫСОТА		Д	В	Д	У	Л	В
00:00:11:2:3:4:5:Г:Ф:ЧМ:ПЗ:									
00:00:19:9:9:9:9:0:0:				351	11	355	09	163	78
3.1 НГ	ШИР	Н	Р	Т	С	У	Д	В	П
3.1 НГ		10.84	250	-48.3	30	271	15	9.8	
3.1 НГ		11.00	244	-49.4	0.72	30	269	15	
3.1 НГ		11.46	229	-53.3	0.84	31	264	16	9.2
3.1 НГ		12.00	208	-55.1	0.84	31	257	20	
3.1 НГ		12.12	205	-55.3	0.31	31	255	21	8.9
3.1 НГ		12.28	200	-57.4	32	253	22	8.6	
3.1 НГ		12.72	184	-59.6	0.71	32	254	23	8.3
3.1 НГ		12.96	180	-58.7	-0.40	32	256	22	8.4
3.1 НГ		13.00	178	-58.8	32	257	22		
3.1 НГ		14.00	152	-62.2	32	266	21	8.0	
3.1 НГ		14.49	148	-60.6	-0.36	32	267	20	
3.1 НГ		15.00	126	-60.5	0.34	32	268	18	
3.1 НГ		16.00	106	-55.2	32	273			341
3.1 НГ		16.57	100	-54.5	32	279	16	7.8	
3.1 НГ		16.67	98.5	-54.5	0.20	32	277	15	7.8
3.1 НГ		17.88	93	-53.3	-0.97	33	269	12	
3.1 НГ		17.67	93	-57.2	-0.61	33	254	06	8.4
3.1 НГ		18.00	79	-58.9	0.51	33	249	04	
3.1 НГ		18.80	70	-60.1	33	265	04	8.1	
3.1 НГ		19.00	69	-60.6	0.17	33	268	04	8.0
3.1 НГ		19.50	58	-57.4	33	269	04	344	
3.1 НГ		19.50	58	-57.4	-0.79	33	279	04	8.3
3.1 НГ		20.00	57	-57.5	0.00	33	342	04	
3.1 НГ		20.00	57	-57.5	33	345	04	8.5	
3.1 НГ		21.00	49	-55.8	-0.17	33	367	04	
3.1 НГ		22.00	42	-52.9	-0.38	33	389	04	8.7
3.1 НГ		23.00	31	-52.5	-0.69	33	395	05	
3.1 НГ		24.00	31	-51.4	-0.69	33	396	05	366
3.1 НГ		24.22	30	-51.3	33	397	05		
3.1 НГ		25.00	26	-51.1	-0.64	33	398	07	
3.1 НГ		26.00	22	-49.9	-0.21	33	401	09	
3.1 НГ		26.00	22	-49.9	0.30	33	408	10	401
3.1 НГ		26.86	20	-49.8	33	409	11		
3.1 НГ		27.00	19	-48.7	-0.23	33	412		
3.1 НГ		27.44	18	-48.9	-0.40	33	413		
3.1 НГ		28.00	16	-48.8	-0.03	33	415		
3.1 НГ		28.77	15	-45.9	33	416			
3.1 НГ		29.00	14	-46.0	-0.08	33	417		
3.1 НГ		30.00	12	-45.8	-0.61	33	418		
3.1 НГ		31.00	10	-45.2	-0.07	33	419		
3.1 НГ		31.47	10	-44.5	33	420			
3.1 НГ		32.00	9	-45.2	0.00	33	424	19	473
3.1 НГ		33.00	8	-43.5	-0.17	33	426		
3.1 НГ		33.53	7	-43.2	-0.06	33	428		500
3.2 НГ									
3.3 НГ									
3.4 НГ									
3.5 НГ									

ТАБ-3

37 45 С 75 27 З

ТАБЛИЦА РЕЗУЛЬТАТОВ ЗОНДИРОВАНИЯ

СТАНЦИЯ ЧИС АКАД. КОРОЛЕВ ТИП Р/З РКЗ-2 Н ВНИУСКА 77

ДАТА 25/03/77

ВРЕМЯ НАБЛ. 14,8 ЧМТ. 09,7 МЕСТН.

1. ПМ : ОБЛАЧНОСТЬ И АТМОСФЕРНЫЕ ЯВЛЕНИЯ: ВЫСОТА НИД ПД.

2. 22/00 СТ АС : 10.1 КМ 10.2 КЛ 10.5 КМ

3. КОДЫ ФОРМА : ВЫСОТА : Г : У : Д : В : Д : В

4. ОБЩИЙ ИНДИКТОР : 1:2:3:4:5:Г:Ф:ЧН : П3

5. ОБЩИЙ ИНДИКТОР : 1:1:3:6:0:0:0:0

6. ИНДИКТОРЫ : Н Р Т Г У Д В О Н

7. 0.01 1521 17.0 72 360 06 5.1

8. 0.20 1500 15.4 72 360 06 4.5

9. 0.30 998 15.3 75 360 06 4.5

10. 0.31 985 14.2 76 360 06 4.5

11. 0.50 964 12.6 79 319 06 4.5

12. 0.52 955 11.7 80 324 06 3.1

13. 0.54 936 11.9 82 300 06 3.2

14. 0.91 917 12.1 73 355 05 5.1

15. 0.94 914 12.2 -0.13 71 354 05 5.1

16. 1.00 908 12.0 68 353 05 5.1

17. 1.07 900 11.9 64 352 05 6.6

18. 1.50 855 10.5 41 303 07 6.6

19. 1.55 850 10.4 38 300 07 13.6

20. 1.57 848 10.3 -0.30 37 301 07 14.0

21. 1.59 839 11.7 -1.77 32 358 09 15.9

22. 1.84 820 11.2 22 347 09 20.7

23. 2.00 935 10.7 -0.30 21 336 19

24. 2.05 900 10.5 21 332 19 21.3

25. 2.50 758 8.9 18 318 14 22.6

26. 2.64 745 8.0 -0.42 19 313 13 22.2

27. 2.84 728 9.1 -0.57 19 305 13 22.1 265

28. 3.00 714 8.9 20 301 11 21.9

29. 3.09 706 8.8 0.10 20 301 11 21.6

30. 3.16 700 8.5 20 301 11 21.6

31. 4.00 632 3.2 0.62 23 300 13

32. 4.41 600 1.6 25 292 13 17.5

33. 4.72 577 0.0 26 284 13 17.3

34. 5.00 558 -1.9 0.52 25 286 13

35. 5.48 525 -4.6 0.56 25 287 13 17.1

36. 5.70 511 -4.7 0.00 24 286 13 17.3 246

37. 5.86 500 -5.2 0.24 24 285 13 17.2

38. 6.00 491 -6.9 0.74 24 285 13

39. 7.00 431 -15.4 0.85 22 279 13

40. 7.56 400 -19.9 0.85 22 274 14 16.3

41. 8.20 377 -23.5 0.80 22 272 15

42. 8.53 350 -28.1 0.80 22 271 16 15.0

43. 9.00 328 -32.2 0.87 22 268 16 317

44. 9.62 300 -36.9 0.87 22 267 17 13.6

45. 10.00 284 -40.3 0.81 23 269 17

46. 10.85 250 -47.6 0.81 23 275 17 11.9

47. 11.00 244 -48.9 0.85 24 270 19

48. 11.43 229 -52.3 0.83 24 272 20 11.2

49. 12.00 209 -55.1 0.48 24 257 21

50. 12.20 200 -55.4 0.81 24 266 21 10.6

51. 12.82 184 -58.6 0.42 25 264 22 10.2 327

	М	ШИФР	Н	Р	Т	Г	У	Д	В	О	Н
3.2 ВГ			13.00	178	-58.6	0.91	25 264	21			
3.3 НГ			13.54	164	-51.8	0.61	25 264	20	10.2		
			14.00	155	-62.9	0.24	25 265	19	9.6		
			14.69	155	-63.2	0.34	25 265	18	9.5		
5.0 НГ			14.28	145	-63.8	0.03	25 265	17			
5.0 ПМТ			15.00	128	-53.6	0.14	24 273	15	4.6	352	
			15.82	114	-54.7	0.14	24 274	14			
			16.00	110	-54.2	0.05	24 274	12	9.8		
			16.57	106	-54.3	0.08	24 274	10	9.8		
			17.00	93	-54.2	0.21	24 280	10			
			17.54	95	-54.5	0.08	24 281	9.8	10.4		
			18.00	75	-54.8	0.42	24 282	9.8			
			18.78	70	-54.3	0.42	24 282	10.1			
			19.00	67	-54.9	0.79	24 284	10.7	346		
			20.00	66	-57.2	0.15	24 284	10.8			
			20.50	63	-57.5	0.08	24 284	10.8			
			21.00	59	-56.3	0.08	24 284	10.8			
			21.50	59	-56.3	0.71	24 284	10.8			
			22.00	59	-56.1	0.12	24 284	10.8			
			23.00	36	-52.9	-0.33	24 284	10.8			
			23.46	33	-51.2	-0.35	24 284	10.8			
			24.00	36	-52.9	-0.33	24 284	10.8			
			25.00	36	-52.9	-0.33	24 284	10.8			
			26.00	36	-52.9	-0.33	24 284	10.8			
			27.00	36	-52.9	-0.33	24 284	10.8			
			29.00	36	-52.9	-0.33	24 284	10.8			
			30.00	36	-52.9	-0.33	24 284	10.8			

ТАБ-2

37 45 С 75 27 З

Н	ШИР	Н	Р	Т	Г	У	Д	Y	Д	Н
10.88	256	-46.5			28:303	20:	10.6			
11.88	245	-47.2	0.57		28:298	20:				
12.88	211	-54.6	0.74		29:300	15:				307
12.36	201	-56.3	0.54		38:304	14:	9.0			
12.35	200	-56.2	0.54		38:306	14:	9.0			
12.45	194	-55.7	-0.41		31:309	14:	9.0			
12.99	180	-59.1	0.63		32:318	12:	8.4			
13.00	180	-59.2			32:319	12:				
13.78	156	-47.2	1.02		33:306	15:	7.5			
14.80	151	-55.7			32:300	17:				
14.82	151	-45.5	-0.70		32:300	17:	7.5			
14.11	158	-56.2			31:298	17:	7.5			
14.48	141	-59.8	0.75		38:294	19:	8.0	299		
14.84	133	-58.7	-0.08		28:300	19:	8.4			
15.00	126	-55.9			27:302	19:				
15.23	125	-52.8	-1.56		26:305	20:	9.4			
16.80	118	-53.6	0.11		24:312	17:				
16.58	100	-55.4			31:316	15:	8.0			
16.59	99	-55.4	0.31		31:316	15:	8.0			
17.60	93	-53.8	-0.40		31:311	12:				
17.44	86	-59.7	-0.60		38:300	10:	8.5	291		
8.66	75	-54.1	-0.61		38:300	10:	8.5			
9.26	75	-54.1	-0.61		38:300	10:	8.5			
9.77	72	-53.3	-0.39		38:300	10:	8.4			
9.00	67	-59.2	-0.39		31:315	15:	8.4			
9.00	67	-59.2	-0.39		31:317	15:	8.4			
9.93	67	-56.9	-1.42		32:318	20:	9.1			
9.95	59	-59.1	-0.36		32:318	20:	9.1			
20.00	57	-57.5	-57.0	-1.00	28:319	24:				
21.24	56	-55.6			26:304	24:	10.0			
21.00	49	-55.3			26:312	24:				381
21.10	48.4	-55.1	-0.18		21:19	24:				
22.00	42	-56.1	0.11		20:52	25:				
23.80	35	-56.7			23:62	26:				
23.84	35	-56.8	0.07		23:62	26:				
23.30	34	-53.4	-1.31		23:62	27:				381
23.89	31	-54.2	0.13							
24.00	30	-53.8								
24.15	30	-53.2								
24.50	28	-50.1	-0.59							293
3.00	493	-8.5	0.76	36:314	12:	276				
6.62	455	-12.8		42:317	14:	10.2				
7.00	432	-15.3	0.69	42:317	15:					
7.58	400	-19.8		33:319	15:	12.1				
7.92	382	-21.6	0.68	32:321	15:	12.3				
8.00	378	-22.3		31:321	15:					
8.56	350	-26.2		29:319	15:	12.6				
9.00	329	-36.4	0.85	28:324	15:	297				
9.65	300	-39.4	0.87	28:324	15:	11.8				
10.00	289	-43.0	0.87	28:314	15:	10.8				
10.61	260	-43.0	0.87	28:314	15:					
3.00										

US RAWINSONDE		ASCENSION # A.K.1	
AKADEMIK KOROLEV		37°450 N	75°270 W
ALTITUDE GEOP MTR	PRESSURE MB	TEMP DEG C	REL HUM PRCNT
4	1013.7	22.0	88
122	1000.0	22.0	83
210	990.0	22.0	80
662	940.0	23.1	62
1039	900.0	21.3	61
1532	850.0	17.7	62
5073	551.0	-4.0	53
5378	520.0	-6.5	50
5831	500.0	-9.0	94
6019	488.0	-10.2	100
6357	467.0	-11.7	59
6657	449.0	-13.5	68
7526	400.0	-18.8	56
8505	350.0	-26.2	63
8994	327.0	-29.8	26
9600	300.0	-35.0	49
10029	282.0	-38.0	49
10845	250.0	-44.9	250
12297	200.0	-56.2	256
14088	150.0	-64.5	257
14509	140.0	-64.9	259
14913	131.0	-65.5	242
15197	125.0	-65.2	244
16552	100.0	-65.7	254
16928	94.0	-66.2	251
17691	83.0	-60.5	257
17919	80.0	-60.5	105
18754	70.0	-58.7	223
19730	60.0	-55.4	154
20891	50.0	-54.6	75
22324	40.0	-52.2	73
24196	30.0	-50.6	180
25388	25.0	-48.6	65
26860	20.0	-46.8	82
27749	17.5	-44.6	92
28781	15.0	-44.1	102
30010	12.5	-42.4	80
31519	10.0	-41.2	101
33041	8.0	-39.1	83
33959	7.0	-37.2	999.9

US RAWINSONDE

ASCENSION # A.K.2

AKADEMIK KOROLEV

37.450 N 75.270 W

AUGUST 24, 1977

1446 GMT

ALTITUDE GEOP MTR	PRESSURE MB	TEMP DEG C	REL HUM PRCNT	DEW PT DEG C	DIR DEG	SPD MPS	NS MPS	EW MPS
4	1014.5	21.8	89	19.8	200	11.0	10.3	3.8
128	1000.0	20.3	87	18.1	999	999.9	999.9	999.9
250	986.0	18.9	85	16.3	999	999.9	999.9	999.9
453	963.0	18.5	76	14.2	999	999.9	999.9	999.9
735	932.0	20.7	80	17.1	999	999.9	999.9	999.9
1036	900.0	19.7	66	13.1	999	999.9	999.9	999.9
1526	850.0	16.6	76	12.4	999	999.9	999.9	999.9
2039	800.0	12.9	82	9.8	999	999.9	999.9	999.9
2425	764.0	10.2	76	6.2	999	999.9	999.9	999.9
3146	700.0	5.5	94	4.6	999	999.9	999.9	999.9
3372	681.0	4.3	90	2.8	237	15.9	8.7	13.3
4300	607.0	-0.6	98	-0.9	253	12.9	3.8	12.3
4392	600.0	-1.1	96	-1.7	250	13.0	4.5	12.2
5615	514.0	-6.8	78	-9.9	245	15.2	6.3	13.8
5830	500.0	-8.4	78	-11.5	246	14.8	6.1	13.5
7531	400.0	-18.0	72	-21.9	246	16.9	6.9	15.5
8515	350.0	-24.3	65	-29.0	238	21.3	11.2	18.1
9621	300.0	-32.0	57	-37.6	237	27.5	15.0	23.1
10537	263.0	-39.0	50	-45.4	241	27.7	13.4	24.2
10881	250.0	-42.0			243	30.1	13.5	26.9
11702	221.0	-48.8			239	30.6	15.7	26.3
11973	212.0	-51.8			237	31.3	17.0	26.3
12346	200.0	-54.9			236	33.1	18.6	27.4
13046	179.0	-59.2			242	38.0	17.9	33.5
13592	164.0	-60.6			239	36.6	18.7	31.5
14144	150.0	-62.6			248	28.4	10.5	26.3
14746	136.0	-64.1			242	14.8	6.9	13.1
15264	125.0	-62.9			226	23.9	16.7	17.1
16637	100.0	-61.1			263	18.0	2.2	17.9
18031	80.0	-58.2			187	10.4	10.3	1.3
18875	70.0	-55.6			228	11.9	8.0	8.9
19860	60.0	-53.9			22	1.0	-0.9	-0.4
21032	50.0	-53.1			107	7.6	2.2	-7.3
22476	40.0	-51.1			88	17.5	-0.5	-17.5
24352	30.0	-50.1			199	4.9	4.6	1.6
25547	25.0	-47.6			64	14.8	-6.5	-13.3
27025	20.0	-46.2			106	15.3	4.3	-14.7
27917	17.5	-41.4			88	17.9	-0.6	-17.8
28967	15.0	-39.6			94	14.0	1.0	-13.9
30067	12.8	-32.6			999	999.9	999.9	999.9

US RAWINSONDE

ASCENSION # A.K.3

AKADEMIK KOROLEV

37.450 N 75.270 W

AUGUST 24, 1977

2315 GMT

ALTITUDE GEOP MTR	PRESSURE MB	TEMP DEG C	REL HUM PRCNT	DEW PT DEG C	DIR DEG	SPD MPS	NS MPS	EW MPS
4	1010.0	23.0	84	20.2	320	5.0	-3.8	3.2
90	1000.0	21.5	86	19.0	999	999.9	999.9	999.9
265	980.0	18.4	90	16.7	999	999.9	999.9	999.9
552	948.0	20.8	95	19.9	999	999.9	999.9	999.9
1000	900.0	18.3	95	17.4	999	999.9	999.9	999.9
1489	850.0	16.0	88	13.9	999	999.9	999.9	999.9
1641	835.0	14.8	91	13.3	216	11.1	9.0	6.6
1888	811.0	13.8	73	9.0	214	12.5	10.4	7.0
2002	800.0	12.9	81	9.6	212	12.5	10.6	6.7
2432	760.0	10.2	94	9.3	214	14.2	11.9	7.8
2698	736.0	8.7	55	0.2	215	17.0	13.8	9.8
3065	704.0	7.0	89	5.2	203	16.3	14.9	6.5
3111	700.0	6.6	90	5.1	203	16.2	15.0	6.3
4095	620.0	-1.3	97	-1.8	203	18.9	17.4	7.4
4356	600.0	-2.5	65	-8.5	208	17.6	15.5	8.3
4396	597.0	-2.7	60	-9.5	209	17.4	15.2	8.4
4652	578.0	-3.2	100	-3.2	219	17.4	13.5	11.0
5247	536.0	-5.0	100	-5.0	233	18.1	10.9	14.4
5530	517.0	-6.7	87	-8.4	233	18.2	11.0	14.5
5789	500.0	-8.4	96	-8.9	234	18.0	10.6	14.6
7489	400.0	-18.4	93	-19.3	228	22.3	14.8	16.6
7583	395.0	-19.0	100	-19.0	224	22.8	14.9	17.2
7909	378.0	-21.5	68	-25.8	232	23.2	14.2	18.4
8472	350.0	-24.9	84	-26.9	237	22.3	12.2	18.6
8598	344.0	-25.6	89	-26.9	237	21.4	11.6	18.0
9571	300.0	-33.5	65	-37.7	239	26.2	13.6	22.4
9954	284.0	-37.2	50	-43.9	240	25.0	12.5	21.6
10819	250.0	-44.9			243	29.7	13.6	26.4
12271	200.0	-56.5			236	28.9	16.3	23.8
13971	152.0	-65.7			238	35.9	19.0	30.5
14051	150.0	-65.6			240	36.2	18.1	31.4
14603	137.0	-63.7			257	33.2	7.7	32.3
15164	125.0	-64.0			261	23.4	3.8	23.1
15569	117.0	-64.1			263	17.0	2.1	16.9
16228	105.0	-66.1			268	17.3	0.6	17.3
16524	100.0	-64.1			263	15.6	1.8	15.5
17889	80.0	-65.2			244	13.8	6.1	12.4
18716	70.0	-59.5			302	3.3	-1.8	2.8
19683	60.0	-57.7			275	1.6	-0.1	1.6
20832	50.0	-57.3			322	0.7	-0.6	0.4
22247	40.0	-55.5			242	3.8	1.8	3.4
24089	30.0	-54.2			88	18.1	-0.5	-18.1
25258	25.0	-52.1			104	8.8	2.1	-8.6
26706	20.0	-50.1			999	999.9	999.9	999.9
26838	19.6	-49.4			999	999.9	999.9	999.9

US RAWINSONDE

ASCENSION # A.K.4

AKADEMIK KOROLEV

37.450 N 75.270 W

AUGUST 25, 1977

1134 GMT

ALTITUDE GEOP MTR	PRESSURE MB	TEMP DEG C	REL HUM PRCNT	DEW PT DEG C	DIR DEG	SPD MPS	NS MPS	FW MPS
4	1018.4	16.2	90	14.5	360	9.0	-9.0	0.
158	1000.0	15.0	82	11.9	999.9	999.9	999.9	999.9
556	954.0	13.6	63	6.6	999.9	999.9	999.9	999.9
816	925.0	14.6	62	7.4	999.9	999.9	999.9	999.9
1046	900.0	13.1	54	4.1	999.9	999.9	999.9	999.9
1065	898.0	13.0	54	3.8	999.9	999.9	999.9	999.9
1341	869.0	14.2	42	1.4	999.9	999.9	999.9	999.9
1526	850.0	13.2	41	0.2	999.9	999.9	999.9	999.9
1596	843.0	12.8	41	-0.2	999.9	999.9	999.9	999.9
1858	817.0	11.3	54	2.2	314	11.6	-8.0	8.3
2033	800.0	10.5	58	2.5	306	11.9	-7.0	9.7
2691	739.0	8.5	42	-3.7	297	13.1	-5.9	11.7
2998	712.0	8.9			300	12.0	-6.0	10.3
3137	700.0	8.4			299	12.4	-5.9	10.8
4396	600.0	3.6			285	17.4	-4.5	16.8
4725	576.0	1.0			274	13.8	-0.8	13.7
5007	556.0	-2.2			278	11.4	-1.6	11.3
5842	500.0	-5.7			300	15.2	-7.6	13.2
5985	491.0	-6.5			297	15.1	-6.9	13.4
6242	475.0	-9.5			284	12.3	-2.9	11.9
7305	413.0	-17.1			288	14.4	-4.3	13.7
7451	405.0	-19.6			280	10.0	-1.8	9.8
7542	400.0	-20.3			283	11.0	-2.5	10.7
8515	350.0	-28.3			277	15.7	-1.9	15.6
9599	300.0	-37.6			266	16.9	1.1	16.9
10826	250.0	-48.4			261	16.4	2.5	16.2
12258	200.0	-57.2			251	20.9	6.9	19.7
12816	183.0	-59.5			247	23.6	9.2	21.7
14050	150.0	-62.9			275	18.5	-1.7	18.4
14133	148.0	-63.3			278	18.6	-2.6	18.4
15173	125.0	-63.2			272	18.2	-0.7	18.2
16539	100.0	-64.7			272	16.5	-0.5	16.5
16601	99.0	-64.8			273	16.0	-0.7	16.0
17927	80.0	-58.4			283	11.0	-2.5	10.7
18762	70.0	-59.9			244	3.3	1.5	2.9
19728	60.0	-57.4			296	12.3	-5.4	11.1
20882	50.0	-56.4			95	9.6	0.9	-9.6
22313	40.0	-52.5			112	8.7	3.3	-8.0
24179	30.0	-50.5			29	5.2	-4.6	-2.5
25368	25.0	-49.1			92	11.5	0.4	-11.5
26833	20.0	-48.2			67	9.6	-3.8	-8.8
27715	17.5	-46.6			99	15.4	2.4	-15.2
28744	15.0	-44.8			90	14.2	0.	-14.2
29964	12.5	-44.1			84	15.1	-1.5	-15.1
31464	10.0	-43.2			92	17.7	0.6	-17.7
32971	8.0	-41.2			84	22.0	-2.3	-21.9
33880	7.0	-40.4			999	999.9	999.9	999.9

US RAWINSONDE

ASCENSION # A.K.5

AKADEMIK KOROLEV

37°45'0 N 75°27'0 W

AUGUST 25, 1977

1446 GMT

ALTITUDE GEOP MTR	PRESSURE MB	TEMP DEG C	REL HUM PRCNT	DEW PT DEG C	DIR DEG	SPD MPS	NS MPS	EW MPS
4	1020.7	17.2	72	12.0	360	6.0	-6.0	0.0
178	1000.0	15.7	61	8.2	999	999.9	999.9	999.9
238	993.0	15.2	58	6.9	999	999.9	999.9	999.9
488	964.0	12.9	74	8.3	999	999.9	999.9	999.9
763	933.0	13.2	44	1.2	999	999.9	999.9	999.9
1000	907.0	13.1			999	999.9	999.9	999.9
1064	900.0	12.8			999	999.9	999.9	999.9
1542	850.0	12.8			999	999.9	999.9	999.9
1751	829.0	12.5			354	7.9	-7.8	0.8
2048	800.0	11.5			329	10.8	-9.3	5.5
3156	700.0	9.2			301	10.0	-5.1	8.6
4410	600.0	2.5			292	13.3	-5.0	12.3
5858	500.0	-5.7			270	9.4	0.	9.4
7556	400.0	-20.0			273	12.9	-0.7	12.9
8529	350.0	-28.6			275	17.3	-1.4	17.2
9612	300.0	-37.2			256	14.6	3.5	14.2
10841	250.0	-47.6			278	16.0	-2.3	15.8
12031	208.0	-54.9			264	23.6	2.6	23.4
12281	200.0	-55.2			264	21.3	2.1	21.2
13801	157.0	-61.9			257	18.5	4.2	18.0
14082	150.0	-62.4			265	17.9	1.6	17.8
14965	130.0	-63.8			267	18.6	0.9	18.6
15205	125.0	-62.6			266	16.6	1.2	16.6
16579	100.0	-63.2			278	15.8	-2.2	15.7
17959	80.0	-60.7			277	17.0	-2.1	16.9
18797	70.0	-56.3			282	11.9	-2.5	11.6
19778	60.0	-55.4			63	1.3	-0.6	-1.2
20940	50.0	-54.8			105	6.2	1.6	-6.0
22375	40.0	-51.9			128	1.4	0.9	-1.1
24255	30.0	-48.3			85	10.7	-0.9	-10.7
25454	25.0	-48.9			104	10.9	2.6	-10.6
26932	20.0	-44.5			95	14.2	1.2	-14.2
27827	17.5	-43.8			83	12.8	-1.7	-12.7
28863	15.0	-42.7			95	17.3	1.6	-17.2
30095	12.5	-42.4			81	12.4	-2.0	-12.3
31604	10.0	-40.7			999	999.9	999.9	999.9

US RAWINSONDNE		ASCENSION # A.K.6					
AKADEMIK KOROLEV		37.450 N			75.270 W		
AUGUST 25, 1977		2333 GMT					
ALTITUDE GEOP MTR	PRESSURE MB	TEMP DEG C	REL HUM PRCNT	DEW PT DEG C	DIR DEG	SL MB	
4	1022.3	19.4	62	12.0	70	999	999
193	1000.0	19.4	42	5.2	999	999	
297	988.0	19.4	30	1.5	999	999	
1005	909.0	13.5	61	6.2	999	999	
1088	900.0	14.0	42	-3.7	999	999	
1240	884.0	14.9			999	999	
1568	850.0	12.7			116		
1950	812.0	11.2			54		
2073	800.0	11.5			307		
2457	764.0	12.4			300		
3184	700.0	10.3			277		
4444	600.0	3.4			314		
5510	525.0	-4.7	21	-23.4	305	10	
5891	500.0	-7.2	22	-25.1	312	10	
6994	433.0	-15.2	22	-32.1	317	14	
7587	400.0	-19.2			320	17	
8201	368.0	-23.9			321	18	
8502	353.0	-27.6			320	19	
8563	350.0	-27.9			320	19	
9651	300.0	-36.8			330	13	
10885	250.0	-45.9			309	16	
12335	200.0	-55.3			310	13	
13651	162.0	-65.3			312	14	
14118	150.0	-65.7			288	14	
14535	140.0	-67.2			292	14	
15128	127.0	-61.7			310	21	
15226	125.0	-61.8			310	20	
16599	100.0	-63.3			310	15	
17976	80.0	-63.0			311	12	
18808	70.0	-56.3			324	5	
19782	60.0	-55.5			283	3	
20946	50.0	-54.3			52	5	
22373	40.0	-53.9			76	8	
24230	30.0	-50.3			55	6	
24589	28.4	-49.3			999	999	

US RAWINSONDE

ASCENSION • A.K.7

AKADEMIK KOROLEV

37.450 N 75.270 W

AUGUST 26, 1977

226 GMT

ALTITUDE GEOP MTR	PRESSURE MB	TEMP DEG C	REL HUM PRCNT	DEW PT DEG C	DIR DEG	SPD MPS	NS MPS	FW MPS
4	1023.3	18.5	62	11.1	110	1.0	0.3	-0.9
201	1000.0	18.0	61	10.3	999	999.9	999.9	999.9
1094	900.0	12.4	61	5.0	999	999.9	999.9	999.9
1141	895.0	12.1	60	4.6	999	999.9	999.9	999.9
1426	865.0	13.2			106	4.3	1.2	-4.1
1572	850.0	12.5			108	2.7	0.8	-2.6
1984	809.0	11.1			327	1.2	-1.0	0.6
2077	800.0	11.3			318	1.9	-1.4	1.3
2581	753.0	12.3			290	4.7	-1.6	4.4
3188	700.0	10.4			274	5.7	-0.4	5.7
4449	600.0	3.7			293	5.3	-2.0	4.9
5894	500.0	-7.2			318	8.4	-6.2	5.6
7593	400.0	-18.8			337	11.3	-10.4	4.5
8572	350.0	-26.3			337	13.7	-12.6	5.4
9664	300.0	-36.0			326	17.3	-14.3	9.8
10899	250.0	-46.9			329	15.9	-13.7	8.2
12343	200.0	-56.2			328	20.2	-17.1	10.8
13615	163.0	-66.2			300	15.4	-7.7	13.3
14117	150.0	-66.6			297	16.7	-7.7	14.8
14709	136.0	-67.0			313	22.6	-15.5	16.4
15219	125.0	-65.1			322	24.8	-19.5	15.2
15520	119.0	-62.4			324	24.4	-19.8	14.3
16592	100.0	-62.7			319	15.9	-12.0	10.4
17380	88.0	-61.8			321	14.4	-11.2	9.1
17961	80.0	-65.7			320	11.5	-8.8	7.4
18790	70.0	-57.3			33	3.2	-2.7	-1.8
19756	60.0	-58.6			277	3.1	-0.4	3.1
20915	50.0	-55.0			59	6.8	-3.5	-5.9
22342	40.0	-53.3			96	8.6	1.2	-8.5
24202	30.0	-51.0			84	5.7	-0.7	-5.7
25388	25.0	-50.7			84	10.5	-1.2	-10.4
26849	20.0	-47.6			86	13.4	-0.9	-13.4
27733	17.5	-46.4			84	13.5	-1.5	-13.4
28760	15.0	-44.7			72	15.5	-4.9	-14.7
29980	12.5	-44.2			74	15.1	-4.2	-14.5
31478	10.0	-42.8			78	14.7	-3.0	-14.4
32991	8.0	-41.0			71	16.4	-5.4	-15.4
33899	7.0	-41.1			74	18.3	-5.1	-17.5
34946	6.0	-40.8			72	18.4	-5.6	-17.5
36192	5.0	-39.0			73	20.6	-5.9	-19.7
37390	4.2	-37.9			999	999.9	999.9	999.9

1. Report No. NASA RP-1053	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Results of the August 1977 Soviet and American Meteorological Rocketsonde Intercomparison Held at Wallops Island, Virginia		5. Report Date February 1980	
7. Author(s) Francis J. Schmidlin; Joseph R. Duke; Andre I. Ivanovsky; and Y. M. Chernyshenko		6. Performing Organization Code	
9. Performing Organization Name and Address NASA Wallops Flight Center, Wallops Island, VA 23337 Hydrometeorological Service, Moscow, USSR		8. Performing Organization Report No.	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, DC 20546		10. Work Unit No.	
15. Supplementary Notes		11. Contract or Grant No.	
		13. Type of Report and Period Covered Reference Publication	
		14. Sponsoring Agency Code	
16. Abstract In 1971, the National Aeronautics and Space Administration in the United States and the Academy of Sciences in the Union of Soviet Socialist Republics, agreed to a coordinated program of rocketsonde investigations along about 60°E and 70°W Longitudes. The Americans agreed to coordinate launches along 70°W with the Cooperative Meteorological Rocket Network (CMRN) in the US and the Experimental Inter-American Meteorological Rocketsonde Network (EXAMETNET) in the Southern Hemisphere and the NASA launch site at Wallops Flight Center, Virginia. The Hydrometeorological Service of the USSR, on behalf of the USSR Academy of Sciences, agreed to provide data from sites along 60°E. It was recognized early in these investigations that the rocketsonde instruments used by the US and USSR needed to be compared if useful results were to be obtained. As a result of an internationally coordinated rocket intercomparison held in 1973 it was learned that large differences existed between the measurements obtained with the US and USSR instruments. After examination of the instruments and adjustments to techniques were completed, it was agreed that an intercomparison of the US Super Loki Data sonde and the USSR M100B rocketsonde should be conducted. It was agreed that 22 pairs of rocket instruments, half scheduled for daytime and half for nighttime, would be launched. The actual launches commenced on August 10, 1977, with the Soviets launching from their ship, the Research Vessel Akademik Korolev, and the Americans from the launch complex at NASA's Wallops Flight Center, Virginia. Except for minor variations in the launch schedule, all rocketsondes were launched as planned. Results indicate that the US/USSR rocketsonde measurement agreement improved since the 1973 intercomparisons. It was learned that the mean of the differences of the temperatures compare to within 6°C at about 60 km and to within 2°C near 50 km. However, the root-mean-square differences are much larger. Wind measurements were found to agree, in the mean, to within 3 ms ⁻¹ up to 57 km.			
17. Key Words (Suggested by Author(s)) Meteorological Rockets Meteorological Instruments Wind Measurement Instrument Errors Atmospheric Temperature Rocket Sondes	Sondes Rawinsondes Temperature Thermistors USSR Stratosphere	18. Distribution Statement Unlimited STAR Category 47	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 199	22. Price* \$9.00